



5/ CERAMIC

SERIES



ADVANCED PIPELINE TECHNOLOGY

A ADVANCED OPTIMIZATION PIPELINE TECHNOLOGY

Adopt CNC analog simulation technology, apply hydrodynamics theory, optimize pipe shape and length, develop optimization efficient flushing system, reduce blowdown resistance, greatly increase flushing effect, and wash up more completely.

Lower water retaining aluminum material, durable and corrosion resistant, combining with water-proof seal strip, significantly improve water-proof performance of shower room body, separate moisture while bathing, keeping shower room dry.

B LARGE DIAMETER PIPELINE

Increase the pipe's cross section area, discharge dirt from pipe more easily, and greatly increase blowdown ability and speed.

C 360° PIPELINE GLAZING TECHNOLOGY

By 360° pipe glazing, thickness of pipe wall is uniform to ensure smoother blowdown.



D DURABLE & EFFICIENT WATER FITTING TO SAVE WATER AND

Apply high-quality drain valve with 3-inch section. Section is wider to make drain ability 1.25 times higher than traditional valve. Strong water drain and mute water recharging. Pass 200,000-time durability test, equal to over 60-year use in common family.

WATER SAVING TECHNOLOGY

WELL-DESIGNED WATER SEALING – SPLASH PROOF & DEODORANT

Integrate ergonomics and dynamics. Increase water block surface area. Dirt drops into pit directly, avoiding odor upwelling. Height of 55mm isolates order completely and butt will not be easily splashed by water.

FEATURES OF WATER MOMENTUM TOILET


Strong and fast blowdown. Only take 3 seconds. 360° super vortex flushing. Wash dirt away in one time. Fill by super clean water quality.



360° super vortex all-round flushing




Strong sprayer hole washes dirt away instantly.



HEWASYS – EFFICIENT WATER SAVING SYSTEM

Super strong drain power. Only a little water is enough to ensure strong flushing effect. Greatly save water resources.



HIGH-QUALITY TOILET SEAT & COVER

ARC-SHAPED TOILET SEAT


Damping Soft-close and mute toilet cover. By applying ergonomic principle, toilet seat arc is scientifically designed so as to perfectly touch skin and bear heavy weight. It can pass 100,000-time opening and closing life test.



UF TOILET COVER

Made of high-quality UF, high hardness, more durable, with ceramic-like surface, difficult for dirt adhesion, long service life, as smooth as new and no color change.

- High-quality UF, high hardness, more durable



Use hard material to scratch UF toilet cover surface

After scratch, there is no scratch mark left.

- Look like ceramic surface, difficult for dirt adhesion, long service life, as smooth as new, no color change



When there is dirt

It is easy to clean it away

As smooth as new

For common toilet cover, scratch mark left.



SELF-CLEANING GLAZING & SILVER-ION ANTIBIOSIS TECHNOLOGY

After multi-layer glazing, silver ion is sprayed onto glaze surface. Clean and smooth nanometer film layer is formed through high temperature firing. More convenient for cleaning.

Self-cleaning glazing

- There is dirt on product surface. After flushing, surface is as smooth as new.



Before flushing



After flushing



LOW WATER ABSORPTION – DEODORANT & ANTI- CRACKING

Ceramics is produced after continuous high-temperature firing. High-quality firing, high density and good anti-cracking property. Convenient for cleaning and difficult for dirt adhesion. No unpleasant smell after long-term use.


Silver-ion antibiosis

- Glazes comparison



Common glaze under microscope

Under microscope, common glaze surface has obvious concavo and convex points that easily absorb dirt and produce bacteria. Unpleasant smell will occur after long-term use.



Innovative glaze surface under microscope

Innovative glaze surface under microscope is smooth and clean and neither absorbs dirt nor produces bacteria. No unpleasant smell. More convenient for cleaning.



11180-3-5/31M-1

One-piece toilet

▶ 760x495x645mm

Brush free glaze
lateral lever 4.5L
S-trap: 305mm
Φ50mm ultra large diameter
Thickened PP soft-down seat cover



11196-2-2/31M-1

One-piece toilet

▶ 755x425x750mm

Brush free glaze
Optional top press 3.5/5L
S-trap: 305mm
Φ50mm ultra large diameter
UF soft-down seat cover



11101-1/31Z-I011

One-piece toilet

▶ 730x380x750mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
UF soft-down seat cover



11117-1/31Z-1

One-piece toilet

▶ 700x390x780mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
PP soft-down seat cover



11190-2-5/31Z-1

One-piece toilet

▶ 725x415x705mm

Self-cleaning glazing
Optional top press 3.5/5L
S-trap: 305mm
Thickened PP soft-down seat cover
Super vortex flush



11159-2-2/31S-1

One-piece toilet

▶ 750x440x650mm

Self-cleaning glazing+ Ag+ antibiosis
Optional top press 3/6L
S-trap: 305mm
Swirl flushing
UF soft-down seat cover



1166-2-1/31Z-I011

One-piece toilet

▶ 680x360x670mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
PP soft-down seat cover



11169-2-1/31Z-I011

One-piece toilet

▶ 700x360x690mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
PP soft-down seat cover



11168-2-2/31M-1

One-piece toilet

▶ 750x410x735mm

Brush free glaze
Optional top press 3/4.8L
S-trap: 305mm
Φ50mm ultra large diameter
UF soft-down seat cover



11113-1/31Z-I011

One-piece toilet

▶ 730x380x725mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
UF soft-down seat cover



1163-2-1/31Z-1

One-piece toilet

▶ 710x365x700mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305/400mm
PP soft-down seat cover



11129-1/31Z-I011

One-piece toilet

▶ 690x395x730mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm
PP soft-down seat cover



11167-2-1/21Z-I011

One-piece toilet

▶ 700x390x745mm

Self-cleaning glazing
Optional top press 3/6L
P-trap: 250mm
PP soft-down seat cover



1183-2/31Z-I011

One-piece toilet

▶ 723x402x743mm

Self-cleaning glazing
Optional top press 3/6L
S-trap: 305mm / 200mm
UF soft-down seat cover



1183-2-1/11Z-I011

One-piece toilet

▶ 723x402x743mm

Self-cleaning glazing
Optional top press 3.8/6L
P-trap: 180mm
PP soft-down seat cover



1188-2-2/11Z-I011

One-piece toilet

▶ 710x377x801mm

Self-cleaning glazing
Optional top press 3/6L
P-trap: 180mm
UF soft-down seat cover



1176-2-1/11Z-I011

One-piece toilet

▶ 690x390x720mm

Self-cleaning glazing
Optional top press 3.8/6L
P-trap: 180mm
PP soft-down seat cover



11158-2-1/11Z-I011

Two-piece toilet

▶ Body: 715x372x810
▶ Tank: 395x160x320

Self-cleaning glazing
Optional top press 3.8/6L
P-trap: 180mm
PP soft-down seat cover



1187-2/11Z-I011

Two-piece toilet

▶ 577x366x360mm

Self-cleaning glazing
Wall-hung installation
Fall-type flushing
Fully Concealed water tank
P-trap: 180mm
UF soft-close toilet cover



1197-2/11Z-I011

Two-piece toilet

▶ 570x370x400mm

Self-cleaning glazing
Floor type installation
Fall-type flushing
UF soft-close toilet cover
P-trap: 180mm
Fully Concealed water tank



9513-00-I011

Concealed water tank

▶ 506x(165-210)x(1180-1380)mm

Concealed installation
Paint spraying iron stand
PP water tank
Load-bearing: 400kg



95024-00-I011

Concealed water tank

▶ 506x(165-210)x(1180-1380)mm

Concealed installation
Paint spraying iron stand
PP water tank
Load-bearing: 400kg



12400-1/11Z-I011
Artistic basin

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm

► 463x463x163mm



12250-2/01Z-1
Artistic basin

Self-cleaning glazing
Drain hole: ϕ 45mm

► 435x435x145mm



12161-1/01P-I011
Artistic basin

Bright glazing
Without spillway hole

► 480x370x135mm



12135-1/01Z-1
Artistic Basin

Self-cleaning glazing
Drain hole: ϕ 45mm
With spillway hole

► 445x445x200mm



12132-1/01Z-1
Artistic Basin

Self-cleaning glazing
Drain hole: ϕ 45mm

► 550x380x155mm



12133-1/01Z-1
Artistic basin

Self-cleaning glazing
Drain hole: ϕ 45mm
With spillway hole

► 600x380x150mm



12136-1/11Z-1
Artistic basin

▶ 600x430x155mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12138-1/01Z-I011
Above counter basin

▶ 600x380x155mm

Self-cleaning glazing
Drain hole: ϕ 45mm
With spillway hole



12238-1/11Z-I011
Artistic Basin

▶ 570x455x200mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12240-1/11Z-I011
Artistic basin

▶ 605x460x200mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



1267-1/11Z-I011
Above counter basin

▶ 474x675x215mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12409-1/11Z-I011
Above counter basin

▶ 600x400x175mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12212-1/01S-I011
Above counter basin

▶ 575x422x195mm

Self-cleaning glazing+ Ag+ antibiosis
Drain hole: ϕ 45mm
With spillway hole



12300-1/11Z-1
One-piece basin

▶ 800x450x200mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12098-1/01Z-I011
Above counter basin

▶ 400x400x200mm

Self-cleaning glazing
Drain hole: ϕ 45mm
With spillway hole



12301-1/11Z-1
One-piece basin

▶ 1000x450x200mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12140-1/01Z-1
Above counter basin

▶ 455x455x196mm

Self-cleaning glazing
Drain hole: ϕ 45mm
With spillway hole



12258-3/11Z-I011
One-piece basin

▶ 600x400x170mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12119-3/11Z-1
One-piece basin

▶ 1000x515x200mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12118-2/11Z-1
One-piece basin

▶ 900x500x205mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12142-1/01Z-1
Countertop basin

▶ 600x380x150mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



12141-1/11Z-1
Countertop basin

▶ 600x500x140mm

Self-cleaning glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45mm



1296-1/01Z-1
Under counter basin

▶ 510x435x185mm

Drain hole: ϕ 45
With spillway hole



1268-1/01Z-1
Under counter basin

▶ 535x410x185mm

Drain hole: ϕ 45
With spillway hole



1293-1/01Z-1
Under counter basin

▶ 562x432x201mm

Drain hole: ϕ 45
With spillway hole



12146-1/01Z-1
Under counter basin

▶ 450x450x200mm

Self-cleaning glazing
Drain hole: ϕ 45
With spillway hole



12115-1/01P-1
Under counter basin

▶ 530x365x208mm

Bright glazing
Drain hole: ϕ 45
With spillway hole



12145-1/01Z-1
Under counter basin

▶ 540x392x203mm

Self-cleaning glazing
Drain hole: ϕ 45
With spillway hole



12476-1/11P-1
Wall-Hung Basin

▶ 500x438x170mm

Bright glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45



12479-1/11P-1
Half-Pedestal Basin

▶ 600x400x500mm

Bright glazing
Single inlet hole: ϕ 35
Drain hole: ϕ 45



12454-1/11P-1
Pedestal basin

▶ 600×400×780mm

Bright glazing
Single inlet hole: φ35
Drain hole: φ45



12475-1/11P-1
Wall-Hung Basin

▶ 445×380×190mm

Bright glazing
Single inlet hole: φ35
Drain hole: φ45



12477-1/11P-1
Half-Pedestal Basin

▶ 550×480×480mm

Bright glazing
Single inlet hole: φ35
Drain hole: φ45



12478-1/11P-1
Pedestal basin

▶ 525×410×800mm

Bright glazing
Single inlet hole: φ35
Drain hole: φ45



12103-1/11P-1
Pedestal basin

▶ 524×442×800mm

Bright glazing
Single inlet hole: φ35
Drain hole: φ45



AM2188-461A-IG11
Mirror

▶ 400×700×5mm

No copper environmental mirror



AM2188-481A-IG11
Mirror

▶ 500×700×5mm

No copper environmental mirror



AM2188-471A-IG11
Mirror

▶ 600×800×5mm

No copper environmental mirror



9C110-000-JM01
Tank main component

▶ Water inlet thread: G1/2
Water outlet: 2 inch
Button installation size: φ58

ABS body