


6 /

BATHROOM

HARDWARE



HIGH QUALITY FAUCET




WATER SAVING TECHNOLOGY

As the use of air intake technology, the running and skipping mixture of water and air is pleasant and comfortable, not only satisfying your needs of cleaning, but also saving 30% water effectively. The same result is achieved with less water consumption. We can do our bit for global environmental protection undertaking in this way.



EUROPEAN CERAMIC VALVE

The selected high-quality ceramic cartridge is provided with the hardness of 1050HV5-1500HV5. The fantastic sealing performance and smooth hand feeling. It can be turned on and off continuously for 500,000 times.



- A** Uniformity of wall thickness
- B** Smooth inner wall surface
- C** Precise processing
- D** European cartridge
- E** Fine copper material
- F** Water-saving aerater

SMOOTH OPERATION TECHNOLOGY


The high-quality cartridge with high hardness and prominent sealing property is selected that the hand feel is smooth; the product can stand wear and tear; the service life is longer than 500,000 times.



CRYSTAL TECHNOLOGY

• Diagrammatic drawing of bright crystal technology

After multiple layers of electroplating treatment, the product is glittering, translucent, resplendent, acid-resisting, alkaline resisting, and antioxidant that even after long-term usage, the product is still fine, smooth, shining, and with ultra strong adsorption force that it never falls off.





Surface treatment	JOMOO	Common brand
Chromium layer CR	0.25 UM	No requirements
Bright nickel layer NI	5.0 UM	No requirements
Semibrilliant nickel layer NI	2.6 UM	No requirements

CONSTANT TEMPERATURE TECHNOLOGY

The carefully designed hot water diversion channel keeps the faucet surface and the top away from the high-temp. water flow. The high-end thermostatic cartridge can precisely control the temperature that when the temperature rises too high, it will automatically limit the water current to prevent scalding. The product is safe and reliable.

- A** European thermostatic cartridge
- B** Unique design of hot-water diversion channel




• Thermostatic technology diagrammatic drawing



SMART MUTIFUNCTIONAL DESIGN

The humanized design can realize multi-angle pulling and rotating, providing various outflow effects and ultra high outflow experience to satisfy different usage requirements.

- 360°rotation technology



Rotating hand-washing function

Rotating face-washing function



360°rotation effect

- Multifunctional pulling technology



Multifunctional pulling hand-washing function

Multifunctional pulling hair-washing function

- Kitchen pulling technology




Multifunctional kitchen pulling washing function

- Water outflow effect



Aerater water outflow effect

Shower water outflow effect





32213-224/1B-I011

Bidet mixer

Height of water outlet: 87mm
Distance from water outlet center to body: 146mm
Total height: 150mm

Solid brass
Φ35 ceramic cartridge
Chrome finish



32211-224/1B-Z

Basin mixer

Total height: 149mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm

Silicon brass
Water falls
Import Φ35 cartridge
Chrome finish



32212-224/1B-Z

Basin mixer

Total height: 230mm
Height of outlet hole: 180mm
Distance from water outlet center to body: 130mm

Silicon brass
Water falls
Φ35 ceramic cartridge
Chrome finish



22029-227/1B-Z

3-hole basin mixer

Height of outlet hole: 95mm
Distance from water outlet center to body: 125mm
quick-open ceramic cartridge: G1/2
distance between handle and water outlet 100mm

Silicon brass
Chrome finish
Water falls



35157-224/1A-1

Shower mixer

Shelf: 280X110mm
Center distance of water inlets: 150mm
Distance between wall & shower outlet: 18mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
Containing function
With hand shower bracket



35158-224/1A-I011

Bath & shower mixer

Shelf: 280X110mm
Center distance of water inlets: 150mm
Distance between wall & shower outlet: 18mm
Distance between wall & tub outlet: 94mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
Containing function
With hand shower bracket



29030-252/1B-1

5-hole bath & shower mixer

Distance from water outlet center to body: 218mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 120mm
Total height: 120mm

Rectangular hand shower: 3X5inch
Ceramic cartridge
Chrome finish
With adjustable tub outlet spout



36245-224/1A-1

Shower set

Center distance of water inlets: 150mm
External thread: G1/2B
Vertical distance between inlets and the top: 1245mm
Vertical distance between water inlet and mounting base: 1038mm
Vertical distance between inlets and raincan: 1140mm

Solid brass body
Φ35 ceramic cartridge
Chrome finish
Raincan: 9 inch
Body with hand shower bracket
Splashing resistant
Twist resistant hose



32213-224/2A1-1

Bidet mixer

Height of water outlet: 88mm
Distance from water outlet center to body: 146mm
Total height: 150mm

Solid brass
Φ35 ceramic cartridge
Flange gold



32211-224/2A-Z

Basin mixer

Total height: 149mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm

Silicon brass
Water falls
Import Φ35 cartridge
Flange gold



29030-252/2A1-1

5-hole bath & shower mixer

Distance from water outlet center to body: 218mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 120mm
Total height: 120mm

Rectangular hand shower: 3X5inch
Ceramic cartridge
Flange gold
With adjustable tub outlet spout



32212-224/2A-Z

Basin mixer

Total height: 230mm
Height of outlet hole: 180mm
Distance from water outlet center to body: 130mm

Silicon brass
Water falls
Φ35 ceramic cartridge
Flange gold



22029-227/2A2-Z

3-hole basin mixer

Height of outlet hole: 95mm
Distance from water outlet center to body: 125mm
quick-open ceramic cartridge: G1/2
distance between handle and water outlet 100mm

Silicon brass
Flange gold
Water falls



36245-224/2A-1

Shower set

Center distance of water inlets: 150mm
External thread: G1/2B
Vertical distance between inlets and the top: 1245mm
Vertical distance between water inlet and mounting base: 1038mm
Vertical distance between inlets and raincan: 1140mm

Solid brass body
Φ35 ceramic cartridge
Flange gold
Raincan: 9 inch
Body with hand shower bracket
Splashing resistant
Twist resistant hose



35157-224/2A-1

Shower mixer

Shelf: 280X110mm
Center distance of water inlets: 150mm
Distance between wall & shower outlet: 18mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold
Containing function
With hand shower bracket



35158-224/2A-1

Bath & shower mixer

Shelf: 280X110mm
Center distance of water inlets: 150mm
Distance between wall & shower outlet: 18mm
Distance between wall & tub outlet: 94mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold
Containing function
With hand shower bracket

|| Bathroom Hardware



32211-224/9B-Z

Basin mixer

Total height: 149mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm

Silicon brass
Water falls
Import Φ35 cartridge
Rose gold



32212-224/9A-Z

Basin mixer

Total height: 230mm
Height of outlet hole: 180mm
Distance from water outlet center to body: 130mm

Silicon brass
Water falls
Φ35 ceramic cartridge
Rose gold



32249-272/1B-Z

Basin mixer

Total height: 228mm
Height of outlet hole: 98mm
Distance from water outlet center to body: 124mm

Silicon brass
Silica gel aerator
Chrome finish
Φ35 ceramic cartridge
With lifting drainer hole



32250-272/1B-Z

Basin mixer

Total height: 400mm
Height of outlet hole: 270mm
Distance from water outlet center to body: 134mm

Silicon brass
Φ35 high-end cartridge
Silica gel aerator
Chrome finish



22029-227/9B-Z

3-hole basin mixer

Height of outlet hole: 95mm
Distance from water outlet center to body: 125mm
quick-open ceramic cartridge: G1/2
distance between handle and water outlet 100mm

Silicon brass
Rose gold
Water falls



29030-252/9A-1

5-hole bath & shower mixer

Distance from water outlet center to body: 218mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 120mm
Total height: 120mm

Rectangular hand shower: 3X5inch
Ceramic cartridge
Rose gold
With adjustable tub outlet spout



32257-272/1B-Z

Basin mixer

Total height: 273mm
Height of outlet hole: 190mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Chrome finish
Φ35 ceramic cartridge
Silicon brass
360° swingable water outlet pipe



22040-316/1B-Z

Basin mixer

Total height: 289mm
Height of outlet hole: 185mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Chrome finish
ceramic cartridge
Silicon brass
360° swingable water outlet pipe



36245-224/9A-1

Shower set

Center distance of water inlets: 150mm
External thread: G1/2B
Vertical distance between inlets and the top: 1245mm
Vertical distance between water inlet and mounting base: 1038mm
Vertical distance between inlets and raincan: 1140mm

Solid brass body
Φ35 ceramic cartridge
Rose gold
Raincan: 9 inch
Body with hand shower bracket
Splashing resistant
Twist resistant hose



22038-288/1B-Z

3-hole basin mixer

Total height: 190mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm
mounting hole size: ø35mm

Silicon brass
Silica gel aerator
Chrome finish



35172-272/1B-1

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 60mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish

■ Bathroom Hardware



35173-272/1B-1

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 191mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



29038-288/1B-1

5-hole bath & shower mixer

Distance from water outlet center to body: 206mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 100mm

Solid brass
ceramic cartridge
Chrome finish
Five-function dechlorinating hand



36295-272/1B-1

Center distance of water inlets: 150±15mm
External thread: G1/2B
OD of flange cover: 60mm
Vertical distance between inlets and the top: 878-1328mm
Vertical distance between water inlet and mounting base: 733mm
Vertical distance between inlets and raincan: 964-1172mm
Center distance of wall and raincan central point: 464±3mm

Solid brass body
Φ35 ceramic cartridge
Chrome finish
Five-function hand shower: 4 inch
Raincan: 9 inch
With adjustable tub outlet spout
Silvery twist resistant hose
φ22 tube □ Pre-set adjustable tube



32249-272/2B-Z

Basin mixer

Total height: 228mm
Height of outlet hole: 98mm
Distance from water outlet center to body: 124mm

Silicon brass
Silica gel aerator
Flange gold
Φ35 ceramic cartridge
With lifting drainer hole



32250-272/2B-Z

Basin mixer

Total height: 400mm
Height of outlet hole: 270mm
Distance from water outlet center to body: 134mm

Silicon brass
Φ35 high-end cartridge
Silica gel aerator
Flange gold




32257-272/2B-Z

Basin mixer

Total height: 273mm
Height of outlet hole: 190mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Flange gold
Φ35 ceramic cartridge
Silicon brass
360° swingable water outlet pipe



22040-316/2B-Z

Basin mixer

Total height: 289mm
Height of outlet hole: 185mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Flange gold
ceramic cartridge
Silicon brass
360° swingable water outlet pipe



22038-288/2B-Z

3-hole basin mixer

Total height: 190mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm
mounting hole size: ø35mm

Silicon brass
Silica gel aerator
Flange gold



35172-272/2B-1

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 60mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold



35173-272/2B-1

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 191mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold



29038-288/2B-1

5-hole bath & shower mixer

Distance from water outlet center to body: 206mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 100mm

Solid brass
Φ35 ceramic cartridge
Flange gold
Five-function dechlorinating hand



32249-272/9B-Z

Basin mixer

Total height: 228mm
Height of outlet hole: 98mm
Distance from water outlet center to body: 124mm

Silicon brass
Silica gel aerator
Rose gold
Φ35 ceramic cartridge
With lifting drainer hole



32250-272/9A-Z

Basin mixer

Total height: 400mm
Height of outlet hole: 270mm
Distance from water outlet center to body: 134mm

Silicon brass
Φ35 high-end cartridge
Silica gel aerator
Rose gold



36295-272/2B-1

Shower set

Center distance of water inlets: 150±15mm
External thread: G1/2B
OD of flange cover: 60mm
Vertical distance between inlets and the top: 878-1328mm
Vertical distance between water inlet and mounting base: 733mm
Vertical distance between inlets and raincan: 964-1172mm
Center distance of wall and raincan central point: 464±3mm

Solid brass body
Φ35 ceramic cartridge
Flange gold
Five-function hand shower: 4 inch
Raincan: 9 inch
With adjustable tub outlet spout
Silvery twist resistant hose
φ22 tube □ Pre-set adjustable tube



32257-272/9B-Z

Basin mixer

Total height: 273mm
Height of outlet hole: 190mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Rose gold
Φ35 ceramic cartridge
Silicon brass
360° swingable water outlet pipe



22040-316/9A-Z

Basin mixer

Total height: 289mm
Height of outlet hole: 185mm
Distance from water outlet center to body: 135mm

Silica gel aerator
Rose gold
ceramic cartridge
Silicon brass
360° swingable water outlet pipe



22038-288/9B-Z

3-hole basin mixer

Total height: 190mm
Height of outlet hole: 100mm
Distance from water outlet center to body: 120mm
mounting hole size: ø35mm

Silicon brass
Silica gel aerator
Rose gold



29038-288/9A-1

5-hole bath & shower mixer

Distance from water outlet center to body: 206mm
Height of outlet hole: 105mm
Distance between handle and tube outlet: 100mm

Solid brass
Φ35 ceramic cartridge
Rose gold
Five-function dechlorinating hand



36295-272/9A-1

Shower set

Center distance of water inlets: 150±15mm
 External thread: G1/2B
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 878-1328mm
 Vertical distance between water inlet and mounting base: 733mm
 Vertical distance between inlets and raincan: 964-1172mm
 Center distance of wall and raincan central point: 464±3mm

Solid brass body
 Φ35 ceramic cartridge
 Rose gold
 Five-function hand shower: 4 inch
 Raincan: 9 inch
 With adjustable tub outlet spout
 Silvery twist resistant hose
 φ22 tube □ Pre-set adjustable tube



36341-000/1B-I021

Shower set

Water inlet at top
 Internal thread: 1/2" BSP
 Installing distance of post: 675mm
 Center distance of wall & raincan central point: 415mm
 Total length: 1050mm

Descaling by thimble hand shower
 Hand shower faceplate: 5 inch
 Raincan faceplate: 9 inch
 Adjustable shower bracket
 φ25 tube
 1.5m silver grey hose, twist resistant
 Chrome finish
 WaterMark qualified
 WELS qualified



31012-142/1A-1

Bidet mixer

Height of water outlet: 101mm
 Distance from water outlet center to body: 115mm
 Total height: 198.7mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



32163-142/1B1-Z

Basin mixer

Total height: 198.7mm
 Height of outlet hole: 101mm
 Distance from water outlet center to body: 115mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32164-142/1B1-Z

Basin mixer

Total height: 269mm
 Height of outlet hole: 172mm
 Distance from water outlet center to body: 130mm

Silicon brass
 Φ35 high-end cartridge
 Chrome finish



32165-142/1B1-Z

Basin mixer

Total height: 356 mm
 Height of outlet hole: 260mm
 Distance from water outlet center to body: 130mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



39014-142/1B1-Z

Built-in basin mixer

center distance of mounting hole : 133mm
 Height of outlet hole: 72mm
 Distance from water outlet center to body: 179mm

Silicon brass
 Wall-mounted
 Chrome finish



22042-321/1B-Z

3-hole basin mixer

Total height: 206mm
 Height of outlet hole: 115mm
 Distance from water outlet center to body: 127mm
 Screw nut: M32X1.5

Silicon brass
 chrome finish
 Silica gel aerator



35133-142/1B-I011

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 66mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



35132-142/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 127mm
Distance between wall & tub outlet: 191mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



39018-255/1B-I011

4-hole bath & shower mixer

Distance from water outlet center to body: 210mm
Height of outlet hole: 167mm
Total height: 296mm

Five-function hand shower
Silica gel aerator
Φ40 ceramic cartridge
Chrome finish
With adjustable outlet spout hose



38001-255/1B-1

Bathtub mixer

Distance from water outlet center to body: 265mm
Distance between shower and outlet: 120mm: 145mm
Total height: 1223mm

Solid brass
Φ40 ceramic cartridge
Chrome finish
With adjustable tub outlet spout
With shower outlet
Tube adjustable



36174-142/1B1-1

Shower set

Center distance of water inlets: 150±15mm
External thread: G1/2
OD of flange cover: 60mm
Vertical distance between inlets and the top: 980-1280mm
Vertical distance between water inlet and mounting base: 900-1200mm
Vertical distance between inlets and raincan: 900-1200mm
Center distance of wall and raincan central point: 458mm

Solid brass body
Φ35 ceramic cartridge
Chrome finish
Five-function dechlorinating hand shower: 5 inch
Raincan: 9 inch
With adjustable tub outlet spout
Silvery twist resistant hose
φ22 tube □ Pre-set adjustable tube

■ Bathroom Hardware



31012-142/2A1-1

Bidet mixer

Height of water outlet: 89mm
Distance from water outlet center to body: 135mm
Total height: 197mm

Solid brass
Φ35 ceramic cartridge
Flange gold



32199-142/2A3-Z

Basin mixer

Total height: 198.7mm
Height of outlet hole: 101mm
Distance from water outlet center to body: 115mm

Silicon brass
Φ35 ceramic cartridge
Flange gold



35149-142/2A1-1

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 127mm
Distance between wall & tub outlet: 191mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold
With tub outlet spout



39018-255/2A-1

4-hole bath & shower mixer

Distance from water outlet center to body: 210mm
Height of outlet hole: 167mm
Total height: 296mm

Five-function hand shower
Silica gel aerator
Φ40 ceramic cartridge
Flange gold
With adjustable outlet spout hose



32200-142/2A4-Z

Basin mixer

Total height: 269mm
Height of outlet hole: 172mm
Distance from water outlet center to body: 130mm

Silicon brass
Φ35 high-end cartridge
Flange gold



32201-142/2A4-Z

Basin mixer

Total height: 356 mm
Height of outlet hole: 260mm
Distance from water outlet center to body: 130mm

Silicon brass
Φ35 ceramic cartridge
Flange gold



38001-255/2A1-1

Bathtub mixer

Distance from water outlet center to body: 265mm
Distance between shower and outlet: 120mm: 145mm
Total height: 1223mm

Solid brass
Φ40 ceramic cartridge
Flange gold
With adjustable tub outlet spout
With shower outlet



22042-321/2B-Z

3-hole basin mixer

Total height: 206mm
Height of outlet hole: 115mm
Distance from water outlet center to body: 127mm
Screw nut: M32X1.5

Silicon brass
Flange gold
Silica gel aerator



35150-142/2A1-1

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 66mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Flange gold



36228-142/2A1-1

Shower set

Center distance of water inlets: 150±15mm
 External thread: G1/2
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 980-1280mm
 Vertical distance between water inlet and mounting base: 900-1200mm
 Vertical distance between inlets and raincan: 900-1200mm
 Center distance of wall and raincan central point: 458mm

Solid brass body
 Φ35 ceramic cartridge
 Flange gold
 Five-function dechlorinating hand shower: 5 inch
 Raincan: 9 inch
 With adjustable tub outlet spout
 Silvery twist resistant hose
 φ22 tube □ Pre-set adjustable tube



32163-142/9B-Z

Basin mixer

Total height: 198.7mm
 Height of outlet hole: 101mm
 Distance from water outlet center to body: 115mm

Silicon brass
 Φ35 ceramic cartridge
 Rose gold



32164-142/9B-Z

Basin mixer

Total height: 269mm
 Height of outlet hole: 172mm
 Distance from water outlet center to body: 130mm

Silicon brass
 Φ35 high-end cartridge
 Rose gold



32165-142/9A-Z

Basin mixer

Total height: 356 mm
 Height of outlet hole: 260mm
 Distance from water outlet center to body: 130mm

Silicon brass
 Φ35 ceramic cartridge
 Rose gold



22042-321/9B-Z

3-hole basin mixer

Total height: 206mm
 Height of outlet hole: 115mm
 Distance from water outlet center to body: 127mm
 Screw nut: M32X1.5

Silicon brass
 Rose gold
 Silica gel aerator



39018-255/9A-1

4-hole bath & shower mixer

Distance from water outlet center to body: 210mm
 Height of outlet hole: 167mm
 Total height: 296mm

Five-function hand shower
 Silica gel aerator
 Φ40 ceramic cartridge
 Rose gold
 With adjustable outlet spout hose



38001-255/9A-1

Bathtub mixer

Distance from water outlet center to body: 265mm
 Distance between shower and outlet: 120mm: 145mm
 Total height: 1223mm

Solid brass
 Φ40 ceramic cartridge
 Rose gold
 With adjustable tub outlet spout
 With shower outlet
 Tube adjustable



36174-142/9A-1

Shower set

Center distance of water inlets: 150±15mm
 External thread: G1/2
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 980-1280mm
 Vertical distance between water inlet and mounting base: 900-1200mm
 Vertical distance between inlets and raincan: 900-1200mm
 Center distance of wall and raincan central point: 458mm

Solid brass body
 Φ35 ceramic cartridge
 Rose gold
 Five-function dechlorinating hand shower: 5 inch
 Raincan: 9 inch
 With adjustable tub outlet spout
 Silvery twist resistant hose
 φ22 tube □ Pre-set adjustable tube



32175-191/1B1-Z

Basin mixer

Total height: 179mm
 Height of outlet hole: 104mm
 Distance from water outlet center to body: 106mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32176-191/1B1-Z

Basin mixer

Total height: 249mm
 Height of outlet hole: 174mm
 Distance from water outlet center to body: 135mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32177-191/1B1-Z

Basin mixer

Total height: 339mm
 Height of outlet hole: 260mm
 Distance from water outlet center to body: 148mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



35146-191/1B-I011

Shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 52mm
 External thread: G1/2

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



35147-191/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & shower outlet: 62mm
 Distance between wall & tub outlet: 157mm
 External thread: G1/2

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 With tub outlet spout, 90° swingable



38003-289/1B-1

Bathtub mixer

Distance from water outlet center to body: 243mm
 Height of the water outlet: 1031mm
 External thread: G1/2
 OD of flange cover: □126mm
 Distance between shower outlet & body: 117mm

Single function hand shower
 With adjustable tub outlet spout
 Draw bar component (automatically divert water)
 Φ40 ceramic cartridge



3635-056/1B1-1

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2
 Vertical distance between inlets and the top: 920□1220mm
 Vertical distance between water inlet and mounting base: 720mm
 Vertical distance between inlets and raincan: 780 ~ 1080mm
 Center distance of wall and raincan central point: 476mm

Solid brass body
 Φ35 ceramic cartridge
 Chrome finish
 Raincan: 10X7.4 inch
 Single-function hand shower: 4X3 inch
 φ25 tube, tube adjustable
 With tub outlet spout



36360-276/1B-1

Shower set

Supercharging top shower: 9 inch
 Supercharging hand shower: 4 inch
 External thread: G1/2
 Vertical distance between inlets and the top: 890-1190mm
 Vertical distance between inlets and raincan: 810-960mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 Supercharging shower
 With under water
 Anti winding hose



32263-325/1B-Z

Basin mixer

Total height: 180mm
Height of outlet hole: 115mm
Distance from water outlet center to body: 135mm

Silicon brass
Silica gel aerator
Chrome finish
Φ35 ceramic cartridge



32265-325/1B-Z

Basin mixer

Total height: 236mm
Height of outlet hole: 185mm
Distance from water outlet center to body: 135mm

Silicon brass
Silica gel aerator
Chrome finish
Φ35 ceramic cartridge



32266-325/1B-Z

Basin mixer

Total height: 280mm
Height of outlet hole: 280mm
Distance from water outlet center to body: 134mm

Silicon brass
Silica gel aerator
Chrome finish
Φ35 ceramic cartridge



22045-328/1B-Z

Thermostat basin mixer

Total height: 236mm
Height of outlet hole: 153mm
Distance from water outlet center to body: 124mm

Silicon brass
VerNet thermostatic cartridge
Chrome finish
360° swingable water outlet



3906-220/1B-1

Bathtub mixer

Height of outlet hole: 1050mm
Distance from water outlet center to body: 265mm

Five function hand shower: 4inch
Φ40 ceramic cartridge
Chrome finish



36334-325/1B-1

Shower set

Descaling top shower:9 inch
Descaling hand shower:5 inch
Water inlet spacing:150mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
Silver gray PVC hose, twist resistant
Descaling shower



26089-199/1B1-1

Thermostat shower set

Descaling top shower:9 inch
Descaling hand shower:5 inch
Water inlet spacing:150mm
External thread: G1/2
Vertical distance between inlets and the top: 890□1190mm

Solid brass
VerNet thermostatic cartridge
Chrome finish
Silver gray PVC hose, twist resistant
Descaling shower
The filtration pressure regulating valve with S shaped



32216-228/1B1-Z

Basin mixer

Total height: 213mm
 Height of outlet hole: 187mm
 Distance from water outlet center to body: 137mm

Silicon brass
 Silica gel aerator
 Chrome finish
 Φ40 ceramic cartridge



32215-228/1B1-Z

Basin mixer

Total height: 335mm
 Height of outlet hole: 310mm
 Distance from water outlet center to body: 137mm

Silicon brass
 Silica gel aerator
 Chrome finish
 Φ40 ceramic cartridge



39013-228/1B1-Z

Built-in basin mixer

Center distance of mounting hole : 100mm
 Distance from water outlet center to body: 172mm

Silicon brass
 Silica gel aerator
 Chrome finish
 Φ40 ceramic cartridge



22031-235/1B1-Z

3-hole basin mixer

Height of outlet hole: 110mm
 Distance from water outlet center to body: 132mm
 Installation hole spacing: 200mm

Silicon brass
 Silica gel aerator
 Chrome finish
 ceramic cartridge



35161-228/1B-1

Shower mixer

Center distance of water inlets: 150mm
 External thread: G1/2

Solid brass
 Φ40 ceramic cartridge
 Chrome finish



35162-228/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & tub: 152mm
 External thread: G1/2

Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 With tub outlet spout



39016-228/1B-1

4-hole bath & shower mixer

External thread: G1/2
 Distance from water outlet center to body: 210mm
 Height of outlet hole: 141mm

Five-function hand shower
 Two-way cold and warm diverter
 With adjustable tub outlet spout
 Φ40 ceramic cartridge
 1.8m outlet spout hose
 With shower bracket



29036-290/1B-1

4-hole bath & shower mixer

Distance from water outlet center to body: 210mm
 Height of outlet hole: 110mm
 Distance between hand and outlet: 100mm

Weaving hose with ball joint
 Φ35 ceramic cartridge
 Single function hand shower



38002-228/1B-I011

bathtub mixer

Distance from water outlet center to body: 230mm
 Height of outlet hole: 900mm
 Distance between shower and outlet: 120mm

Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 With adjustable tub outlet spout
 With shower outlet



29028-214/1A-I011

Thermostat shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 74mm
External thread: G1/2

Solid brass
High-end thermostatic cartridge
Chrome finish
With shower outlet



29029-214/1A-I011

Thermostat bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & tub: 180mm
External thread: G1/2

Solid brass
High-end thermostatic cartridge
Chrome finish
With tub outlet spout



32112-093/1B1-Z

Basin mixer

Height of outlet hole: 188mm
Distance from water outlet center to body:
137mm
Total height: 214mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish
360° swingable outlet spout



32113-093/1B1-Z

Basin mixer

Total height: 335mm
Height of outlet hole: 309mm
Distance from water outlet center to body: 137mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish
360° swingable outlet spout



29031-214/1A1-I011

Thermostat shower set

Center distance of water inlets: 150mm
External thread: G1/2B
OD of flange cover: 65mm
Vertical distance between inlets and the top: 910□1210mm
Vertical distance between water inlet and mounting base: 900-1200mm
Vertical distance between inlets and raincan: 770-1070mm

Solid brass body
Chrome finish
France thermostatic cartridge
Five function air-intake hand shower: 5 inch
Heat-resistant raincan: 9 inch
Silvery twist resistant hose
φ25 tube□Pre-set adjustable tube
S-bend pressure control
Press mobile component
Metal mobile component



3644-093/1B1-1

Shower set (LED)

Center distance of water inlets: 150mm
External thread: G1/2B
OD of flange cover: 60mm
Vertical distance between inlets and the top: 950□1150mm
Vertical distance between water inlet and mounting base: 781mm
Vertical distance between inlets and raincan: 900-1100mm
Center distance of wall and raincan central point: 436mm

Solid brass body
Φ35 ceramic cartridge
Chrome finish
LCD display hand shower: 5 inch
LED raincan: 8 inch
With adjustable hand shower bracket
With adjustable outlet spout



32251-277/1B-Z

Basin mixer

Total height: 181.6mm
 Height of outlet hole: 102mm
 Distance from water outlet center to body: 130mm

Silicon brass
 With lifting drainer hole
 φ40 ceramic cartridge
 Silica gel aerator



32252-277/1B-Z

Basin mixer

Total height: 341mm
 Height of outlet hole: 262mm
 Distance from water outlet center to body: 130mm

Silicon brass
 φ40 ceramic cartridge
 Silica gel aerator



32145-128/1B2-Z

Basin mixer

Total height: 160mm
 Height of outlet hole: 90mm
 Distance from water outlet center to body: 108mm

Silicon brass
 φ35 ceramic cartridge
 Chrome finish



32155-128/1B2-Z

Basin mixer

Total height: 245 mm
 Height of outlet hole: 177mm
 Distance from water outlet center to body: 142mm

Silicon brass
 φ35 ceramic cartridge
 Chrome finish



35178-277/1B-I011

Shower mixer

Center distance of water inlets: 150mm
 OD of flange cover: φ60mm
 External thread: G1/2

Solid brass
 φ40 ceramic cartridge
 Chrome finish



35179-277/1B-1

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 190mm
 External thread: G1/2

Solid brass
 φ40 ceramic cartridge
 Chrome finish



32156-128/1B1-Z

Basin mixer

Total height: 322mm
 Height of outlet hole: 253mm
 Distance from water outlet center to body: 162mm

Silicon brass
 φ35 ceramic cartridge
 Chrome finish



39011-128/1B2-Z

Built-in basin mixer

Handle and the panel: 41mm
 Height of outlet hole: 171mm
 Center distance of handle and the water outlet: 132.5mm

Silicon brass
 φ35 ceramic cartridge
 Chrome finish



36290-277/1B-1

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2
 OD of flange cover: 60mm
 Vertical distance between inlets and floor: 900-1200mm
 Vertical distance between water inlet and mounting base: 878-1223mm

Solid brass body
 φ40 ceramic cartridge
 Chrome finish
 Air-intake hand shower: 4.5x4.5 inch
 Raincan: 10x10 inch
 Three-way diverter
 With adjustable tub outlet spout
 Twist resistant hose
 φ25 tube □ Pre-set adjustable tube



35120-128/1B-I011

Shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 51mm
 External thread: G1/2

Solid brass
 φ35 ceramic cartridge
 Chrome finish



36284-081/1B-1

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2B
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 900□1200mm
 Vertical distance between water inlet and mounting base: 900□1200mm
 Vertical distance between inlets and raincan: 830□1130mm
 Center distance of wall and raincan central point: 493mm

Solid brass body
 Ceramic cartridge
 Chrome finish
 Single function hand shower: 105X76mm
 Raincan: 260x190mm
 With adjustable tub outlet spout
 Pre-set adjustable tube: 0-300mm



35121-128/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 114mm
 Distance between wall & tub: 167mm
 External thread: G1/2

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 With tub outlet spout



32166-146/1B1-Z

Basin mixer

Total height: 177mm
 Height of outlet hole: 100mm
 Distance from water outlet center to body: 107mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32167-146/1B1-Z

Basin mixer

Total height: 256mm
 Height of outlet hole: 178mm
 Distance from water outlet center to body: 136mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32168-146/1B1-Z

Basin mixer

Total height: 346mm
 Height of outlet hole: 270mm
 Distance from water outlet center to body: 135mm

Silicon brass
 High-end cartridge
 Chrome finish



32181-146/1B1-Z

Basin mixer

Total height: 177mm
 Height of outlet hole: 100mm
 Distance from water outlet center to body: 121mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 360° wingable outlet spout



32169-146/1B1-Z

Basin mixer

Total height: 256mm
 Height of outlet hole: 178mm
 Distance from water outlet center to body: 145mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 +face washing



35144-146/1B-I011

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 62mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



35145-146/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & shower outlet: 124mm
Distance between wall & tub outlet: 159mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



32142-126/1B1-Z

Basin mixer

Total height: 190.5mm
Height of outlet hole: 105mm
Distance from water outlet center to body: 112mm

Low to high
Silicon brass
Φ35 ceramic cartridge
Chrome finish



32152-126/1B1-Z

Basin mixer

Total height: 258mm
Height of outlet hole: 172mm
Distance from water outlet center to body: 112mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish



32254-276/1B-Z

Basin mixer

Total height: 160mm
Height of outlet hole: 80mm
Distance from water outlet center to body: 114mm

Silicon brass
High-end cartridge
Chrome finish
Silicone aerator
With lifting hole



35176-276/1C-1

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 59mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



32149-126/1B1-Z

Basin mixer

Total height: 351mm
Height of outlet hole: 227mm
Distance from water outlet center to body: 112mm

Silicon brass
Import Φ35 cartridge
Chrome finish



35122-126/1B-1

Shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 51.7mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



35177-276/1C-1

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 141mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
Silicone rectifier



35123-126/1B-1

Bath & shower mixer

Center distance of water inlets: 150mm
Distance between wall & outlet: 166mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



3666-126/1C2-1

Shower set

Air-in top shower: 9 inch
 Air-in hand shower: 5 inch
 External thread: G1/2
 Vertical distance between inlets and the top: 988-1288mm
 Vertical distance between inlets and raincan: 840-1140mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 Air-in shower
 With under water
 Anti winding hose



36249-139/1B-1

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2B
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 900-1200mm
 Vertical distance between water inlet and mounting base: 771mm
 Vertical distance between inlets and raincan: 750-1050mm
 Center distance of wall and raincan central point: 445mm

Solid brass body
 Ceramic cartridge
 Chrome finish
 Three-function hand shower: 4 inch
 Raincan: 8 inch
 Three-way diverter
 With tub outlet



32159-139/1B1-Z

Basin mixer

Total height: 156mm
 Height of outlet hole: 95mm
 Distance from water outlet center to body: 106mm
 Optional lifting rod drainer

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 For counter basin



32160-139/1B1-Z

Basin mixer

Total height: 219mm
 Height of outlet hole: 160mm
 Distance from water outlet center to body: 130mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 With lift down hole
 For semi-recessed basin



35131-139/1B-1

Bath & Shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 151.3mm
 External thread: G1/2
 OD of flange cover: Φ 60mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



32161-139/1B1-Z

Basin mixer

Total height: 316.3mm
 Height of outlet hole: 252mm
 Distance from water outlet center to body: 143.5mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 For above counter basin



35130-139/1B-I011

Shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 47.5mm
 External thread: G1/2
 OD of flange cover: Φ 60mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



32134-122/1C1-Z

Basin mixer

Total height: 149.4mm
 Height of outlet hole: 76.3mm
 Distance from water outlet center to body: 105mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32138-122/1C1-Z

Basin mixer

Total height: 312.4mm
 Height of outlet hole: 239.4mm
 Distance from water outlet center to body: 106mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



36359-122/1B-I011

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2B
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 950-1250mm
 Vertical distance between water inlet and mounting base: 757mm
 Vertical distance between inlets and raincan: 800-1100mm

Solid brass body
 Φ35 ceramic cartridge
 Chrome finish
 Three-function hand shower: 4 inch
 Raincan: 8 inch
 Three-way diverter
 With tub outlet



32135-122/1C1-Z

Double hole basin mixer

Total height: 122mm
 Height of outlet hole: 52mm
 Distance from water outlet center to body: 108mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



35109-122/1C-1

Shower mixer

Center distance of water inlets: 150mm
 External thread: G1/2
 OD of flange cover: Φ 60mm
 Distance between wall & outlet: 48mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



35107-122/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & shower outlet: 99mm
 Distance between wall & tub outlet: 149mm
 External thread: G1/2
 OD of flange cover: Φ 60mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



32150-131/1C1-Z

Basin mixer

Total height: 163mm
 Height of outlet hole: 92mm
 Distance from water outlet center to body: 109mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32162-131/1C1-Z

Basin mixer

Total height: 186mm
 Height of outlet hole: 133mm
 Distance from water outlet center to body: 255mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32157-131/1C1-Z

Basin mixer

Total height: 310mm
 Height of outlet hole: 133mm
 Distance from water outlet center to body: 243mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



3105-004/1C-I011

Bidet mixer

Height of water outlet: 60mm
 Distance from water outlet center to body: 118mm
 Total height: 160mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 With drainer lifting hole



3224-004/1B-I011

Basin mixer

Total height: 150mm
 Height of outlet hole: 50mm
 Distance from water outlet center to body: 100mm

Solid brass
 chrome finish
 Φ35 ceramic cartridge
 With lifting drainer hole



32151-131/1C1-Z

Double hole basin mixer

Total height: 1134mm
 Height of outlet hole: 63mm
 Distance from water outlet center to body: 113mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



35127-131/1C-I011

Shower mixer

Center distance of water inlets: 150mm
 Distance between wall & outlet: 44mm
 External thread: G1/2

Solid brass
 Φ35 ceramic cartridge
 Chrome finish



36260-131/1C1-1

Shower set

Center distance of water inlets: 150mm
 External thread: G1/2B
 OD of flange cover: 60mm
 Vertical distance between inlets and the top: 1200mm
 Vertical distance between inlets and raincan: 1048mm

Solid brass body
 Φ35 ceramic cartridge
 Chrome finish
 Three-function hand shower: 4 inch
 Raincan: 8 inch
 Three-way diverter
 With tub outlet



35128-131/1C-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 Distance between wall & shower outlet: 117mm
 Distance between wall & tub outlet: 167mm
 External thread: G1/2

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 With tub outlet spout



3526-004/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
 External thread: G1/2
 OD of flange cover: Φ60mm
 Distance between wall & shower outlet: 115mm
 Distance between wall & tub outlet: 159mm

Solid brass
 Φ35 ceramic cartridge
 Chrome finish
 Watermark qualified
 Wels qualified

■ Bathroom Hardware



3107-055/1B-I011

Bidet mixer

Height of water outlet: 95mm
Distance from water outlet center to body: 128mm
Total height: 160mm

Solid brass
Φ35 ceramic cartridge
Chrome finish
With drainer lifting hole



3278-055/1B1-I011

Basin mixer

Total height: 160mm
Height of outlet hole: 70mm
Distance from water outlet center to body: 97mm

Solid brass
Chrome finish
Φ35 ceramic cartridge
With lifting drainer hole



3274-065/1C-I011

Basin mixer

Height of outlet hole: 58mm
Distance from water outlet center to body: 111mm
Total height: 135mm

Solid brass
Φ35 ceramic cartridge
Chrome finish



3571-065/1C-I011

Bath & shower mixer

Center distance of water inlets: 145mm
Distance between wall & shower outlet: 109mm
Distance between wall & tub outlet: 153mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



35272-055/1B-I011

Bath & shower mixer

Center distance of water inlets: 150mm
External thread: G1/2
Distance between wall & shower outlet: 109mm
Distance between wall & tub outlet: 161mm

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



3577-050/1C-I011

Bath & shower mixer

Center distance of water inlets: 145mm
Distance between wall & shower outlet: 112mm
Distance between wall & tub outlet: 146mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
With tub outlet spout



3289-050/1C2-I011

Basin mixer

Total height: 124mm
Height of outlet hole: 54mm
Distance from water outlet center to body: 88mm

Solid brass
Φ35 ceramic cartridge
Chrome finish



3576-050/1C-I011

Shower mixer

Center distance of water inlets: 145mm
Distance between wall & outlet: 46mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish



02036-00-I011

Basin mixer with drainer

Lavatory faucet:
Height of outlet hole: 92mm
Distance from water outlet center to body: 109mm
Total height: 158mm

Drainer:

Diameter of pipe: Φ32mm
Total length of pipe: 180mm

32150-147 lavatory faucet
Solid brass
Φ35 ceramic cartridge
Chrome finish
91104 turn-over basin drainer
Zinc body
SS tube



02037-00-I011

Basin mixer with drainer

Lavatory faucet:
Height of outlet hole: 105mm
Distance from water outlet center to body: 112mm
Total height: 190mm

Drainer:

Diameter of pipe: Φ32mm
Total length of pipe: 180mm

32142-126 Lavatory faucet
Solid brass
Φ35 ceramic cartridge
Chrome finish
91103 Pop-up basin drainer
Zinc body

■ Bathroom Hardware



35153-147/1C-I011

Bath mixer with shower

Center distance of water inlets: 150mm
Distance between wall & tub outlet: 118mm
Distance between wall & shower outlet: 167mm
External thread: G1/2
OD of flange cover: Φ 60mm
Hose: 1.5m

35126-147 shower faucet
Solid brass
 Φ 35 ceramic cartridge
Chrome finish
With tub outlet spout
S23053 three-function hand shower
Q16 wall-bracket
1.5m SS hose



35152-126/1B-I011

Bath mixer with shower

Center distance of water inlets: 150mm
Distance between wall & tub outlet: 169mm
Distance between wall & shower outlet: 120mm
External thread: G1/2
OD of flange cover: Φ 60mm
Hose: 1.5m

35123-126 shower faucet
Solid brass
 Φ 35 ceramic cartridge
Chrome finish
With tub outlet spout
S15025 Five-function hand shower
Q19 Wall-bracket
1.5m hose





32278-381/1A-Z

Basin mixer

Total height: 303.9mm
Height of outlet hole: 159mm
Distance from water outlet center to body: 145mm

Silicon brass
Chrome finish
Rocker-type cartridge
Silicone aerator



32278-381/3A-Z

Basin mixer

Total height: 303.9mm
Height of outlet hole: 159mm
Distance from water outlet center to body: 145mm

Silicon brass
Chrome finish
Rocker-type cartridge
Silicone aerator



32262-322/1B-Z

Basin mixer

Total height: 233mm
Height of outlet hole: 123mm
Distance from water outlet center to body: 135mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish
Silicone aerator



32262-322/9B-Z

Basin mixer

Total height: 233mm
Height of outlet hole: 123mm
Distance from water outlet center to body: 135mm

Silicon brass
Φ35 ceramic cartridge
Rose gold
Silicone aerator



22043-323/9B-Z

3-Hole basin mixer

Total height: 202mm
Height of outlet hole: 153mm
Distance from water outlet center to body: 141mm

Silicon brass
Quick-open cartridge
Rose gold
Silicone aerator



22043-323/3B-Z

3-Hole basin mixer

Total height: 202mm
Height of outlet hole: 153mm
Distance from water outlet center to body: 141mm

Silicon brass
Quick-open cartridge
Black galaxy
Silicone aerator



22027-201/1A1-Z

3-Hole basin mixer

Total height: 167.5mm
Height of outlet hole: 106.5mm
Distance from water outlet center to body: 126mm

Silicon brass
Quick-open cartridge
Chrome finish



22028-201/2A1-Z

3-Hole basin mixer

Total height: 167.5mm
Height of outlet hole: 106.5mm
Distance from water outlet center to body: 126mm

Silicon brass
Quick-open cartridge
Chrome finish



32262-322/3B-Z

Basin mixer

Total height: 233mm
Height of outlet hole: 123mm
Distance from water outlet center to body: 135mm

Silicon brass
Φ35 ceramic cartridge
Black galaxy
Silicone aerator



22043-323/1B-Z

3-Hole basin mixer

Total height: 202mm
Height of outlet hole: 153mm
Distance from water outlet center to body: 141mm

Silicon brass
Quick-open cartridge
Chrome finish
Silicone aerator



22027-201/9B-Z

3-Hole basin mixer

Total height: 167.5mm
Height of outlet hole: 106.5mm
Distance from water outlet center to body: 126mm

Silicon brass
Quick-open cartridge
Rose gold



22032-201/1B1-Z

Built-in basin mixer

Center distance of mounting hole: 200mm
Outlet thread: G1/2
Outlet hole cover: φ62mm
Handle cover: φ52mm

Silicon brass
Quick opening cartridge
Wall-mounted
Chrome finish

Bathroom Hardware



22033-233/1B1-Z

Double hole basin mixer

Total height: 161.5mm
Height of outlet hole: 106mm
Distance from water outlet center to body: 108mm
two mounting holes distance : 102mm
Fixed thread: G1/2

Silicon brass
Chrome finish
Quick-open cartridge



32264-326/1A-Z

Basin mixer

Total height: 175mm
Height of outlet hole: 109mm
Distance from water outlet center to body: 161mm

Φ35 ceramic cartridge
Silica gel aerator
Chrome finish



32223-243/1B-I011

Basin mixer

Total height: 264mm
Height of outlet hole: 136mm
Distance from water outlet center to body: 110mm

Solid brass
Φ35 ceramic cartridge
Chrome finish



32224-243/1B-I011

Basin mixer

Total height: 341mm
Height of outlet hole: 216mm
Distance from water outlet center to body: 130mm

Solid brass
Φ35 ceramic cartridge
Chrome finish



32259-313/1B-Z

Basin mixer

Total height: 199mm
Height of outlet hole: 118mm
Distance from water outlet center to body: 155mm

Φ40 ceramic cartridge
Silica gel aerator
Chrome finish
Two function pull type shower



32198-146/1B2-Z

Basin mixer

Total height: 235mm
Height of outlet hole: 196mm
Distance from water outlet center to body: 145mm

Medium-to-high
Φ35 ceramic cartridge
Chrome finish
Pull type shower



2203-249/1C1-Z

Double hole basin mixer

Total height: 230mm
Height of outlet hole: 138.5mm
Distance from water outlet center to body: 150mm

Silicon brass
quick-open cartridge
Swingable outlet spout



22030-231/1B-I011

3-hole basin mixer

Center distance of water inlets: 210mm
Distance from water outlet center to body: 143mm
Height of outlet hole: 118mm
Total height: 194mm
External thread: G1/2

Solid brass
Ceramic cartridge
Chrome finish



3217-107/1C2-Z

Basin mixer

Total height: 205mm
 Height of outlet hole: 67mm
 Distance from water outlet center to body: 115mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish



32221-234/1B-I011

Single cold tap

Outlet distance: 115
 Height of outlet hole: 65
 Total height: 185
 Bottom: φ51
 Connection thread: M32X1.5

Solid brass
 φ25 cold only ceramic cartridge
 M24x1 outside screw aerator



76023-238/1C-I011

Single cold tap

Inlet thread: G1/2
 Height of outlet hole: 65mm
 Center distance of water outlet: 100mm
 Total height: 160mm

Solid brass
 Chrome finish
 Quick-open cartridge



76022-182/1C-I011

Single cold tap

Inlet thread: G1/2
 Height of outlet hole: 70mm
 Center distance of water outlet: 90mm
 Total height: 217mm

Solid brass
 Chrome finish
 Quick-open cartridge



7611-016/1C-I011

Single cold tap

Inlet thread: G1/2
 Height of outlet hole: 65mm
 Center distance of water outlet: 93mm
 Total height: 114mm

Solid brass
 Chrome finish
 Quick-open cartridge



76017-346/1C-1

Single cold tap

Height of outlet hole: 81mm
 outlet distance: 119mm
 Total height: 128mm
 Inlet thread: G1/2mm

Solid brass
 Chrome finish
 Quick-open cartridge



76024-389/1C-I011

Single cold tap

Inlet thread: G1/2
 Height of outlet hole: 80mm
 Center distance of water outlet: 95mm
 Total height: 208mm

Solid brass
 Chrome finish
 Quick-open cartridge



76021-388/1C-I011

Single cold tap

Inlet thread: G1/2
 Height of outlet hole: 100mm
 Center distance of water outlet: 95mm
 Total height: 212mm

Solid brass
 Chrome finish
 Quick-open cartridge



76016-080/1C-I011

Single cold tap

Height of outlet hole: 90mm
 Center distance of water outlet: 102mm
 Post: φ44
 Total height: 139mm
 Outlet thread: G1/2

Solid brass
 Chrome finish
 Quick-open cartridge



32131-106/1C-I011

Single cold tap

Center distance of water outlet: 105mm
 Height of outlet hole: 110mm
 Total height: 150mm External thread: G1/2

Solid brass
 Φ25 cold only ceramic cartridge
 Chrome finish



32130-106/1C-I011

Single cold tap

Center distance of water outlet: 105mm
 Height of outlet hole: 170mm
 Total height: 210mm External thread: G1/2

Solid brass
 Φ25 cold only ceramic cartridge
 Chrome finish

Bathroom Hardware



76020-363/1B-Z

Single cold tap

Center distance of water outlet: 125mm
Height of outlet hole: 140mm
Total height: 226mm External thread: G1/2

Solid brass
Quick-open cartridge
Chrome finish



32218-232/1B-I011

Single cold tap

Height of outlet hole: 116mm
Center distance of water outlet: 109mm
Total height: 202mm

Solid brass
Quick-open cartridge
Chrome finish



7805-388/1C-I011

Single cold tap

Center distance of water outlet: 99mm
Total length: 140mm
External thread: G1/2

Solid brass
Quick-open cartridge
Chrome finish
Dual function switch



2502-016/1C-1

Shower mixer

Center distance of water inlets: 145mm
The water outlet wall distance: 50mm
External thread: G1/2

Solid brass
Quick-open cartridge
Chrome finish



34005-231/1B-I011

Single cold tap

Center distance of water outlet: 212mm
Total length: 222mm
External thread: G1/2

Solid brass
Quick-open cartridge
Chrome finish



32219-232/1B-I011

Single cold tap

Height of outlet hole: 245mm
Center distance of water outlet: 129mm
Total height: 332mm

Solid brass
Quick-open cartridge
Chrome finish



35168-050/1C-I011

Bath & shower mixer

Center distance of water inlets: 150mm
outlet tube: 24X13X350mm
External thread: G1/2

Solid brass
Φ35 ceramic cartridge
Chrome finish
Extended outlet



32217-231/1B-I011

Single cold tap

Height of outlet hole: 154mm
Center distance of water outlet: 140mm
Total height: 227.5mm

Solid brass
Quick-open cartridge
Chrome finish



7804-389/1C-I011

Single cold tap

Center distance of water outlet1: 114mm
Center distance of water outlet2: 60mm
Total length: 139mm
External thread: G1/2

Solid brass
Quick-open cartridge
Chrome finish



SHOWER TECHNOLOGY





LCD DIGITAL DISPLAY TECHNOLOGY

To care for elders and minors, the creative LCD digital display shower integrates intelligent digital display technology and design of shower, so that the changes in temperature of bath water can be displayed in real time to precisely control the safe temperature.



LED DAZZLE LIGHT TECHNOLOGY

The advanced LED luminescent panel is arranged under the Shower water outflow panel. Power supply is provided by the internally preset hydraulic power generation assembly. The panel can emit various lights with different colors that you can choose the most appropriate temperature during this process.




HYDRODYNAMIC TECHNOLOGY

The internally preset hydroelectric generation device provides the environmentally friendly power supply that it supports LCD's light emission and water temperature display without any battery. It also drives the light source to change colors according to different temperature.

ECO WATER SAVING TECHNOLOGY

The single direction current limitation technology is applied to maintain the constant water flow. The flow is kept at or below 5.5L/min. Water saving amount exceeds 50%.



Unidirectional effect picture

Water inflow effect picture

• Unidirectional current limiting technology diagrammatic drawing

ENJOY THE INTELLIGENCE

EASY CONTROL

The water outflow switch knob and button are reasonably set to achieve the smooth hand feeling. Operations can be finished just with one hand. Usage is very convenient.

SUPER SHIFTING EXPERIENCE

The patented water outflow arrangement panel is equipped with the ultra sensitive gears with the service life longer than 50,000 times. Switching functions and shifting gears can be easily realized. Various kinds of water flow can be enjoyed by the user.



The hand feel is smooth. Operations can be finished just with one hand.




Ultra sensitive gears with the service life longer than 50,000 times



AIR INTAKE TECHNOLOGY

The air is injected to the shower and mixed with the water. The agitating mixture gives you a vigorous shower and a life full of fun.



First, the quantity of flow is decreased And the rate of flow is increased. Negative pressure is formed in the vicinity of the high-speed jet flow. Therefore, the air is taken in.


The agitating mixture of water and air is formed and provides the user a vigorous shower.

• Diagrammatic drawing of air energy technology



ANTIBACTERIAL TECHNOLOGY

Negative ion filter element is preset internally, and can filter the impurities and bacteria from water, which are generated due to long-term usage of pipes. It can also purify the water, soften the current, prevent the nozzle from blocking, and provide a refreshing and healthy bathing experience to the user.



• Antibacterial technology diagrammatic drawing



Working status of negative ion filter



TPR shower nozzle



CLEANING TECHNOLOGY

Environmentally friendly TPR materials are applied to shower nozzle, which is characterized in good tactile impression and high rebound resilience. It is only necessary to lightly turn the nozzle, and then impurities and dirt will be automatically cleared away.



The water outflow will be intermittent when there are impurities and dirt on the nozzle.

It is only necessary to lightly flip the nozzle.

Impurities and dirt will be automatically cleared away, and water outflow will be quick and fluent.

- Diagrammatic drawing of quick-clean technology



CONVENIENT DESIGN

Humanized design aluminium alloy electroplating lifting poker is matched with big chromium plated soap holder, etc. They are exquisite, good-looking, and practical.

Big chrome finish soap holder



Chrome finish hook



3634-000/1C1-I011

Shower set

External thread: G1/2
Vertical distance between connection and the top: 1072mm
Vertical distance of mounting base: 649±5mm

Solid brass body
Chrome finish
Raincan: 9 inch
Three-function hand shower: 5 inch
φ19 tube
With connection hose
Brass two-way diverter



36357-000/1B-I011

Shower set

External thread: G1/2
Vertical distance between connection and the top: 1072mm
Vertical distance of mounting base: 649±5mm

Solid brass body
Chrome finish
Raincan: 9 inch
Three-function hand shower: 5 inch
φ19 tube
With connection hose
Brass two-way diverter



3622-050/1C3-I011

Shower set

Center distance of water inlets: 150mm
External thread: G1/2
OD of flange cover: 60mm
Vertical distance between inlets and the top: 1068mm
Vertical distance between water inlet and mounting base: 805mm
Vertical distance between inlets and raincan: 910mm

Solid brass body
Φ35 ceramic cartridge
Chrome finish
Single function hand shower: 4.8 inch
Raincan: 8 inch
Brass two-way diverter



36342-000/1B-I021

Shower set

Water inlet at top
 Internal thread: 1/2"BSP
 Maximum adjustable distance of post: 700mm
 Center distance of wall & raincan central point: 415mm
 Total length: 1050mm

Ultrathin square-shaped design
 Hand shower faceplate: 110x90x16mm
 Raincan faceplate: 250x250mm
 Mobile component
 Brass diverter
 1.5m silver grey hose, twist resistant
 Chrome finish



36340-000/1B-I021

Shower set

Water inlet at top
 Internal thread: 1/2"BSP
 Maximum adjustable distance of post: 700mm
 Center distance of wall & raincan central point: 408mm
 Total length: 1050mm

Hand shower faceplate: 4 inch
 Raincan faceplate: 9 inch
 Adjustable hand shower bracket
 Brass diverter
 1.5m silver grey hose, twist resistant
 Chrome finish
 WaterMark qualified
 WELS qualified



S120013-2B01-4

LED hand shower

Faceplate: 5 inch
 Hose: 1.5m
 Slide bar: 770mm

Third-function hand shower
 LCD display
 Waterpower
 Silver gray PVC hose, twist resistant



S134013-2B01-1

Dance water shower

258*125*64mm

Third-function supercharge hand shower
 Dance water
 Pulse type massage
 Push-button switch



S134013-2B01-3

Dance water shower

258*125*64mm

Third-function supercharge hand shower
 Dance water
 Pulse type massage
 Push-button switch
 Stainless steel double interlocked connection hose



S127035-2B01-4

Descaling shower

Faceplate: 5 inch

Fifth-function air-in hand shower
 Onekey descaling



S120013-2B01-2

Five-function hand shower

Faceplate: 5 inch

LCD display



S120013-2B01-3

Five-function hand shower with wall-bracket

Faceplate: 5 inch
 Hose: 1.5m

LCD display
 Q19 wall-bracket
 H110282-OE2B stainless steel double interlocked connection hose



S134013-2B01-4
Dance water shower

258*125*64mm

Third-function supercharge hand shower
Dance water
Pulse type massage
Push-button switch
Lifting rod set



S127035-2B01-2
Descaling shower

Faceplate: 5 inch
Hose:1.5m
Slide bar:662mm

Fifth-function air-in hand shower
Onekey descaling
Lifting rod set



S104025-2B02-1
Dechlorination

Faceplate: 5 inch
Hose:1.5m
Slide bar:860mm

Fifth-function hand shower
stainless steel double interlocked connection hose
Lifting rod set



S127035-2B01-3
Descaling shower

Faceplate: 5 inch
Hose:1.5m

Fifth-function air-in hand shower
Onekey descaling
Stainless steel double interlocked connection hose



S145013-2B01-2
Supercharge shower

Faceplate: 4.8 inch

Third-function supercharge hand shower



S113015-2B01-2
Dechlorination

Faceplate: 5 inch

Fifth-function hand shower
Dechlorination



S145013-2B01-3
Supercharge shower

Faceplate: 4.8 inch
Hose:1.5m

Third-function supercharge hand shower
Stainless steel double interlocked connection hose



S104015-2B01-1
Dechlorination

Faceplate: 5 inch
Hose:1.5m

Fifth-function hand shower
Stainless steel double interlocked connection hose



S24075-2B03-9
Five-function hand shower with wall-bracket

Faceplate: 5 inch
Hose: 1.5m

Q19 wall-bracket
H21D28 stainless steel double interlocked connection hose



S145013-2B01-4

Supercharge shower

Faceplate: 4.8 inch

Hose: 1.5m

Slide bar: 700mm

Third-function supercharge hand shower

Lifting rod set



S24075-2B03-8

Five-function hand shower with slide bar

Faceplate: 5 inch

Slide bar: 770mm

Hose: 1.5m

T3801-2C101 stainless steel slide bar

Stainless steel double interlocked connection hose

Lifting rod set



S23105-2C01-1

Five-function hand shower with slider bar

Faceplate: 4 inch

Hose: 1.5m

Slide bar: 680mm

T2911 stainless steel slide bar

H2170 stainless steel double interlocked connection hose

Lifting rod set



S02015-2B02-3

Five-function hand shower with slide bar

Faceplate: 3.5 inch

Hose: 1.5m

Slide bar: 680mm

Fifth-function hand shower

Stainless steel double interlocked connection hose

Lifting rod set



S02015-2C11-1

Five-function hand shower

Faceplate: 3.5 inch

Hose: 1.5m

Fifth-function hand shower

Stainless steel double interlocked connection hose



S23105-2C01-2

Five-function hand shower with wall-bracket

Faceplate: 4 inch

Hose: 1.5m

Q19 wall-bracket

H21D8 stainless steel double interlocked connection hose



S02015-2C11-2

Five-function hand shower

Faceplate: 3.5 inch

Fifth-function hand shower



S82023-2B01-I011

Three-function hand shower

Faceplate: 3 inch

Third-function hand shower



S82023-2C01-2

Three-function hand shower with wall-bracket

Faceplate: 3 inch

Hose: 1.5m

Q23 wall-bracket

H21D8 stainless steel double interlocked connection hose



S130011-2B01-2

Single function hand shower with wall-bracket

OD of faceplate: 80mm

Length: 220mm

Outlet hole: 0.3mm

Q19 wall-bracket

Stainless steel faceplate with filter unit

Faceplate removable and washable

Pressurization function

Ultrathin design



S130011-2B01-1

Hand shower

OD of faceplate: 80mm

Length: 220mm

Outlet hole: 0.3mm

Stainless steel faceplate with filter unit

Faceplate removable and washable

Pressurization function

Ultrathin design



S82023-2C01-1

Three-function hand shower with slide bar

Faceplate: 3 inch

Slide bar: 650mm

Hose: 1.5m

T2301 stainless steel slide bar

H2170 stainless steel double interlocked connection hose



S42053-2B03-I011

Three-function hand shower with wall-bracket

Faceplate: 4 inch

Internal thread: G1/2

Hose: 1.5m

Silver gray PVC hose, twist resistant

Brass alloy connector

Wels qualified



S42053-2B01-I021

Three-function hand shower with slide bar

Faceplate: 4 inch

Slide bar: 850mm

Internal thread: G1/2

Hose: 1.5m

T3701 slide bar

Silver gray PVC hose, twist resistant

Brass alloy connector

Wels qualified



S23053-2B01-I021

Three-function hand shower with wall-bracket

Faceplate: 4 inch

Internal thread: G1/2

Hose: 1.5m

Q18 wall-bracket

Silver gray PVC hose, twist resistant

Brass alloy connector

Wels qualified



S23053-2B01-I022
Three-function hand shower with slide bar

Faceplate: 4 inch
Slide bar: 770mm
Internal thread: G1/2
Hose: 1.5m

T3803 slide bar
Silver gray PVC hose, twist resistant
Brass alloy connector
Wels qualified



S02015-2B02-I021
Five-function hand shower with slide bar

Faceplate: 3.5 inch
Slide bar: 680mm
Internal thread: G1/2
Hose: 1.5m

T3803 slide bar
Silver gray PVC hose, twist resistant
Brass alloy connector
Wels qualified



S02015-2B02-I022
Five-function hand shower with wall-bracket

Faceplate: 3.5 inch
Internal thread: G1/2
Hose: 1.5m

Q17 wall-bracket
Silver gray PVC hose, twist resistant
Brass alloy connector
Wels qualified



S56021-2B01-I021
Single function hand shower with wall-bracket

Faceplate: 110x90x16mm
Internal thread: G1/2
Hose: 1.5m

Ultrathin square-shaped design
Hand shower faceplate: 110x90x16mm
Brass alloy water inlet joint
1.5m silver grey hose, twist resistant
Chrome finish
WaterMark qualified
WELS qualified



S111015-2B03-I021
Fifth-function hand shower

Faceplate: 4 inch
Internal thread: G1/2
Hose: 1.5m

Fifth-function hand shower
1.5m silver grey hose, twist resistant
Brass alloy water inlet joint
WaterMark qualified
WELS qualified



S127035-2B02-I021
Five-function hand shower with wall-bracket

Faceplate: 5 inch
Internal thread: G1/2
Hose: 1.5m

Descaling by thimble hand shower
Faceplate: 5 inch
Adjustable hand shower bracket
1.5m silver grey hose, twist resistant
Chrome finish
WaterMark qualified
WELS qualified



37150-000/1C-I011
 Wall-mounted shower set
 Faceplate: 3 inch
 External thread: G1/2B
 OD of flange cover: Φ 60mm
 Brass alloy shower arm
 Chrome finish
 ABS raincan



37148-000/1B-I011
 Wall-mounted shower set
 Faceplate: 9 inch
 ABS raincan
 TPR nozzle



G118023-2B01-1
 Raincan
 Faceplate: 350*230
 ABS raincan
 TPR nozzle
 Dance water
 Pulse type massage



G115031-2B01-2
 Raincan
 Faceplate: 9 inch
 ABS raincan
 TPR nozzle
 Onekey descaling



37149-000/1B-I011
 Wall-mounted shower set
 Faceplate: 9 inch
 ABS raincan
 TPR nozzle



G108021-6A01-1
 Raincan
 Faceplate: 10 inch
 ABS raincan
 TPR nozzle



G04031-2B02-I011
 Raincan
 Faceplate: 8 inch
 ABS raincan
 TPR nozzle



G06031-2B02-I011
 Raincan
 Faceplate: 9 inch
 ABS raincan
 TPR nozzle



G107021-6A01-1
 Raincan
 Faceplate: 10 inch
 ABS raincan
 TPR nozzle



G22011-2B01-I011
 Raincan
 Faceplate: 9X9 inch
 ABS raincan
 TPR nozzle



G01031-2B04-I011
 Shower head
 Faceplate: 3 inch
 ABS
 TPR nozzle



G03015-2B05-I011
 Shower head
 Faceplate: 4 inch
 Five-function shower head
 ABS
 TPR nozzle



T1411-2B01-1
Slide bar
Height of installing distance: 600mm

Circular-shaped design
Mobile component
Chrome finish



T1912-2B01-1
Slide bar
Height of installing distance: 752mm

Circular-shaped design
Mobile component
Chrome finish



T5102-2B01-I021
Slide bar
Height of installing distance: 750mm
Total length: 850mm

Square-shaped design
Stainless steel pipe
Mobile component
Chrome finish



T4902-2B01-I021
Slide bar
Height of installing distance: 725mm
Total length: 818mm

Square-shaped design
Stainless steel pipe
ABS flange cover
Mobile component



T5701-2B01-I021
Slide bar
Installing distance: 750mm
Total length: 900mm

φ25 stainless steel tube
Adjustable hand shower bracket



S27021-2B01-1
S27021-2B01-2
Bidet sprayer
Inlet thread: G1/2

Chrome finish sprayer
With wall-bracket
1.2m stainless steel hose



37155-000/1B-1
Wall-mounted under-body assy
External thread: G1/2

Brass alloy body
Chrome finish
Conceal installation
Multiple faceplate matchable



37129-239/1B3-1
Concealed diverter (single-way)
External thread: G1/2
OD of flange cover: φ150mm

Solid brass
Φ40 ceramic cartridge
Chrome finish
Match with model:37155



37130-239/1B3-1
Concealed diverter (two-way)
External thread: G1/2
OD of flange cover: φ150mm

Solid brass
Φ40 ceramic cartridge
Chrome finish
Match with model:37155



37131-239/1B3-1
Concealed diverter (three-way)
External thread: G1/2
OD of flange cover: φ150mm

Brass alloy body
Chrome finish
Match with model:37155



37138-222/1B3-1
Concealed diverter (single-way)
External thread: G1/2
Faceplate: 180X140mm

Brass alloy body
Chrome finish
Match with model:37155



37139-222/1B3-1
Concealed diverter (two-way)
External thread: G1/2
Faceplate: 180X140mm

Brass alloy body
Chrome finish
Match with model:37155



37140-222/1B3-1

Concealed diverter (three-way)

External thread: G1/2
Faceplate: 180X140mm

Brass alloy body
Chrome finish
Match with model:37155



37063-226/2A1-1

Concealed diverter (single-way)

External thread: G1/2
Faceplate: 180X140mm

Solid brass
Φ40 ceramic cartridge
Flange gold



37061-226/2A1-1

Concealed diverter (two-way)

External thread: G1/2
Faceplate: 180X140mm

Solid DR brass
Φ40 ceramic cartridge
Flange gold
Two-way diverter
Watermark qualified



37062-226/2A1-1

Concealed diverter (three-way)

External thread: G1/2
Faceplate: 180X140mm

Solid brass
Φ40 ceramic cartridge
Flange gold
Three-way diverter



G08011-7M01-2

Ceiling-mounted shower set

Shower arm diameter: φ21mm
Faceplate: 220X220mm
Center distance of wall and raincan central point: 380mm
External thread: G1/2

Brass alloy shower arm
Flange gold
ABS raincan



G08011-7M01-1

Wall-mounted shower set

Faceplate: 220X220mm
Shower arm diameter: φ21mm
Center distance of wall and raincan central point: 355mm
External thread: G1/2

Brass alloy shower arm
Flange gold
ABS raincan



37057-255/2A1-1

Concealed diverter (single-way)

Flange cover: 130mm
External thread: G1/2

Solid brass
Flange gold



37056-255/2A1-1

Concealed diverter (two-way)

External thread: G1/2
Flange cover: 180X140mm

Solid brass
Φ40 ceramic cartridge
Flange gold
Two-way diverter



37055-255/2A1-1

Concealed diverter (three-way)

External thread: G1/2
Flange cover: 180X140mm

Solid brass
Φ40 ceramic cartridge
Flange gold
Three-way diverter



G21011-7M01-3

Wall-mounted shower set

Center distance of wall and raincan central point: 393mm
External thread: G1/2
Raincan:9 inch

Brass alloy shower arm
Flange gold
ABS raincan



S33011-7M01-2

Single-function hand shower with wall-bracket

External thread: G1/2
OD of flange cover: φ60mm

Brass alloy connector
Stainless steel double interlocked connection hose
Flange gold

|| Bathroom Hardware



G21011-7M01-2

Ceiling-mounted shower set

Center distance of wall and raincan central point: 375mm
 External thread: G1/2
 Faceplate: 220X220mm
 Raincan: 9 inch

Brass alloy shower arm
 Flange gold
 ABS raincan



37053-000/2A1-1

Bathtub spout

External thread: G1/2
 Distance between wall & outlet: 168mm

Solid brass
 Flange gold



37055-255/1B-I

Concealed diverter (three-way)

External thread: G1/2
 Flange cover: 180X140mm

Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Three-way diverter



G21011-2B01-3

Wall-mounted shower set

Raincan: 9 inch

Brass alloy shower arm
 Chrome finish
 ABS raincan



37057-255/1B-I

Concealed diverter (single-way)

Flange cover: 130mm
 External thread: G1/2

Solid brass
 Chrome finish



37056-255/1B-I

Concealed diverter (two-way)

External thread: G1/2
 Flange cover: 180X140mm

Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Two-way diverter



G21011-2B01-2

Ceiling-mounted shower set

Raincan: 9 inch

Brass alloy shower arm
 Chrome finish
 ABS raincan



37053-000/1B-I011

Bathtub spout

External thread: G1/2
 Distance between wall & outlet: 168mm

Outlet joint
 Aerator component



S32015-7M01-2

Five-function hand shower with wall-bracket

External thread: G1/2
 shower hand: 5 inch
 Length of hose: 1500mm

Stainless steel shower hose
 Brass joint
 Flange gold
 ABS wall-bracket



S32015-2B01-2

Five-function hand shower with wall-bracket

Shower hand: 5 inch
 Hose: 1.5mm

Stainless steel shower hose
 Brass joint
 Chrome finish
 ABS wall-bracket



27003-300/1B-1
Concealed diverter (single-way)

External thread: G1/2
OD of flange cover: $\phi 110 \times 110 \text{mm}$

Solid brass body
Chrome finish
Fast opening valve



27004-300/1B-1
Concealed diverter (two-way)

External thread: G1/2
OD of flange cover: $\phi 110 \times 110 \text{mm}$

Solid brass body
Chrome finish
Fast opening valve



27005-300/1B-1
Concealed diverter (three-way)

External thread: G1/2
OD of flange cover: $\phi 110 \times 110 \text{mm}$

Solid brass body
Chrome finish
Fast opening valve



G86011-1Q01-3
Wall-mounted shower set

Faceplate: 239*179mm
Center distance of wall and raincan central point: 425mm

Brass alloy shower arm
Chrome finish
ABS raincan



G86011-1Q01-2
Ceiling-mounted shower set

Faceplate: 239*179mm
Center distance of wall and raincan central point: 375mm
External thread: G1/2

Brass alloy shower arm
Chrome finish
ABS raincan



37151-000/1B-1
Bathtub spout

External thread: G1/2
Distance between wall & outlet: 153mm

Solid brass
Chrome finish



S110011-1Q01-2

Single function hand shower with wall-bracket

Faceplate: 58*132mm
Internal thread: G1/2
Hose: 1.5m

Brass alloy connector
ABS raincan
Chrome finish
Stainless steel double interlocked connection hose



37138-222/1B3-I011
Concealed diverter (single-way)

External thread: G1/2
Faceplate: 180X140mm

Solid brass
 $\phi 40$ ceramic cartridge
Chrome finish



37139-222/1B-I011
Concealed diverter (two-way)

External thread: G1/2
Faceplate: 180X140mm

Solid brass
 $\phi 40$ ceramic cartridge
Chrome finish
Two-way diverter



37140-222/1B-I
Concealed diverter (three-way)

External thread: G1/2
Faceplate: 180X140mm

Solid brass
 $\phi 40$ ceramic cartridge
Chrome finish
Three-way diverter



G22021-2B01-I012
Wall-mounted shower set

Raincan: 220X220mm
Shower arm diameter: $\phi 21 \text{mm}$
Center distance of wall and raincan central point: 380mm
External thread: G1/2

Brass alloy shower arm
Chrome finish
ABS raincan

|| Bathroom Hardware



G22021-2B01-I011

Ceiling-mounted shower set

Raincan: 220X220mm
 Shower arm diameter: ϕ 21mm
 Center distance of wall and raincan central point: 355mm
 External thread: G1/2

Brass alloy shower arm
 Chrome finish
 ABS raincan
 TPR nozzle



37046-000/1B-I011

Bathtub spout

External thread: G3/4 & G1/2
 Distance between wall & outlet: 175mm

Solid brass
 Chrome finish



S51013-2B01-I011

Five-function hand shower with wall-bracket

Faceplate: 4 inch
 Hose: 1.5m
 External thread: G1/2

Stainless steel shower hose
 Brass joint
 Chrome finish
 ABS wall-bracket



37135-240/1B-I011

Concealed diverter (single-way)

External thread: G1/2
 OD of flange cover: ϕ 150mm

Solid brass
 ϕ 40 ceramic cartridge
 Chrome finish



37136-240/1B-I011

Concealed diverter (two-way)

External thread: G1/2
 Faceplate: 160X200mm

Solid brass
 ϕ 40 ceramic cartridge
 Chrome finish
 Two-way diverter



37139-222/1B-I011

Concealed diverter (three-way)

External thread: G1/2
 Faceplate: 160X200mm

Solid brass
 ϕ 40 ceramic cartridge
 Chrome finish
 Three-way diverter



37137-240/1B-I011

Wall-mounted shower set

Raincan: 9 inch
 Shower arm diameter: ϕ 21mm
 Center distance of wall and raincan central point: 275mm
 External thread: G1/2

Brass alloy shower arm
 Chrome finish
 ABS raincan
 TPR nozzle



G25011-2B03-I011

Ceiling-mounted shower set

Raincan: 9 inch
 Shower arm diameter: ϕ 21mm
 Center distance of wall and raincan central point: 365mm
 External thread: G1/2

Brass alloy shower arm
 Chrome finish
 Raincan: 9 inch
 ABS shower head
 TPR nozzle



37102-000/1B-I011

Bathtub spout

External thread: G3/4 \square G1/2
 Distance between wall & outlet: 153mm

Solid brass
 Chrome finish



S44013-2B02-I011

Three-function hand shower

Faceplate: 4 inch
 Hose: 1.5m
 External thread: G1/2

Stainless steel shower hose
 Brass joint
 Chrome finish
 ABS wall-bracket



37132-229/1B-1
 Concealed diverter (single-way)
 External thread: G1/2
 Faceplate: 150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish



37133-229/1B-1
 Concealed diverter (two-way)
 External thread: G1/2
 Faceplate: 150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Two-way diverter



37134-229/1B-1
 Concealed diverter (three-way)
 External thread: G1/2
 Faceplate: 150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Three-way diverter



G06031-2B02-3
 Wall-mounted shower set
 Raincan: 10 inch
 Shower arm diameter: φ21mm
 Center distance of wall and raincan central point: 380mm
 External thread: G1/2
 Brass alloy shower arm
 Chrome finish
 ABS raincan
 TPR nozzle



S15085-2B02-13
 Hand shower with wall-bracket
 Faceplate: 4 inch
 Hose: 1.5m
 External thread: G1/2
 Q19 wall-bracket
 Stainless steel double interlocked connection hose
 Brass alloy joint



37116-000/1B-I011
 Bathtub spout
 External thread: G1/2
 OD of flange cover: φ60mm
 Spout diameter: φ28mm
 Distance between wall & outlet: 180mm
 Brass alloy spout
 Chrome finish



37129-239/1B-I011
 Concealed diverter (single-way)
 External thread: G1/2
 OD of flange cover: φ150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish



G06031-2B02-2
 Ceiling-mounted shower set
 Raincan: 9 inch
 Shower arm diameter: φ21mm
 Center distance of wall and raincan central point: 380mm
 External thread: G1/2
 Brass alloy shower arm
 Chrome finish
 ABS raincan
 TPR nozzle



G29031-2B01-I011
 Wall-mounted shower set
 Faceplate: 6 inch
 Shower arm diameter: φ21mm
 External thread: G1/2
 Brass alloy shower arm
 Chrome finish
 ABS raincan
 TPR nozzle



37130-239/1B-I011
 Concealed diverter (two-way)
 External thread: G1/2
 OD of flange cover: φ150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Two-way diverter



37131-239/1B-I011
 Concealed diverter (three-way)
 External thread: G1/2
 OD of flange cover: φ150mm
 Solid brass
 Φ40 ceramic cartridge
 Chrome finish
 Three-way diverter



S16083-2B02-I011

Three-function hand shower with wall-bracket

Faceplate: 3 inch

Hose: 1.5m

External thread: G1/2

Chrome finish

With wall-bracket



HEALTHY BEVERAGE FAUCET SAFEGUARDING YOUR HEALTH



HEALTHY BEVERAGE FAUCET SAFEGUARDING YOUR HEALTH

"Silicon + brass" golden ratio, lead removal, antifungal, healthier.

The new material, silicon brass, is developed with the internationally first-class scientific research institute. It is added with silicon which is beneficial to human body instead of lead. And the brass, which has bacteriostatic as its feature, ensuring the quality of drinking water.

Innovative new process, ensure health from the source

Its innovative production process abandons the traditional lead washing technology, reduces lead content from the source and ensures healthy water.



JOMOO standard is higher than America NSF lead-free standard.



33081-272/1B-Z

Single-handle kitchen mixer

Total height: 360mm
Height of outlet hole: 249mm
Distance from water outlet center to body: 214mm
Fixed thread: M32x1.5

Silicon brass
Φ35 ceramic cartridge
H62 copper outlet pipe
Chrome Finish



33081-272/2B-Z

Single-handle kitchen mixer

Total height: 360mm
Height of outlet hole: 249mm
Distance from water outlet center to body: 214mm
Fixed thread: M32x1.5

Silicon brass
Φ35 ceramic cartridge
H62 copper outlet pipe
Flange gold



33072-142/1B-Z

Single-handle kitchen mixer

Total height: 269mm
Height of outlet hole: 172mm
Distance from water outlet center to body: 130mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish
Swingable outlet spout
Pull-down shower head



33060-142/2B1-Z

Single-handle kitchen mixer

Total height: 269mm
Height of outlet hole: 172mm
Distance from water outlet center to body: 130mm

Silicon brass
Φ35 ceramic cartridge
Flange gold
Swingable outlet spout
Pull-down shower head



3332-273/1B1-Z

Single-handle kitchen mixer

Total height: 549mm
Height of outlet hole: 186mm
Distance from water outlet center to body: 198mm

Silicon brass
Φ35 ceramic cartridge
Chrome finish
Pull-down shower head
Swingable outlet spout



33083-309/1B-Z

Single-handle kitchen mixer

Total height: 403mm
Height of outlet hole: 206mm
Distance from water outlet center to body: 209mm
Bottom diameter: □56mm
Fixed thread: M32x1.5

Silicon brass
K-35A cartridge
Double function shower head
Ball head rotation pull tube
Chrome finish

|| Bathroom Hardware



3329-206/1B1-Z

Single-handle kitchen mixer

Total height: 335mm
 Height of outlet hole: 295mm
 Distance of bubbler water outlet: 185mm
 Distance of purified water outlet: 214mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout
 With purified water



23011-328/1B-Z

Double-hand thermostat kitchen mixer

Total height: 356mm
 Height of outlet hole: 248mm
 Distance from water outlet center to body: 213mm

Silicon brass
 Vernet thermostatic cartridge
 Chrome finish
 Swingable outlet spout



3336-146/1B1-Z

Single-handle kitchen mixer

Total height: 361mm
 Height of outlet hole: 248mm
 Distance from water outlet center to body: 221mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Zinc alloy handle
 Swingable outlet spout



3326-037/1B1-Z

Single-handle kitchen mixer

Total height: 324mm
 Height of outlet hole: 216mm
 Distance from water outlet center to body: 170mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Zinc alloy handle
 Swingable outlet spout



33059-228/1B1-Z

Single-handle kitchen mixer

Total height: 275mm
 Height of outlet hole: 245mm
 Distance from water outlet center to body: 210mm

Silicon brass
 Φ40 ceramic cartridge
 Chrome finish
 Swingable outlet spout



33048-052/1B1-Z

Single-handle kitchen mixer

Total height: 250mm
 Height of outlet hole: 216mm
 Distance from water outlet center to body: 185mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout



3312-H13/1B1-Z

Single-handle kitchen mixer

Total height: 325mm
 Height of outlet hole: 203mm
 Distance from water outlet center to body: 177mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout



3333-050/1C1-Z

Single-handle kitchen mixer

Total height: 321mm
 Height of outlet hole: 198mm
 Distance from water outlet center to body: 219mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout



33053-207/1B3-Z

Single-handle kitchen mixer

Total height: 396mm
 Height of outlet hole: 212mm
 Distance from water outlet center to body: 225mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout
 Pull type sprinkler



33054-100/1B1-Z

Single-handle kitchen mixer

Total height: 314mm
 Height of outlet hole: 262mm
 Distance from water outlet center to body: 220mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout



3307-050/1C1-Z

Single-handle kitchen mixer

Total height: 147mm
 Height of outlet hole: 120mm
 Distance from water outlet center to body: 200mm

Silicon brass
 Φ35 ceramic cartridge
 Chrome finish
 Swingable outlet spout



23009-231/1B-1011

Double-handle kitchen mixer

Height of outlet hole: 164.5mm
 Distance from water outlet center to body: 167mm
 Total height: 301.5mm
 External thread: G1/2

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout

|| Bathroom Hardware



34006-093/1B-Z

Single-hand built-in kitchen mixer

Total height: 243mm
 Height of outlet hole: 160mm
 Distance from water outlet center to body: 173mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



2401-255/1C-1

Double-handle built-in kitchen mixer

Total height: 212mm
 Height of outlet hole: 153mm
 Distance from water outlet center to body: 137mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



77024-363/1B-1

Cold-only kitchen faucet

Total height: 172mm
 Height of outlet hole: 88mm
 Distance from water outlet center to body: 125mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



33055-231/1B-I011

Cold-only kitchen faucet

Height of outlet hole: 166.5 mm
 Center distance of water outlet: 167mm
 Total height: 303mm
 External thread: G1/2

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout



2302-277/1C1-Z

Double-handle kitchen faucet

Total height: 281mm
 Height of outlet hole: 206mm
 Distance from water outlet center to body: 150mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



23008-182/1C1-Z

Double-handle kitchen faucet

Total height: 245mm
 Height of outlet hole: 188mm
 Distance from water outlet center to body: 135mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



7713-078/1C2-I011

Cold-only kitchen faucet

Inlet thread: G1/2
 Height of outlet hole: 225mm
 Center distance of water outlet: 160mm
 Total height: 350mm

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout



7707-078/1C-I011

Cold-only kitchen faucet

Inlet thread: G1/2
 Height of outlet hole: 210mm
 Center distance of water outlet: 193mm
 Total height: 333mm

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout



2301-182/1C1-Z

Double-handle kitchen faucet

Total height: 333mm
 Height of outlet hole: 210mm
 Distance from water outlet center to body: 193mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



77023-363/1B-1

Cold-only kitchen faucet

Total height: 298mm
 Height of outlet hole: 228mm
 Distance from water outlet center to body: 195mm

Silicon brass
 Chrome finish
 Ceramic cartridge
 Swingable outlet spout



7701-238/1C-I011

Cold-only kitchen faucet

Inlet thread: G1/2
 Height of outlet hole: 196mm
 Center distance of water outlet: 136mm
 Total height: 253mm

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout



7703-238/1C-I011

Cold-only kitchen faucet

Inlet thread: G1/2
 Height of outlet hole: 156mm
 Center distance of water outlet: 136mm
 Total height: 213mm

Solid brass
 Ceramic cartridge
 Chrome finish
 Swingable outlet spout

■ Bathroom Hardware



77015-183/1C-I011

Cold-only kitchen faucet

Inlet thread: G1/2
Height of outlet hole: 196mm
Center distance of water outlet: 136mm

Solid brass
Ceramic cartridge
Chrome finish
Swingable outlet spout



7703-183/1C2-I011

Cold-only kitchen faucet

Inlet thread: G1/2
Height of outlet hole: 196mm
Center distance of water outlet: 136mm

Solid brass
Ceramic cartridge
Chrome finish
Swingable outlet spout



7714-183/1C-I011

Cold-only kitchen faucet

Inlet thread: G1/2
Height of outlet hole: 46mm
Center distance of water outlet: 168mm
Total height: 99mm

Solid brass
Ceramic cartridge
Chrome finish
Swingable outlet spout



7901-038/1C1-Z

Purified water faucet

Inlet thread: G1/2 Height of Outlet hole: 204mm
Center distance of water outlet: 119mm
Total height: 308mm

Solid brass
Ceramic cartridge
Chrome finish
Swingable outlet spout

