


hansgrohe



Catalogue



With Hansgrohe®, water becomes a pleasure. What used to be a bare “washroom”, is now a place for recreation, relaxation and wellbeing – not just for the body, but also for the soul. Hansgrohe’s contribution to this development has been significant. A shower or mixer from our range is a masterpiece of technology and form that you can enjoy every day!

We offer a complete range of showers and mixers for bathrooms and kitchens. You can choose from different styles and a huge range of different products – from a single shower to sophisticated shower systems. You will find something that is just right for you, regardless of your needs, taste or budget.

This catalogue provides an overview of the wide range of Hansgrohe products, but you can continue your explorations at www.hansgrohe-int.com, and eventually in the comfort of your own home!

2	Tradition and Innovation
4	Technology and Ecology
6	Quality and Function
8	Design and Bathroom Style Worlds
10	Mixers
12	Metris®
14	Talis®
16	Focus®
18	Thermostats
22	Showers
24	Shower Families
26	Installation options
28	Raindance®
46	Croma® 100
50	Crometta® 85
52	Installation technology
54	iBox® universal
57	iModul®
58	Bath fillers and waste systems
62	Product overview



Tradition. With more than 100 years of company history, we are committed to tradition. At Hansgrohe, this means constant development and always being ahead of the times. Continuous innovations from our think tank, which have set trends in the world of bathrooms and established worldwide standards, many design awards and numerous copies (which, however, never come close to the original) show that we are living up to our name. The best proof, however, is our many satisfied customers.

From top left to bottom right: Hans Grohe as a young man in 1871. Company members in 1912. Hans Grohe with his sons Hans Junior and Friedrich in 1943. Hans Grohe in his element in 1955.

Innovation. Designing products that last the lifetime of your bathroom, products that are both functional and a source of pleasure – this has always been our passion. From the first Selecta adjustable hand shower to the Raindance shower revolution, Hansgrohe has always had an extraordinary eye for innovation. For us, this means constantly moving forward and seeking ever better solutions. For you, it means always being able to find the answer to your needs at Hansgrohe.

From top left to bottom right:
Selecta, the first adjustable hand shower.
iBox universal, the revolution in concealed installation.
Tribel, the first hand shower with a rotating head.
Uno, the first coloured bathroom mixer.



Technology. Our showers and mixers offer many useful functions and details that make daily use as easy and comfortable as possible – so that you can enjoy your Hansgrohe products for many years.

hansgrohe
**AIR
POWER**

Fantastic Shower Fun. By mixing in air, the spray becomes more voluminous and the water is used more efficiently.

hansgrohe
**XXL
PERFORMANCE**

Superior performance. The extra-wide XXL showers provide extraordinary spray quality for unique Shower Fun.

hansgrohe
**COMFORT
ZONE**


Exceptional comfort through ergonomics: for example, our wash basin mixers allow you to wash your hands comfortably and at the perfect temperature without the spout getting in the way.

hansgrohe
**QUICK
CLEAN**

Steady performer. Limescale and deposits are simply rubbed off, which ensures that the products function perfectly and look good for years.

hansgrohe
**ECO
SMART**

Sustainability. From an environmentally friendly production process to the reduced water consumption of taps and showers.





Ecology. Hansgrohe spares no effort to ensure the safety and durability of all products and to meet health and environmental standards. This is achieved by clear specifications during product development, extensive application testing and quality management at all production sites. To learn more, visit www.hansgrohe.com/nachhaltigkeit.



Solar energy at work. Hansgrohe actively uses forms of renewable energy. Since 1993, we have generated solar energy on the roof of our Offenburg factory. We now generate up to 140,000 kWh of power every year.

Multiple environmental award winner. Among its many different environmental awards, Hansgrohe became the first industrial company to receive the official environmental prize awarded by the State of Baden-Württemberg in 1995 for its environmentally conscious business practices.

Environmental standards. Environmental protection is one of our priorities. The environmental standards that Hansgrohe has set for itself in most instances significantly exceed the industry-wide regulations.

Cutting-edge electroplating methods. To minimise the impact on the environment, while ensuring high-quality product surfaces, we have broken new ground in electroplating.

High-quality materials. Hansgrohe only uses high-quality materials that perfectly complement one another. This makes the products more durable, thereby conserving resources.

Water-saving products. Hansgrohe's commitment to water conservation is also reflected in the development of water-conserving products and water recycling systems (www.pontos-aquacycle.com).

A good mixer has much to offer. We at Hansgrohe do everything in our power to develop and produce mixers that you can enjoy in your bathroom for a long time to come. "Made by Hansgrohe" - all our products have to meet the strictest quality criteria and controls. In addition, they are tested and certified by

Boltic®. The patented lever lock prevents the loosening of the handle - even after years of use.

Hot water restriction. The right temperature can very easily be set in advance. No scalding!

Ceramic cartridge. Top quality, smooth-running, durable and reliable. It can be exchanged without effort, as required. It is tested for water tightness and withstands water hammer of up to 60 bar.

Tested and certified. Hansgrohe mixers are accredited for both private households and for the public and semi-public sectors, and meet all current noise and flow specifications.



numerous international authorities. What is more, Hansgrohe mixers distinguish themselves through numerous unique technological and design features – such as ComfortZone, the generous dimensioning for exceptionally comfortable use.



ComfortZone. The generous space for outflowing water and the easy operation of the handle make it easy to set the perfect temperature. More comfort through space: mixer height and projection allow you to wash your hands comfortably, without the spout getting in the way.



AirPower. Soft, luxurious water jet by mixing with air.



QuickClean. Limescale has no chance against the anti-limescale function. If limescale does accumulate, it can easily be rubbed off.



EcoSmart. With the compact, but clever Waterdimmer, you save not only water, but money.

Material: Basic mixer body of high-quality brass. Metal handles for a pleasant touch and precise operation. Exceptionally wear-resistant surfaces, thanks to the latest coating technology.

World of Styles. Your taste is as unique as your personality. We want to give you the opportunity to explore your distinctive style in your bathroom. You therefore have the choice of two different design classes – E for Elegance



Elegance


Harmony through contrast. You are passionate about creative combinations. You love exciting contrasts and a modern mix of styles. You wish to create a warm and welcoming atmosphere which mirrors the many facets of your own personality.



Style

Space for yourself. You are the clear, analytical type. You have an aversion to ornaments and embellishments. You find your strength in tranquility and by focusing on the essentials. Your style is straightforward and minimalist, leaving space enough for you.

and S for Style. Two complete and cohesive design worlds from which to choose, depending on your taste, lifestyle and preferred bathroom ambiance.







Mixers

Space for your style

Metris® E



Harmony for the bathroom. Flowing lines, sweeping shapes – the Metris E mixer line creates a true connection to the element which dominates the bathroom – water. With the grace of a jet of water, Metris E brings natural beauty and elegance to your bathroom. The discretely rounded shape and the flat, tongued-shaped handle communicate purity and harmony. Careful workmanship and sophisticated, long-lasting technology ensure the best functionality.



Single lever shower mixer

Metris® S



The new clarity. Simplicity rather than spectacle. Clarity rather than complexity. Timelessness rather than trends. In a world of over-extravagance, the bathroom becomes an oasis of calm and constancy, a place to pause and take stock. Metris S is a geometrical mixer series that supports your self-awareness. With its pin handle and geometric shapes, Metris S focuses completely on the essential. Yet despite all this reduction, its high-grade material and technical properties meet Hansgrohe's high quality standards.



Single lever bath mixer

Talis® E²



Talis® E². When the “Elegance” style was created, natural, organic shapes served as the model. Talis E² is persuasively graceful, with harmonious curves, elegant edges and shining surfaces. Just as in nature, the interaction of flowing shapes and high-quality surfaces creates exciting contrasts. With Talis E², you create an elegant, sensual, harmonious and warm bathroom that reflects your personality.



Single lever shower mixer

Talis® S²



Talis® S². In the "Style" design, Talis is timeless, clear and geometrical. Here, less is more. No unnecessary detail. Simple, timeless, geometrical basic shapes, far from any fashion trends. The straight, slim lines represent style and high quality, the downward-slanting spout exudes vitality. With Talis S², you can have a stylish, reduced bathroom that leaves you space to express your own personality.



Single lever bath mixer

Focus® E



Good taste is not a question of price. It is a question of culture, aesthetic awareness and joie de vivre. To offer as many people as possible the pleasure of bathing in style, Hansgrohe has created Focus E, a mixer line that shines – not only with its lively swing and fresh elegance, but also with its incredible price. As always, sophisticated Hansgrohe technology and meticulous workmanship will ensure its durability. Now we have also equipped Focus with the highly successful QuickClean anti-limescale function in the spout.



Single lever bath mixer



When thinking about saving, most people think about reducing expenses. When Hansgrohe designed the Focus S mixer line, reduction meant eliminating unnecessary details. The result: a mixer line as pure and clear as the water it delivers, yet still equipped with high-quality, long-lasting Hansgrohe technology. Because we reduce costs in production, without compromising on function, Focus S is now also available with QuickClean – at an astonishingly low price.



Single lever shower mixer

Thermostats



Exposed and concealed thermostats. Hansgrohe thermostats have it all. The highly innovative cartridge technology provides reliable scald protection and optimal pressure compensation. The Safety Stop function prevents the accidental choice of temperatures higher than 38 °C. The Safety Function provides the integrated scald protection: the maximum temperature can be set in advance, with infinite possible variations. The water saving Ecostop function reduces water consumption by up to 50%. If you want more, you can simply press the Ecostop button and turn the water on full volume.



Shower thermostat
Ecostat® E



Slim Mixers in E and S design lines. Today, sophisticated technology requires less and less space. Due to technical advances, the new thermostat cartridges are highly efficient, yet compact – leaving more space for design. With a diameter of just 38 mm, the new Hansgrohe mixers are slim and delicate in appearance. You can now choose a thermostat that suits your preference and perfectly matches your overall bathroom design: Ecostat E for Elegance and Ecostat S for Style.



Bath thermostat
Ecostat® S

Elegance



Metris°E
Basin mixer



Raindance°
E 150 AIR 3jet Set



Talis°E²
Basin mixer



Croma° 100 Vario/
Unica° 'C Set



Focus°E
Basin mixer



Crometta° 85 Vario/
Unica° 'Crometta° Set



Ecostat°E
Bath thermostat



Ecostat°E
Shower thermostat

Style



Metris® S
Basin mixer



Raindance®
S 150 AIR 3jet Set



Talis® S²
Basin mixer



Croma® 100 Multi/
Unica® C Set



Focus® S
Basin mixer



Crometta® 85 Multi/
Unica® Crometta® Set



Ecostat® S
Bath thermostat



Ecostat® S
Shower thermostat






Showers

A fresh experience with water


Shower families




Raindance Hand shower
Equipped with different spray modes and AIR technology, the Raindance hand showers are ideal for fitness, wellness and beauty applications.



Raindance Shower set
Adjustable along the whole length of the body, the Raindance can be used as an overhead, shoulder, hand or side shower. It is quick and easy to install on the wall.



Raindance Side showers
If the large side showers are pointed in the desired direction, invigorating jets of water touch your body from several angles, on all sides. They are installed on the wall.



Raindance Showerpanel
Water from many showers: from the Raindance hand shower as well as from powerful side showers. The panel is installed on the wall and can be added to your existing bathroom at any time.




Who do you like to shower with?


Which shower family will you invite into your home? Would you like to experience water showering down from above, from the wall or from several sides at once? Would you like a massaging jet, a soft flood jet or a gentle rain? Or would you like to decide day by day? Would you like a concealed installation for your showers, or would you prefer them mounted on the wall or flush with the ceiling? You can choose among the most diverse types of showers and plan your individual combination of controls and showers – to create a bathroom that perfectly suits you and your needs.




Raindance Showerpipe
For expansive shower rain directly from above in combination with a thermostat on the wall. This can be simply added to your existing bathroom – the quickest way to include a large overhead shower.



Raindance Overhead shower
The large plate overhead shower provides a soft rain shower, completely enrobing the body. Can be installed either on the ceiling or with an arm fixed to the wall.



Raindance Rainfall
The horizontal rain panel pampers you with a large overhead shower, massage jets and a broad, luxuriant flood jet.



Raindance Rainmaker
This overhead shower system is installed into the ceiling and promises especially wide shower rain from above. The large size makes it suitable for two people. Available with optional lighting.

Installation options



Exposed mixer – for 1 shower. For example: Metris S shower mixer for exposed installation with single lever mixer, for manual operation. Both flow rate and temperature are set manually.




Exposed thermostat – for 1 shower. A thermostat is the more comfortable version of an exposed mixer. The temperature can be set to a precise degree, and the water is mixed quickly and automatically.




Concealed thermostat – for 2 showers. In a concealed installation, the mixer body is set into the wall. In this case, two different shower types can be operated. This solution offers a clean appearance and greater comfort in the bathroom.

What do you like best? Depending on your preferences in terms of design, shower outlets and ease of operation, you can choose from different mixers. Exposed controls are mounted directly onto the wall. Here you have the choice between a manual single lever mixer or a comfortable thermostat. In the concealed installation, the thermostat body is built into the wall. Since the only visible parts are the operating lever and a discreet wall plate, a minimalist appearance is achieved – with significantly increased freedom of movement. No matter which shower family you choose, Hansgrohe has a solution for everyone – from a simple exposed mixer to an electronic remote controlled shower.




Concealed thermostat – for 3 showers.
Based on the iBox universal, iControl operates in conjunction with a concealed thermostat. Three different showers can be turned on and off by means of a single control element.




Concealed thermostat – for 3 showers, **electronic**. iControl mobile is based on the iBox universal and delivers digital radio technology to the bathroom. Its unique feature, the control element, can be detached and operated like a remote control. In this way, the shower can be started comfortably from outside – when entering the shower, the water will have already reached the desired temperature.



Raindance®



Bigger is simply better. Short handle, super-slim design and an extraordinarily large shower head: the secret of “Shower Fun XXL” and of Raindance’s huge success. It is only logical that a large shower can do more. Shower fun is increased with shower size. This is what Raindance is all about, large spray discs for wide shower rain. The same quantity of water is distributed more efficiently, and the body more completely enveloped. Raindance breaks all dimensions, not only as a hand shower, but also as an overhead shower. Together with innovative shower systems such as the Raindance Allrounder or the Rainmaker, countless new possibilities arise. Shower Fun XXL – with spray discs measuring diameters of 100 mm up to an unbelievable 600 mm.





AIR can do more. AIR, the brilliant shower technology by Hansgrohe is employed in all Raindance showers. Mixed with air, the water released becomes softer or harder, depending on the spray mode – and your daily shower becomes a feast for the senses. For your eyes: You can truly see the air enclosed in the voluminous drops. For your ears: Like a rain shower, the sound of AIR has a calming as well as a vitalising effect. For the skin, your most expansive and receptive sense organ, a pleasant layer of air-enriched water completely envelopes and warms your body. One more thing: thanks to AIR, the water consumption of a large shower is no higher than that of a conventional shower.



Rain AIR: Air is drawn in all over the shower head and mixed with the inflowing water ... one litre of water with around three litres of air! Consequently, the drops become larger, lighter and softer.



Whirl AIR: Here, too, water is mixed with air. In a very small space, the air is compressed and the out-flowing massaging jet accelerated. The result is a very powerful, intense massage.



The right style for everyone. Equipped with AIR technology and the three spray modes Rain AIR, Whirl AIR and Balance AIR, Raindance hand showers stand for luxurious shower rain. Choose between the three different sizes (100, 120 and 150) and between two different style worlds – E for Elegance with soft, organic lines, or S for Style with clean, linear shapes. For long-lasting Shower Fun, all models are equipped with the remarkable QuickClean anti-limescale function.



A perfect match. So you can enjoy the hand shower's wide shower rain from directly overhead, the matching wall bars allow you to stand at a comfortable distance from the wall. The shower holder allows easy height and spray angle adjustment - to match your individual body height and shower preferences.



Elegance



Style



Rain AIR

Balance AIR

Whirl AIR

QuickClean Anti-limescale function





XXL
100

Raindance®
Unica® 'D' Set



XXL
120

Raindance®
Unica® 'S Puro' Set



XXL
150

Raindance®
Unica® Set



Clear and clever design. Raindance® Unica®'S. Exquisite in design and technology, the new Raindance Unica'S offers an ideal solution for the high-end bathroom. In perfect harmony with all hand showers of the S lines, the wall bar, with its architectural structure and its clean lines, is a pleasure for all lovers of exquisite design. A real eye-catcher: the finely constructed, chromed metal shower holder shows off its delightful range of movement. The extra-long 150 cm wall bar offers both design and functionality for the whole family. It adjusts to any body height, facilitating the most diverse shower preferences.



Amazingly simple. The movement can be observed through the transparent design feature.



The perfect interaction of shapes. Slim profile, harmonious geometry, beautiful details - everything is just right.



Sophisticated down to the last detail. After showering, the hose resumes its position in the wall bar and is neatly put away.



XXL
150

Raindance®
Unica®'S Set 90 cm

Let it rain: Raindance® AIR Overhead Showers. Gone are the times when large rain showers could only be found in expensive spas. Raindance brings this pleasure into your own bathroom, with overhead and side showers. The water pours down centrally and directly from above, all over your head and shoulders. Your whole body is wrapped in a genuine cloak of water, and you experience a completely new and more intense sensation of warmth. The Raindance AIR overhead shower is available in 180, 240 and 300 mm diameters and is suitable for mounting on the ceiling or on the wall. Raindance AIR Royale provides you with a truly royal shower experience: more water, solid metal construction, hand craftsmanship and with a spectacular diameter of 350 mm – a shower of extraordinary class.



XXL
350

Raindance® AIR Royale
Plate overhead shower



XXL
300

Raindance® AIR 300
Plate overhead shower



XXL
240

Raindance® AIR 240
Plate overhead shower





XXL
180

Raindance® AIR 180
Plate overhead shower

XXL
100

Raindance® AIR Side shower
Simply turning the flat side
shower directs the jet towards
your body.





Get connected. Raindance® Connect, the fastest connection to a large rain shower. No time-consuming reconstruction – simply remove the old hand shower and screw Raindance Connect to the wall. With a simple click, the hand shower becomes an overhead shower! From a wide and central position, the water pours down onto the head and shoulders. Raindance Connect fits into any bathroom and can be used wherever a hand shower is already installed. Its clear, puristic design makes it a real eye-catcher. When are you going to get connected – to Shower Fun XXL?

Hand shower function




Overhead shower function



Rain Connector®. Simply brilliant: Plug the hand shower into the Rain Connector to activate the overhead shower – without diversion, the water is automatically directed through the shower bar.





XXL
150
Raindance®
Allrounder Set



XXL
150
Raindance®
Rainbow Set



XXL
150
Raindance®
E 150 AIR 3jet Set

Innovative shower systems. To enjoy Shower Fun XXL, you can choose between different new shower systems. Without a wall bar, the swivelling Allrounder shows its many talents, offering three functions in one – hand, overhead and side shower. With the arc-shaped attachment for the Rainbow wall bar, the hand shower becomes an overhead shower with a broad downpour and plenty of scope for movement. With the Unica 150 wall bar, Raindance becomes extremely adjustable in height, for shower applications, from your head all the way down to your calves!



XXL
150

Raindance®
Showerpanel®
for concealed installation



XXL
150

Raindance®
Showerpanel®
for exposed installation



XXL
240

Raindance®
Showerpipe

More innovative shower systems. The extremely slim design of the Raindance Showerpanel for concealed installations provides extensive scope for movement and countless options for showering, including a whole body massage with eight effective side showers. With the exposed model, you can easily upgrade your existing shower with the Shower Fun XXL. Brilliantly simple: the Raindance Showerpipe can be installed at any time and simply replaces your old shower. It offers you a wide shower rain without the need for a complex concealed installation.



Experience the natural power of water. Raindance® Rainfall®. The Rainfall is a special experience – in many respects. As the first horizontal rain panel, it captures everyone's attention with a completely new look. The flat board, installed flush with the wall, projects far into the cubicle. Experience a completely new shower sensation, with extensive scope for movement from all three spray modes. The 240 mm overhead shower with AIR function provides you with a particularly expansive rain shower. The Whirl function gives you a powerful massage with several jets and the unique broad flood jet places you under a lush waterfall. Increased ease of operation: with the matching Hansgrohe thermostats, the shower operation is extremely straight forward – the spray modes can easily be managed from the wall mounted controls.

RainAIR. A fresh shower experience: The 240 mm overhead shower with AIR function provides an abundance of voluminous rain drops. The generous distance between the wall and shower head lets you experience a downpour from directly overhead, even in large shower cabins.



Whirl. Four jets, positioned flush with the surface tilt forward when the water is turned on: the massage jets are now directed towards your back and upper body.



Rainflow. A pleasant and relaxing shower experience unlike any other. Reminiscent of the cold deluge in the sauna, the wide flood jet becomes a special treat with warm water.





Showering in new dimensions: Raindance® Rainmaker®. Experience today a shower system of the future. The multifunctional Rainmaker offers you a completely natural phenomenon: water, air and a remarkably generous sense of space. Discreet in design, despite its size, and installed flush with the ceiling, the Rainmaker becomes an attractive architectural room element. With an incredible diameter of 600 mm, the Rainmaker provides the sensation of standing in the warm rain under open skies. Shower Fun XXL, under either the 300 mm shower spray or the entire width of 600 mm. Available in a round or new square or the new square Rainmaker format. The three extra-wide Whirl AIR massage jets can be used individually or added to the stream at any time. The entire spray surface of the Rainmaker is equipped with the QuickClean anti-limescale function.

New: as an option, the Rainmaker is now also available with iControl mobile – the innovative radio sensor system which lets you operate all spray modes and lighting at the touch of a button. The unit runs without a battery and can be easily detached, allowing regulation of the water from outside the cubicle. The perfect warm-up effect for a pleasant start to the day.



Rain AIR: central overhead shower with AIR, Ø 300 mm



Rain AIR XXL: soft rain with AIR, covering the entire width, Ø 600 mm



Whirl AIR: three rotating massage sprays with AIR



Spray combination: Rain AIR XXL and Whirl AIR



Croma[®] 100



Our shower. Croma® 100. Thanks to its convincing form and function, Croma has been a model for success among Hansgrohe showers for years. Big and beautiful – that is how showers should be these days! The Croma 100 can do even more: More size – the large shower head with a diameter of 100 mm lets the water pour down over you more expansively. More functionality – choose from a variety of spray modes for the most diverse ways of showering. More design – with its clear, timeless appearance, it blends perfectly into any bathroom.



Croma® 100 Vario
Hand shower with
adjustable Vario spray



Croma® 100 Multi
Hand shower with Normal,
Soft and Massage spray

Croma® 100 Shower systems. Overhead Shower Fun for every bathroom. A downpour from high above – more and more people want to experience this natural shower pleasure. With Unica Reno Lift, this wish is easily fulfilled. Within seconds, this shower system transforms the Croma 100 hand shower into a large, height adjustable overhead shower. The new Croma 100 Showerpipe with its large plate overhead shower and integrated thermostat provides pure shower comfort in impeccable style. With its new slim and refreshing design, the Showerpipe fits into any bathroom design – whether entirely new or renovated.



Croma® 100 Set



Unica® Reno Lift Set
adjustable shower bar



XXL
100

Croma® 100 Showerpanel®
with single lever mixer



XXL
160

Croma® 100 Showerpipe
with thermostat

Crometta® 85



Crometta® 85. A quality shower experience. The new Crometta 85 has everything you need for a great shower experience: superior functions, attractive spray modes and the unmistakable quality of a genuine Hansgrohe brand shower. The Unica' Crometta wall bar matches the Crometta 85 in form and function. As a set, they provide unlimited shower pleasure. The fully chromed shower holder makes both height and angle adjustment extremely easy: with just one single movement, the hand shower can be positioned to release the spray either directly or diagonally from above. Thanks to its discreet design, the Crometta 85 products can easily be integrated into any bathroom.



Crometta® 85 Green
Hand shower with water-saving Normal spray
6 l/min

Crometta® 85 Multi
Hand shower with Normal,
Soft and Massage spray



Crometta® 85 Vario Set





Installation technology

Hidden within: a sophisticated system.


iBox® universal and iModul®



iBox® universal basic set
Brass with low zinc content
01800180
Basic set extension
13595, -000
Extension collar Ø 170 mm
13596, -000, -810, -880
Extension collar Ø 150 mm
13597, -000, -880
Fitting set
96615, -000

Hansgrohe® iBox® universal – one for all. With the iBox universal from Hansgrohe, concealed installation is as easy as it gets. The iBox universal is the first basic set to be compatible for all functions connected with concealed fittings, for 1/2" and 3/4". In accordance with all Axor and Hansgrohe mixer lines, the iBox universal, in its latest version, is equipped with a flexible adjusting ring for greater freedom of installation. Thanks to the well-thought-out technology installation, confusion and problems have become a thing of the past. It will adapt to all possible shower systems. It is sealed on all sides and sound-proofed, and the rinse block is also supplied. Why not find out about the advantages of this concealed-fitting revolution for yourself? The iBox universal is DVGW tested and approved.

iBox® universal combinations



iBox® universal technology



Installation with rotational symmetry. The symmetrical construction of the iBox universal makes all connections simple. It is important that the cold water is on the right simple the hot water is connected opposite to it. When using a shower mixer the top or bottom connection point can be used.



Safe and economical. The universal basic set comprises the connection block only. The valuable finish set is supplied later, when it is fitted. This makes expensive warehousing unnecessary and prevents problems like theft, dirt or frost damage occurring during the building phase.




A variety of installation possibilities. Co-ordinated with all current installation systems and connecting variations and fittings, the iBox universal is truly universal. With a flexible adjustment ring, fitting alternatives on two levels with 3/4" connections is possible.




All included. Concealed single lever bath mixer with integrated backflow preventer for spout, overflow and waste system (Exafill). Hansgrohe's universal integrated safety system means it is not necessary to use an additional backflow preventer, which reduces installation costs and maintenance expenses.



Completely sealed. Rubber seals on all four connection points and a splash-resistant sealing collar keep the brickwork dry on all sides.




Basic set extension. Hansgrohe has a solution, even for a situation where the iBox universal has been fitted too deep into the wall. Then the basic unit extension is fitted between the connector and the function block. The extension set ensures safety right up to the wall, in this case preventing damp walls.



Soundproof. The brass body of the iBox universal rests on seals to prevent the noise from water passing through the wall. The screwed joint is between the collar and housing of the iBox universal, but not the function block, which prevents sound from travelling through to the tile.



iBox® universal collar extension. Thanks to the extension, more shallow installation depths are no longer a problem. The extension, more shallow collar is fitted between tiles and finish set, making it possible to fit the iBox universal, despite the lack of depth.




Simplified rinse out. The supplied rinse block, which can be fitted in various positions, makes it possible to rinse pipes right through, according to DIN 1988.

Hansgrohe® iModul® – what could be easier? Completely pre-assembled and ready for use, the iModul is the ideal basis for concealed installation of the hand shower, up to six side showers and one overhead shower. Whether on, or in the wall, or in an installation mounted on the wall – all you have to do with the iModul is to connect hot and cold water. Then just mount the iBox universal's thermostat ready-to-use unit into the chosen shower family, and your high-quality personalised shower cabin is ready – all with a minimum of installation work!



iModul®
13615180



Bath fillers and waste systems



Exafill® S – ultra-flat, ultra-practical. The new combined bath filler, waste and overflow system with integrated flood jet stands out not only for its design, but also for what is underneath its attractive surface. Equipped with the QuickClean cleaning function, it combines great ease of use with a simplified installation.



Exafill® S. Equipped with a practical flood jet and the QuickClean cleaning function, it combines great ease of use with a simplified installation.



Flexaplus® and Flexaplus® S – purist design, convincing technology.

Thanks to its overflow regulating element, the Flexaplus waste and overflow system makes it possible to raise the water level in the tub by up to 25 mm – great bathing fun even in the smallest bath tub. When installing, the overflow element is simply placed into the finish set in the desired position. The individual adjustment makes it possible to use it on nearly every tub.




Flexaplus® S. Thanks to its overflow regulating element, Flexaplus S makes it possible to raise the water level in the tub by up to 25 mm – great bathing fun even in the smallest bath tub.



Raindrain® 90 XXL – easily copes with large amounts of water.

With a waste capacity of 51 l/min, Raindrain is the perfect waste system for large showers with high through-flow performance, such as the Rainmaker. Despite its complex internal technology, Raindrain is easy to install and, of course, also easy to maintain and clean.



Raindrain® 90 XXL. The bend in the pipe makes all the difference: Raindrain 90 XXL makes large amounts of water disappear in a short amount of time. The through-flow values are measured according to DIN EN 274 (1-3)




Flowstar® and Push-Open – Design for the Wash Basin. Flowstar is an ideal introduction to the world of the designer siphon and provides visual harmony below the wash basin. Opening and closing with just the push of a finger, the push-open basin valve is a very practical outlet solution. Its puristic design fits well with any wash basin set-up.

Push-Open Basin valve
One push with the finger is enough, and the valve is easily closed and opened again.







Product overview

Everything at a glance

Mixers

Showers

Installation technology

Product overview

Metropol® E



Single lever basin mixer
14070, -000, -090



Single lever basin mixer
for boilers
14075, -000, -090



Single lever basin mixer
for wash basins
14072, -000, -090



Three hole basin mixer
14033, -000, -090



Single lever bidet mixer
14270, -000, -090



Three hole bidet mixer
14233, -000, -090



Kitchen mixer
with pull-out spray
14837, -000, -090, -800
for boilers
14842, -000, -800



Kitchen mixer
14830, -000
for boilers
14832, -000
with shut-off valve
14835, -000



Single lever bath mixer
for exposed fitting
14470, -000, -090



Single lever shower mixer
for exposed fitting
14670, -000, -090



Single lever bath mixer
for concealed installation
14475, -000, -090
with Safety function
14477, -000, -090



Single lever shower mixer
for concealed installation
14675, -000, -090



Raindance® E 150 AIR 3jet Set
90 cm # 27874, -000
150 cm # 27888, -000
(not shown)

XXL
150



Bath spout
13414, -000

Metropol® S



Single lever basin mixer
14061, -000, -880
without pull-rod
14068, -000, -880



Single lever basin mixer
Highriser
14020, -000, -880



Three hole basin mixer
14063, -000, -880



Three hole bidet mixer
14263, -000, -880



Single lever bidet mixer
14262, -000, -880



Single lever bath mixer
for exposed fitting
14461, -000, -880



Single lever shower mixer
for exposed fitting
14661, -000, -880



Single lever bath mixer
for concealed installation
14465, -000, -880



Single lever bath mixer
for concealed installation
with Safety function
14466, -000, -880



Single lever shower mixer
for concealed installation
14665, -000, -880



Raindance® S 150 AIR 3jet Set
90 cm # 27893, -000
150 cm # 27638, -000
(not shown)



Bath spout
14420, -000, -880

Metris® E



Single lever basin mixer
31070, -000



Single lever bidet mixer
31270, -000



Single lever bath mixer
for exposed fitting
31470, -000



Single lever shower mixer
for exposed fitting
31670, -000



Single lever bath mixer
for concealed installation
31475, -000



Single lever bath mixer
for concealed installation
with Safety function
31476, -000



Single lever shower mixer
for concealed installation
31675, -000



Raindance® E 150 AIR 3jet Set
90 cm # 27874, -000
150 cm # 27888, -000
(not shown)



Bath spout
13414, -000

Metris® S



Single lever basin mixer
31060,-000
without pull-rod
31068,-000



Single lever basin mixer
Highriser
31022,-000



Single lever bidet mixer
31261,-000



Electronic basin mixer
Battery-powered 6 V
31100,-000
31101,-000
Electricity
31102,-000
31103,-000



Single lever bath mixer
for exposed fitting
31460,-000



Single lever shower mixer
for exposed fitting
31660,-000



Single lever bath mixer
for concealed installation
31465,-000



Single lever bath mixer
for concealed installation
with Safety function
31466,-000



Single lever shower mixer
for concealed installation
31665,-000



Raindance® S 150 AIR 3jet Set
90 cm # 27893,-000
150 cm # 27638,-000
(not shown)



Bath spout
14420,-000,-880

Talis® E²



Single lever basin mixer
31612, -000
without pull-rod
31614, -000



Single lever bidet mixer
31622, -000



Single lever bath mixer
for exposed fitting
31642, -000



Single lever shower mixer
for exposed fitting
31662, -000



Single lever bath mixer
for concealed installation
31645, -000
for concealed installation
with Safety function
31646, -000



Single lever shower mixer
for concealed installation
31666, -000



Bath spout
13414, -000



Croma® 100 Vario
Unica® 'C Set
90 cm # 27771, -000
65 cm # 27772, -000
(not shown)

Talis® S²



Single lever basin mixer
32040, -000
without lift rod
32041, -000



Single lever bidet mixer
32240, -000



Electronic basin mixer
Battery-powered 6 V
32110, -000
32111, -000
Electricity
32112, -000
32113, -000



Pillar tap
13132, -000



Single lever basin mixer
with swivel spout
32070, -000
with 120° swivel area
32073, -000
(not shown)



Single lever bath mixer
for exposed fitting
32440, -000



Single lever shower mixer
for exposed fitting
32640, -000



Croma® 100 Multi
Unica® C Set
90 cm # 27774, -000
65 cm # 27775, -000
(not shown)



Single lever bath mixer
for concealed installation
32475, -000
for concealed installation
with Safety function
32477, -000



Single lever shower mixer
for concealed installation
32675, -000



Bath spout
13414, -000



Single lever kitchen mixer
Variarc
14870, -000, -750, -800
for boilers
14873, -000, -750, -800
with shut-off valve
14875, -000, -750, -800



Single lever kitchen mixer
Variarc
with pull-out spray
14877, -000, -750, -800
with pull-out spout
14872, -000, -750, -800



Single lever
kitchen mixer
with pull-out spray
32841, -000
for boilers
32842, -000



Single lever
kitchen mixer
with fixed spout
32851, -000
for boilers
32852, -000
with shut-off valve
32855, -000

Focus® E



Single lever basin mixer
31700, -000
Single lever basin mixer
Project (without lift rod)
31718, -000 (not shown)



Single lever bidet mixer
31720, -000



Single lever bath mixer
for exposed fitting
31740, -000



Single lever shower mixer
for exposed fitting
31760, -000



Crometta® 85 Vario/
Unica® Crometta Set
90 cm # 27762, -000
65 cm # 27763, -000
(not shown)



Single lever bath mixer
for concealed installation
31744, -000



Single lever shower mixer
for concealed installation
31761, -000



Bath spout
13414, -000



Single lever kitchen mixer
31780, -000

Focus® S



Single lever basin mixer
31701, -000
Single lever basin mixer
Project (without lift rod)
31711, -000 (not shown)



Single lever bidet mixer
31721, -000



Single lever bath mixer
for exposed fitting
31742, -000



Single lever shower mixer
for exposed fitting
31762, -000



Crometta® 85 Multi/
Unica® Crometta Set
90 cm # 27766, -000
65 cm # 27767, -000
(not shown)



Single lever bath mixer
for concealed installation
31743, -000



Single lever shower mixer
for concealed installation
31763, -000



Bath spout
13414, -000



Single lever kitchen mixer
31786, -000

Exposed thermostats



Ecostat® E Shower*
13125, -000



Ecostat® E Bath*
13145, -000



Ecostat® S Shower*
13235, -000



Ecostat® S Bath*
13245, -000



Croma® 100 Showerpipe*
Ø 160 mm # 27169, -000

* available from April 2008



Ecostat® 1001 SL
13261, -000, -800, -810



Ecostat® 1001 SL
13241, -000, -800, -810



Raindance® Showerpipe
Ø 240 mm # 27160, -000

Concealed thermostats



Ecostat® E
15710, -000, -090, -880



Ecostat® E
with integrated shut-off valve
15700, -000, -090, -880



Ecostat® E
with integrated shut-off
and diverter valve
15720, -000, -090, -880



Ecostat® E
Start/Stop
15740, -000



Ecostat® S
15711, -000, -880
Highflow Thermostat
15715, -000



Ecostat® S
with integrated shut-off valve
15701, -000, -880



Ecostat® S
with integrated shut-off
and diverter valve
15721, -000, -880



Ecostat® S
Start/Stop
15740, -800



Basic set iBox® universal
01800180

Manual Controls



iControl®**
with integrated shut-off
and diverter valve
15955, -000



Trio®/Quattro® diverter
valve Finish set E
15931, -000, -090,
-880



Shut-off valve
Finish set E
15971, -000, -090,
-880



Trio®/Quattro® diverter
valve Finish set S
15932, -000, -880



Shut-off valve
Finish set S
15972, -000, -880

Electronic Controls



iControl® mobile*
for Rainmaker with light
15945, -000
for Rainfall with external light
(not shown)
15944, -000
for Rainmaker without light
(not shown)
15943, -000
for Rainfall without light
(not shown)
15942, -000



iControl® mobile Porter Set*
for Rainmaker
15952, -000
for Rainfall (not shown)
15951, -000
iControl mobile Porter
15950, -000 (not shown)

* available from April 2008
** available from June 2008

Hand showers



XXL 150 if redidot design award winner 2005

Raindance® E 150 AIR 3jet
Hand shower with three spray modes
Rain AIR, Whirl AIR and Balance AIR
28518, -000
Raindance® E 150 AIR 3jet
EcoSmart 9.5 l/min
28551, -000 (not shown)



XXL 120

Raindance® E 120 AIR 3jet
Hand shower with three spray modes
Rain AIR, Whirl AIR and Balance AIR
28507, -000



XXL 100 DESIGN PLUS

Raindance® E 100 AIR 3jet
Hand shower with three spray modes
Rain AIR, Whirl AIR and Balance AIR
28502, -000
Raindance® E 100 AIR 1jet
28508, -000 (not shown)
Raindance® E 100 AIR 3jet
EcoSmart 9.5 l/min
28553, -000 (not shown)



XXL 150 if redidot design award winner 2005

Raindance® S 150 AIR 3jet
28519, -000, -880
Hand shower with three spray modes
Rain AIR, Whirl AIR und Balance AIR
Raindance® S 150 AIR 1jet
28505, -000 (not shown)
Raindance® S 150 AIR 3jet
EcoSmart 9.5 l/min
28550, -000 (not shown)



XXL 120

Raindance® S 120 AIR 3jet
Hand shower with three spray modes
Rain AIR, Whirl AIR und Balance AIR
28514, -000, -880



XXL 100 redidot design award winner 2005

Raindance® S 100 AIR 3jet
Hand shower with three spray modes
Rain AIR, Whirl AIR und Balance AIR
28504, -000, -880
Raindance® S 100 AIR 1jet
28509, -000, -800, -810, -880
(not shown)
Raindance® S 100 AIR 3jet
EcoSmart 9.5 l/min
28552, -000 (not shown)



XXL 100

Raindance® Travel Kit
comprising travel case, Raindance
S 100 AIR 1jet and hose pliers
28526, -000



if

Joco®
Hand shower with Normal and Soft spray
28560, -000



Drencher Set
With shower hose and wall holder
27570, -000
With quick coupling and wall holder
27571, -000

Hand showers



Ø 100 mm

Croma® 100 Multi
with Normal, Mono
and Massage spray
28536, -000
Croma® 100 Multi
EcoSmart 9.5 l/min
28538, -000*



Ø 100 mm

Croma® 100 Vario
with adjustable
Variospray
28535, -000
Croma® 100 Vario
EcoSmart 9.5 l/min
28537, -000*



Ø 85 mm

Crometta® 85 Multi
with Normal, Soft and
Massage spray
28563, -000



Ø 85 mm

Crometta® 85 Vario
with Normal and
Massage spray
28562, -000



Ø 85 mm

Crometta® 85 Green
with water-saving Normal
spray 6 l/min
28561, -000



Ø 70 mm

Croma® 3jet
with Normal, Soft and
Massage spray
28573, -000, -450



Ø 70 mm

Croma® 2jet
with Normal and
Massage spray (Turbo)
28570, -000, -450



Ø 70 mm

Croma® Variojet
with adjustable
Variospray
28513, -000, -450



Ø 70 mm

Croma® 1jet
with Normal spray
28511, -000, -450



Ø 90 mm

Aktiva® A6
with Normal, Soft,
Massage and Mono
spray
28546, -000, -090,
-450, -810, -880



Ø 90 mm

Aktiva® A4
with Normal and
Soft spray
28543, -000



Ø 80 mm

Mistral® 3
with Normal, Massage
and Soft spray
28524, -000



Ø 75 mm

Mistral®
with Normal, Massage,
Normal+ spray
28590, -000, -840



Ø 75 mm

Mistral® Care
with Normal, Massage
and Eco-spray, and
special easy grip handle
and selector ring
28800, -000, -450



Ø 75 mm

Selecta®
with Normal, Soft,
Normal+ spray
28520, -000, -090,
-450, -880




Selecta® Classic
Adjustable Normal
spray (hard/soft)
28315, -000

* not shown

Overhead showers



Raindance® Rainmaker® AIR 600 mm including Highflow concealed thermostat on iBox universal basis
Overhead shower with lighting # **28404, -000**
Without lighting # **28403, -000** (not shown)



Raindance® Rainmaker® AIR 680 x 460 mm Overhead shower with lighting # **28418, -000**
Without lighting # **28417, -000** (not shown)



Raindance® Rainfall® 520 x 280 mm Overhead shower with Rain AIR, Whirl and Rainflow # **28411, -000**



Raindance® AIR Royale 350 mm Plate overhead shower, chrome Ø 350 mm # **28420, -000**
Shower arm 470 mm # **27410, -000**
Ceiling connection 100 mm # **27418, -000**
Raindance® AIR Royale including Highflow concealed thermostat on iBox universal basis # **27070, -000** (not shown)



Raindance® AIR 300 mm Plate overhead shower, chrome, with ceiling connector, chrome, 100 mm Ø 300 mm # **27494, -000**
Plate overhead shower, chrome, with shower arm, 383 mm Ø 300 mm # **27493, -000**
with shower arm, 450 mm Ø 300 mm # **27492, -000**



Raindance® AIR 240 mm Plate overhead shower, chrome, with shower arm, 383 mm Ø 240 mm # **27474, -000**
Plate overhead shower, chrome, with ceiling connector, chrome, 100 mm Ø 240 mm # **27477, -000**
Raindance® AIR EcoSmart 9,5 l/min Plate overhead shower, chrome, with shower arm, 383 mm Ø 240 mm # **27461, -000** (not shown)
Raindance® AIR EcoSmart 9,5 l/min with ceiling connector, chrome, 100 mm Ø 240 mm # **27463, -000** (not shown)



Raindance® AIR 180 mm Plate overhead shower, chrome, with shower arm, 233 mm Ø 180 mm # **27476, -000**
with shower arm, 383 mm Ø 180 mm # **27468, -000**
Plate overhead shower, chrome, with ceiling connector, chrome, 100 mm Ø 180 mm # **27478, -000**
Raindance® AIR EcoSmart 9,5 l/min Plate overhead shower, chrome, with shower arm, 383 mm Ø 180 mm # **27462, -000** (not shown)
with ceiling connector, chrome, 100 mm Ø 180 mm # **27464, -000** (not shown)

Overhead and side showers



Croma® 160
Overhead shower
with Rain spray
27450, -000
Shower arm
27412, -000



Croma® 100 Multi
Overhead shower with
Normal, Mono and
Massage spray
27443, -000
Croma® 100 Vario
Overhead shower with
adjustable Vario-spray
27441, -000
(not shown)
Shower arm
27411, -000



Crometta® 85 Multi
Overhead shower
with Normal, Soft
and Massage spray
28425, -000
Shower arm
27411, -000



Crometta® 85 Vario
Overhead shower
with Normal and
Massage spray
28424, -000
Shower arm
27411, -000



Crometta® 85 Green
Overhead shower
with water-saving
Normal spray 6 l/min
28423, -000
Shower arm
27411, -000



Aktiva®
Overhead shower
including shower arm
with Normal (hard/soft),
Massage and Soft spray
27470, -000, -090,
-880
Shower arm
27433, -000



Clubmaster®
Overhead shower
including shower arm
with Normal, Soft and
Massage spray
27475, -000
Without shower arm
28496, -000



Mistral®
Overhead shower
with Normal, Massage
and Eco spray
28444, -000, -090,
-880
Shower arm
27438, -000, -450,
-800, -840, -880



Selecta®
Overhead shower
with Normal, Soft
and Eco spray
28447, -000, -880
Shower arm
27438, -000, -450,
-800, -840, -880



Croma® 3jet
Overhead shower with
Normal, Soft
and Massage spray
28443, -000, -450
Croma® 2jet
Overhead shower
with Normal and
Massage spray
28448, -000*
Croma® 1jet
Overhead shower
with Normal spray
28492, -000*
Shower arm
27411, -000*



Team® Sport shower
With Normal spray
and self-cleaning
showerhead, freely
adjustable water
through-flow
27487, -000
(satin chrome)



Team® SE
Soft shower rain, water
through-flow reduced
to 9 litres
27488, -000
(satin chrome)



Team® Steel
Overhead shower in
original stainless steel
with Normal spray,
water through-flow
reduced to 9 litres, with
QuickClean de-scaling
function
27489, -800



Team® Compact
with Normal spray
and self cleaning
shower head, freely
adjustable water
through-flow
27482, -000



Flood shower
with condensed,
fanned out spray
DN15 # 28441, -000
DN20 # 28440, -000



xxl
100
Raindance® AIR
Body shower with
Normal spray,
AIR function
28477, -000, -800,
-810, -880



Bodyvette®
Body shower
with Normal spray
28466, -000, -090,
-450, -800, -810, -880
Bodyvette® Stop
Body shower with
Normal spray, with
manual turn-off control
28467, -000, -090,
-810, -880 *



Aktiva®
Body shower
with Normal and
Massage spray
Adjustable spray angle
28451, -000, -090,
-450, -840, -880

* not shown

Shower Sets



Raindance® Allrounder Set
Hand shower Raindance E 150
28110,-000
Adapter for concealed
installation
28108,-000 (not shown)
Adapter for corner fitting
28105,-000 (not shown)



Raindance® E 150 AIR 3jet
Raindance® Unica® Set
90 cm # **27874,-000**
150 cm # **27888,-000**
(not shown)
Raindance® Unica® Wall bar
90 cm # **27590,-000**
(not shown)



Raindance® E 120 AIR 3jet
Unica® D Set
90 cm # **27885,-000**
65 cm # **27887,-000**
(not shown)



Raindance® E 100 AIR 3jet
Unica® D Set
90 cm # **27881,-000**
65 cm # **27883,-000** (not shown)
Unica® D Wall bar
90 cm # **27930,-000,-090,-450,-840,-880** (not shown)
65 cm # **27933,-000,-090,-450,-840** (not shown)



Rainbow® Set
with Raindance S 150 AIR 3jet
90 cm # **27876,-000**



Raindance® S 150 AIR 3jet/
Raindance® Unica® S
90 cm # **27893,-000**
150 cm # **27638,-000**
(not shown)



Raindance® S 120 AIR 3jet
Unica® S Puro Set
90 cm # **27884,-000**
65 cm # **27886,-000**
(not shown)



Raindance® S 100 AIR 3jet
Unica® S Puro Set
90 cm # **27880,-000**
65 cm # **27882,-000**
(not shown)
Unica® S Puro Wall bar
90 cm # **28631,-000**
(not shown)
65 cm # **28632,-000**
(not shown)

Shower Sets



XXL
100

Croma® 100 Multi/
Unica® Reno Lift Set
105 cm # **27791,-000**



XXL
100

Croma® 100 Vario/
Unica® Reno Lift Set
105 cm # **27811,-000**



XXL
100

Croma® 100 Multi/Unica® C Set
90 cm # **27774,-000**
65 cm # **27775,-000**
(not shown)
65 cm EcoSmart 9.5 l/min
27777,-000 (not shown)



XXL
100

Croma® 100 Vario/
Unica® C Set
90 cm # **27771,-000**
65 cm # **27772,-000**
(not shown)
65 cm EcoSmart 9.5 l/min
27776,-000 (not shown)



Ø
85

Crometta® 85 Multi/
Unica® Crometta® Set
90 cm # **27766,-000**
65 cm # **27767,-000**
(not shown)



Ø
85

Crometta® 85 Vario/
Unica® Crometta® Set
90 cm # **27762,-000**
65 cm # **27763,-000**
(not shown)

Shower Sets



Aktiva® A6/Unica® 'A Set
90 cm # 27862, -000



Mistral® 3/Unica® 'D Set
90 cm # 27789, -000
Mistral®/Unica® 'D Set
90 cm # 27990, -000
(not shown)



Selecta®/Unica® 'B Set
90 cm # 27780, -000



Croma® 3jet/Unica® 'S Set
90 cm # 27773, -000
Croma® 2jet/Unica® 'S Set
90 cm # 27770, -000
(not shown)
Croma® 1jet/Unica® 'S Set
90 cm # 27756, -000
(not shown)
Croma® Variojet/Unica® 'S Set
90 cm # 27754, -000
(not shown)

Porter Sets



Raindance® E 100 AIR 1jet
Porter® 'D Set
1.25 m # 27572, -000
1.60 m # 27573, -000



Raindance® S 100 AIR 1jet
Porter® 'S Set
1.25 m # 27580, -000
1.60 m # 27581, -000



Croma® 100 Multi/Porter® 'S Set
1.25 m # 27593, -000
1.60 m # 27595, -000



Croma® 100 Vario/Porter® 'S Set
1.25 m # 27592, -000
1.60 m # 27594, -000



Crometta® 85 Multi/
Porter® 'C Set
1.25 m # 27568, -000
1.60 m # 27569, -000



Crometta® 85 Vario/
Porter® 'C Set
1.25 m # 27558, -000
1.60 m # 27559, -000

Wall bars



Raindance® Unica® 'S'
Wall bar with shower hose
Isiflex 1.60 m
150 cm # **27637, -000**



Raindance® Unica® 'S'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # **27636, -000**



Raindance® Unica®
Wall bar with shower hose
Isiflex 1.60 m
90 cm # **27590, -000**



Unica® 'S Puro'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # **28631, -000**
65 cm # **28632, -000**
(not shown)



Unica® 'D'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # **27930, -000, -090, -450, -840, -880**
65 cm # **27933, -000, -090, -880** (not shown)



Unica® 'S'
Wall bar with shower hose
Metaflex 1.60 m
90 cm # **27727, -000**
65 cm # **27725, -000**
(not shown)



Unica® 'C'
Wall bar with shower hose
Isiflex 1.60 m
90 cm # **27610, -000**
65 cm # **27611, -000**
(not shown)



Unica® 'Crometta®'
Wall bar with shower hose
Metaflex 1.60 m
90 cm # **27614, -000**
65 cm # **27615, -000**
(not shown)

Shower supports



Porter® 'A'
Shower support,
tilt angle up to 25°
27520, -000, -810, -880



Porter® 'E'
Shower support, wall-connecting
bend Isiflex shower hose 1.25 m
27507, -000, -090, -450,
-810, -880
dto. without wall-connecting bend
27504, -000, -450, -880



Porter® 'D'
Variable shower support,
tilt angle up to 42°
27526, -000, -450, -810,
-880



Porter® 'C'
Shower support
27521, -000, -810



Porter® 'S'
Shower support
28331, -000, -800, -810,
-880



Porter® Universal
Shower support
28321, -000, -450, -840,
-880

Hose connectors



Fixfit® Hose connector 1/2"
27454, -000, -450, -810,
-840, -880
Fixfit® Hose connector
with back-flow preventer 1/2"
27458, -000, -450, -810,
-880 (not shown)



Fixfit® S Hose connector 1/2"
27453, -000



Fixfit® Stop Shut-off valve
with hose connector 1/2"
with thread adapter 3/4"
27452, -000

Shower accessories



Cassetta® 'D'
28664, -000



Cassetta® 'C'
28678, -000



Cassetta® 'S'
28684, -000



Cassetta® 'S Puro'
28679, -000

Shower hoses



Sensoflex®
Metal shower hose with inside
silicone inliner and swivel joint
1.25 m # **28132,-000**
1.60 m # **28136,-000**
2.00 m # **28134,-000**



Isiflex® XXL
Synthetic large bore hose with
metal effect and swivel joint, for
high flow rate
1.25 m # **28252,-000**
1.60 m # **28255,-000**
2.00 m # **28258,-000**



Isiflex®
Synthetic hose with metal effect
and swivel joint
1.25 m # **28272,-000,-450,-
-800,-810,-880**
1.60 m # **28276,-000,-090,-
-450,-800,-810,-880**
2.00 m # **28274,-000,-450,-
-880**



Metaflex®
Synthetic hose with metal
effect and and spiral optic
1.25 m # **28262,-000**
1.60 m # **28266,-000**
2.00 m # **28264,-000**

Mirrors



Comtess
Shaving and
cosmetic mirror
73525,-000



Comtess de Luxe
Shaving and cosmetic
mirror with light and plug
**73520,-000,-090,-
-450,-880**



**Shaving and cosmetic
mirror with light**
40490,-000



Princess
Shaving and
cosmetic mirror
73545,-000



Princess de Luxe
Shaving and cosmetic
mirror with light and plug
73540,-000,-880

Showerpanel®



Raindance® Showerpanel®
with Raindance E 150 AIR 3jet
Concealed installation
27100, -000



Raindance® Showerpanel®
with Raindance S 150 AIR 3jet
Exposed installation
27005, -000



Croma® 100 Showerpanel®
with single lever mixer
and Croma 100 Multi
Hand shower
27105, -000

Showerpipe



XXL
240

Raindance® Showerpipe
with Raindance S 100 AIR 3jet
Hand shower
Ø 240 mm # **27160,-000**
Raindance® Showerpipe
EcoSmart 9,5 l/min
Ø 180 mm # **27165,-000**
(not shown)

XXL
240



product
design
award
2007

Raindance® Connect Showerpipe
Projection 460 mm
Ø 240 mm # **27164,-000**
Projection 350 mm
Ø 240 mm # **27421,-000**
Raindance® Connect Showerpipe
EcoSmart 9.5 l/min
Projection 460 mm
Ø 180 mm # **27166,-000**
(not shown)
Corner mounting set
27158,-000

XXL
160



Croma® 100 Showerpipe*
with Croma 100 Vario
Hand shower
Ø 160 mm # **27169,-000**

* available from April 2008

Bath sets



Exafill® S
Basic set for standard tubs
58115180



Exafill® S
Basic set for special tubs
58116180



Exafill® S
Complete set for standard tubs
58113,-000



Exafill® S
Finish set
58117,-000,-090,-450,
-800,-810,-820,-830,-880



Flexaplustm
with rigid overflow hose
Basic set for standard tubs
58145180



Flexaplustm
with rigid overflow hose
Basic set for special tubs
58146180



Flexaplustm S
with rigid overflow hose
Complete set for standard tubs
58155,-000



Flexaplustm
with rigid overflow hose
Complete set for standard tubs
58148,-000



Flexaplustm
with flexible hose
Basic set for standard tubs
58140180



Flexaplustm
with flexible hose
Basic set for special tubs
58141180



Flexaplustm S
with flexible overflow hose
Complete set for standard tubs
58150,-000



Flexaplustm
with flexible overflow hose
Complete set for standard tubs
58143,-000



Flexaplustm
Finish set
58185,-000,-090,-450,
-800,-810,-840,-880



Flexaplustm S
Finish set
58186,-000,-800,
-810,-820,-830,-880

Siphons and Valves



Flowstar® Designer siphon
52100, -000, -800, -810, -820, -830, -840, -880
 Set: 1 Flowstar, 2 angle valve slip cases (without angle valve)
52110, -000
 Set: 1 Flowstar, 2 angle valve slip cases (including angle valve)
52120, -000



Flowstar® S Designer siphon
52105, -000



Basin valve
 Push-open
50100, -000, -800, -810, -820, -830, -880



Basin valve
 with closed cover plate
50001, -000, -800, -810, -820, -830, -880



Waste set
 with lever
94139, -000, -450, -800, -810, -840, -880



Raindrain® 90 XXL
 Basic set
60065180



Raindrain® 90 XXL
 Finish set
60066, -000, -450, -800, -810, -820, -830, -880



Raindrain® 90 XXL
 Complete set
60067, -000



Staro® '90
 Basic set
60054180



Staro® '90
 Finish set
60055, -000, -450, -800, -810, -820, -830, -880



Starolift® '52
 Basic set
60052180



Starolift® '52
 Finish set
60053, -000, -450, -800, -810, -820, -830, -880



Staro® '52
 Complete set
60060, -000

Photography: Shu Akashi, New York; Christian von Alvensleben, Hamburg; Federico Cedrone, Mailand (for Poliform); Kuhnle & Knödler, Radolfzell; Uli Maier, Stuttgart; Peter Schumacher, Stuttgart **Lithography:** Eder GmbH, Ostfildern **Print:** Straub Druck+Medien AG, Schramberg **Illustrations:** Media 4D, Boll **Concept/Design:** Werbung etc. Werbeagentur AG, Stuttgart

Surface finishes

The order number should have eight digits, including the surface finish digits.

Example: **28500, -000 = Chrome**

-000 Chrome

-090 Chrome/Gold-optic

-450 White

-750 Alux

-800 Steel

-810 Satinox

-880 Satin Chrome

-820 Brushed Nickel

-830 Polished Nickel

-840 Fine Brass



For more information about the world of
Hansgrohe please visit our website on
www.hansgrohe.com

hansgrohe

Hansgrohe · P.O. Box 1145 · D-77757 Schiltach · Tel. +49 7836 51-0
Fax +49 7836 51-1300 · info@hansgrohe.com · www.hansgrohe.com



SOE/en-Hansgrohe Catalogue 2008 · Subject to technical alterations and colour differences due to the printing process.
Form-Nr. 84 120.597 · 03/08/15.4 · Printed in Germany · Printed on 100% chlorine free bleached paper · Werbung etc., Stuttgart