



pool & spa

A COLLECTION OF MOSAICS AND TILES FOR
POOLS, POOL SIDE AND SPAS

 **DESIGNWORKS TILES**
PORCELAIN / CERAMIC / MOSAIC / GLASS

welcome

swimming pool

Few things can match the wonderful feeling of wellbeing when floating lazily in warm, sun-dappled water; or being pampered and massaged with fragrant oils at a luxury spa; or when you plunge into a cool refreshing pool...
Indoors or outside, small or large, a swimming pool enriches a living space, providing a peaceful oasis, somewhere to relax, entertain or exercise.

Key for symbols



Pools & hot tubs
(suitable for submersion)



Wet & dry walls
(inc showers & wet rooms)



Wet & dry floors
(inc showers & wet rooms)



Dry walls only



Dry floors only



Internal use only



Internal & external use

Inspiration 04

JointPoint® POOL MOSAICS

Niebla	12
Lisa	16
Space	19
Iris	20
Metal	22
Cocktails	23
Zen	26
Adorn	30
Fosfo	32
Volcano	33

SLIP RESISTANT MOSAICS

Niebla Antislip Corners	35
Niebla Antislip	36
Iris Antislip	38
JointPoint® System	39

GLASS MOSAICS

Iridescent	40
Gold Fleck	44
Metallic Drop-ins	47
Plain Glass	48
8-Tile Panels	49
Tropical Collection	50



pool side & spa

Browse through the following pages to see how such an oasis can be created just for you and your individual requirements. This brochure contains just a taste of what is achievable from the huge choice of mosaics for pools and spas, tiles for feature walls and tiles that can be used with confidence in wet areas, those important finishing pieces and a range of bespoke products and services.

FLOOR TILES

- 54 Bricks
- 56 Gallery
- 58 Highgate
- 60 Inside Out
- 62 Roma
- 64 Natural Elements
- 66 Mineral
- 68 Granite
- 69 Broadway / Slate Chiara
- 70 Dorset
- 73 Pool Bricks
- 74 Absolute
- 76 Wood Effect

FEATURE WALLS

- 80 Wood Effect
- 82 Sisal / Atenas
- 83 Stone Pebbles
- 84 Split Faced Stone
- 85 Shoreditch
- 86 Amelia
- 87 Oxide
- 88 Studio
- 89 Metal Effect
- 90 Stone Mosaics

FIT & FINISH

- 92 Pool Grips
- 94 Bespoke Drainage
- 95 Custom Finishing

SAFETY STANDARDS

- 96 Slip Testing

BESPOKE DESIGN

- 98 Custom Mosaics
- 99 Waterjet Cutting

TECHNICAL

- 100 Important Information
- 101 Installation Products

dive in!



◀ Iris Green Pearl with Coral trim




Iris Jade



Niebla SM-2505MOS

Your dream pool

When it comes to planning a pool, start with the big picture. Then compile a list of all the things you've ever envisaged for your perfect pool and we'll work together to realise your dreams




Niebla Beige Mix




Mid Blue Niebla with
Dark Blue Antislip

Lisa Bespoke Mix



Iris Coral with Jade



Iris Ebano




Cocktail Alexander

Be inspired ...


Wishing to recreate that stunning turquoise blue from a recent tropical holiday? Would you prefer a pool with dark and mysterious depths? Or a pool room filled with light and reflections? Here are a few existing pools to inspire you. As every pool is different, yours will be a unique representation of your personality, tailored to your specific needs








Cocktail Alexander



Cocktail Blue Lagoon

Be bold ...

You'll be amazed at how the colours of glass mosaics can change when placed underwater and with different lighting effects. We've added yet more colours, textures and finishes to our extensive range of mosaics, to ensure your pool is unique and beautiful



pool
mosaics



All things are possible


Thinking of a colour other than blue? Not a problem. Want a motif at the bottom of your pool? You can choose from a number of off the shelf options, or you can have a bespoke pattern in the pool or beautiful design on the wall of your spa

Like textured mosaics? Metallic effects? Prefer creating your own mix of colours? All these are possible, just talk to us about your ideas


Glass Mosaics

Mosaics featured on the following pages use JointPoint® – an innovative system of flexible silicone joints that hold the individual mosaics together in sheets. JointPoint® offers a number of advantages over traditional mosaic sheet manufacture. Turn to page 39 for further details.


Niebla 25mm, 36mm, 50mm



SOFT MIX
SM-2518MOS †
SM-3618MOS



PALE BLUE MIX (25mm only)
SM-25004MOS



MIX | SM-25002MOS (25mm only)


Flowing colours,
variations of light and
tone and plenty of
choice from our most
popular range




SM-2529MOS
3629-B
5029-B



SM-2510MOS
3610-A
5010-A




SM-2507MOS
3607-A
5007-A




SM-2585MOS
3685-B
5085-B




SM-2586MOS
3686-B
5086-B




SM-2512MOS
3612-C
5012-C



SM-2562MOS †
3662-B
5062-B




SM-2503MOS
3603-D
5003-D




SM-2508MOS †
3608-A
5008-A



SM-2505MOS †
3605-A
5005-A



SM-2521MOS
3621-B
5021-B




SM-2586MOS



SM-2522MOS
3622-B
5022-B





36mm and 55mm
mosaics are available in
selected colours.
The 25mm swatches
shown are actual size.



† These products are available from stock.
All other mosaics on this page are on a special three week order basis.

Niebla 25mm, 36mm, 50mm

Blue pools are certainly beautiful, but why stop at blue? There are plenty more Niebla colours



2523-B
3623-B
5023-B

2524-B
3624-B
5024-B



SM-2596MOS
3696-B
5096-B



SM-2597MOS
3697-B
5097-B



BEIGE MIX | SM-2576MOS
3696-B
5096-B



2525-B
3625-B
5025-B




SM-2526MOS
3626-B
5026-B



2513-A
3613-A
5013-A







SM-2564MOS
3664-B
5064-B




MONO MIX | SM-25008MOS (25mm only)




SM-2560MOS
3660-A
5060-A




2511-A
3611-A
5011-A




2504-A
3602-A
5002-A




SM-2516MOS
3616-B
5016-B



2509-C
3609-C
5009-C



SM-2506MOS
3606-C
5006-C



SM-2501MOS
3601-B
5001-B

Lisa 25mm, 36mm

Pure and vibrant
colours to use
on their own,
or to contrast
and define



SM-2534MOS
3634-A



2541-A
3641-A



2547-A
3647-A

25mm swatches are shown
here at actual size.
36mm versions are also available




SM-2535MOS
3635-A



SM-2542MOS
3642-B



2536-C
3636-C



2557-D
3657-D



2556-C
3656-C



SM-2543MOS
3643-D



SM-2545MOS †
3645-A
5045-A



SM-2551MOS
3651-A



2546-A
3646-A



2549-A
3649-A



2548-C
3648-C



SM-2555MOS
3655-C



Lisa 2532-A and 2530-D



2544-A
3644-A



SM-2559MOS
3659-B



SM-2530MOS †
3630-D

† These products are available from stock.
All other mosaics on this page are on a special three week order basis.

Lisa 25mm, 36mm



2552-A
3652-A



2553-B
3653-B



2539-B
3639-B



2554-C
3654-C



2533-A
3633-A



2558-B
3658-B



2532-B
3632-B



2531-B
3631-B



SM-2538MOS
3638-D




SM-2537MOS
3637-E

25mm swatches are shown
here at actual size.
36mm versions are also available



36mm

Relative piece sizes




Sagittarius

Space 25mm

Add another dimension with
colours from space

CAPRICORN
SM-CAPRMOSSAGITTARIUS
SM-SAGIMOS

TAURUS

SCORPIO
SM-SCORMOS


AQUARIUS

LEO
SM-LEOMOS

All mosaics on this page are on a special three week order basis.

Iris 25mm

Choose Iris for dazzling iridescence and stunning colours




PERLA †
SM-PERLMOS





MARFIL †
SM-MRFLMOS



ARENA †
SM-ARENMOS



CORAL †
SM-CORLMOS




GREEN PEARL †
SM-GNPLMOS




JADE †
SM-JADEMOS



AZUR †
SM-AZURMOS




OCEAN †
SM-OCENMOS




ZAFIRO
SM-ZAFRMOS







AMBAR
SM-AMBAMOS




NACAR
SM-NCARMOS




CUARZO †
SM-CRZOMOS



Zafiro



COBRE †
SM-COBRMOS




EBANO †
SM-EBANMOS


† These products are available from stock.
All other mosaics on this page are on a special three week order basis.

Metal 25mm

Eight luxurious colours with the high shine of molten metal




AURUM
SM-AURUMOS



OPALO



OXIDO
SM-OXIDMOS




RUBI
SM-RUBIMOS




Lava




INOX
SM-INOXMOS



AZURITA
SM-AZTAMOS




LAVA
SM-LAVAMOS



ESMERALDA

Cocktails 25mm




CAIPIRINHA
SM-CPRHMOS


Just add water! The Cocktail range is a dazzling collection of 18 intoxicating blends

They are all named after famous cocktails and, like their namesakes, they have been designed to suit different tastes and moods.


The colours and effects will look stunning both above and below the water line.




GRASSHOPPER
SM-GRASMOS




TOMAHAWK
SM-TMHKMOS




Blue Lagoon



LONG ISLAND
SM-LNISMOS




BLUE LAGOON
SM-BLLAMOS




BLUE MOON
SM-BLMNMOS


Cocktails 25mm




MOJITO
SM-MOTOMOS




MANHATTAN
SM-MANHIMOS




GIN FIZZ
SM-GINFMOS



SAN FRANCISCO
SM-SNFRMOS




ECLIPSE
SM-ECLPMOS




Gin Fizz


Cocktails 25mm




Alexander



DAIKIRI
SM-DAKIMOS




BLOODY MARY
SM-BDMRMOS




MARGARITA
SM-MARGMOS



KIR ROYAL
SM-KIRRMOS



COSMOPOLITAN
SM-COSPMOS



ALEXANDER †
SM-ALEXMOS

All mosaics on this page are on a special three week order basis.


Zen 25mm

NEW

Achieve a sense of balance and harmony with Zen mosaics – a range inspired by natural stone, marble and wood



CARRARA
SM-CARRMOS



ASH
SM-ZASHMOS



SARSEN
SM-SARSMOS




Carrara




Tigrato




CREAMSTONE
SM-CREMMOS




FIOR DI BOSCO
SM-FIORMOS



TIGRATO
SM-TIGRMOS



PHYLLITE
SM-PHYLMOS



BLACK MARBLE
SM-BLKMMOS



Ash

Zen 25mm



SANDSTONE
SM-SNSTMOS



TRAVERTINO
SM-TRAVMOS



RUSTIC
SM-RUSTMOS



RIVERSTONE
SM-RVSTMOS




Palisandro




PALE CHERRY
SM-PLCHMOS




OAK
SM-ZOAKMOS




PALISANDRO
SM-PALIMOS



BLUESTONE
SM-BLSTMOS



MAKAUBA
SM-MAKAMOS



Bluestone




Dolerite




DOLERITE
SM-DOLEMOS

Adorn 25mm

Look closely at these mosaics and you'll see miniature works of art. These are the ingredients for you to create your own beautiful, individual masterpiece




FLOWERS




RAISINS




LEAVES




PECANS




ALMONDS



MOCHI




KIWI




MARIGOLD




VIOLET



CHOCO BITS



SILVER BITS




ROSES




COOKIES



DROPS




BLUEBERRIES




GRAPES

Fosfo 25mm


Glow in the dark mosaics, in random patterns or full-on light show effect! They are charged with natural or artificial light




SERPENS




After dark*




LEPUS




After dark*




DRACO




After dark*




AQUILA




After dark*




ARGO



After dark*




DELPHINUS




After dark*




FOSFO




After dark*




FOSFO BEIGE-IRIS




After dark*




FOSFO BLUE-IRIS



After dark*




FOSFO GREY-IRIS



After dark*


*luminescent pigments in these tiles are charged by exposure to light, therefore the intensity and longevity of the glow-in-the-dark effect will vary depending on the prevailing lighting conditions.




KILAUEA
SM-KILMOS




SAJAMA
SM-SAJMOS




TEIDE
SM-TEIMOS




VESUBIO
SM-VESMOS




MAUN-LOA
SM-MUNMOS




COLIMA
SM-COLIMOS




FUJI
SM-FUJMOS




IRAZU
SM-IRAMOS



STROMBOLI
SM-STBMOS



MASAYA
SM-MASMOS




ETNA
SM-ETNAMOS



Special mix of Iris Coral and Jade Antislip

Antislip Mosaics

Step edges, wet room or steam room floors can now be both stylish and safe with these slip resistant mosaics. A wide range of colours means they can be used to co-ordinate or contrast with other shades









Detail of Iris Cuarzo Antislip surface

Niebla Antislip Roll Edge Corners

With the same slip resistant textured surface as the mosaics, these new, innovative corner pieces provide a seamless and safe edging for the transition from pool side to pool and for step areas

At 52mm in length, the pieces are also small enough to be used effectively to create curves. Sharp edges are completely eliminated with these corner pieces.

- Available in five Niebla colours – White, Grey, Mid Blue, Dark Blue and Black
- Use as a contrasting edge or to coordinate with any of the existing Joint Point ranges
- Textured slip resistant surface for safety
- For pool edges both straight and curved, step edges
- Attractive finishing piece
- Easy to install at the same time as the tiling




Niebla Antislip 25mm, 50mm


There's no need to choose
between beauty and safety



WHITE
SM-2545MOS-AS †
SM-5045MOS-AS




2529-AS




SM-2518MOS-AS




SM-2521MOS-AS




2507-AS




MID BLUE
SM-2505MOS-AS †




SM-2508MOS-AS



2502-AS
3602-AS



2562-AS




DARK BLUE
SM-2503MOS-AS †



2522-AS



GREY
SM-2560MOS-AS †
SM-5060MOS-AS



BLACK
SM-2516MOS-AS †
SM-5016MOS-AS



SM-2596MOS-AS
SM-5096MOS-AS




SM-2576MOS-AS †




2523-AS



SM-2504MOS-AS



2511-AS



2509-AS

Technical characteristics

Tested to: BS7976-2
Barefoot Wet (TRRL55 Wet) >45
DIN51130 / DIN51097 = R11C



2514-AS


† These products are available from stock.
All other mosaics on this page are on a special three week order basis.

Iris Antislip 25mm

Get the feel-good factor as well as the look-good effect




PERLA ANTISLIP
SM-PERLMOS-AS




CUARZO ANTISLIP
SM-CRZOMOS-AS

Technical characteristics


Tested to: BS7976-2
Barefoot Wet (TRRL55 Wet) >45
DIN51130 / DIN51097 = R11C




AZUR ANTISLIP
SM-AZURMOS-AS




OCEAN ANTISLIP †
SM-OCENMOS-AS




ZAFIRO ANTISLIP



JADE ANTISLIP



ARENA ANTISLIP †
SM-ARENMOS-AS



COBRE ANTISLIP
SM-COBRIMOS-AS

The JointPoint® System

JointPoint® is a technologically advanced system where silicone points are used to join individual mosaics together into panels (the points are on the reverse of the panel or sheet). Designed to ensure that the sheets are laid uniformly, up to 92% of the surface is left free for the application of adhesive, which results in better adhesion and superior grip. JointPoint® is very easy to work with and install – the sheets are flexible and controllable.

WATER IMMERSION TENSILE ADHESION STRENGTH

Each family type of mesh/glue backing system for mosaic tiles, recommended for water submerged conditions (not salt water), are tested in accordance with BSEN 1348:2007 Determination of Tensile Adhesive Strength for Cementitious Adhesives.

The tests are conducted by a UKAS accredited testing laboratory, number 0013. The mean value of water immersion tensile adhesion strength is determined for each family type of mesh/glue backing system after allowing for any discarded samples.

EN 12004:2007 + A1:2012 states that the tensile values for a C2 adhesive must be greater than or equal to 1.0 N/mm². Each family type of mesh/glue

backing system meets this requirement. For example, the JointPoint® family type of mesh/glue backing system yielded a result of 1.3 N/mm².


It must be noted that each family mesh/glue backing system for mosaics is tested using Ardex x77 C2 adhesive. All test materials, including the adhesive being tested, were conditioned as required by the test method BSEN 1348:2007.

The Ardex x77 adhesive was prepared in accordance with clause 7.0 of the EN 1348 standard.

Ardex x77 C2 adhesive is the recommended product for use with all JointPoint® Designworks/Original Style swimming pool mosaic tiles installed in submerged conditions. For salt water swimming pools we recommend the use of an epoxy adhesive only.

All mosaics shown on pages 12-34


Individual tile size	Sheet size
25 x 25 x 5mm	312 x 495mm
36 x 36 x 5mm	334 x 334mm
50 x 50 x 5mm	365 x 365mm
98% of the glass used as a raw material in the production process is recycled glass	




JointPoint®

A white bathrobe with a textured, diamond-patterned fabric hangs from a silver metal hook. The robe is positioned on the left side of the frame, with its sleeves and body draped down. The background is a wall covered in small, square mosaic tiles that exhibit an iridescent effect, reflecting light in various colors like yellow, orange, and green. The tiles are arranged in a grid pattern. The overall lighting is soft and warm, creating a cozy atmosphere.

iridescent
glass




St Lucia mosaics, Borneo frosted glass pebbles with Ivory Samoa and Black Tonga stone pebbles




St Vincent

Iridescent glass 20mm

Iridescence has a natural affinity to water, whether in the transient beauty of a soap bubble or the inside of an oyster shell. Its beauty has been captured in this range of mosaics — use them in a pool or on shower walls and enjoy their ever-changing shimmer and shine



ST VINCENT | SM-STVMOS
327 x 327 x 4mm



ST KITTS | SM-STKMOS
327 x 327 x 4mm



ST LUCIA | SM-STLMOS
327 x 327 x 4mm



Whitney



Jungfrau


Glass 20mm

Like the mountains that lend these mosaics their names, each has a unique character and an imposing presence


ETNA | GW-ETNMOS
327 x 327 x 4mm
Tile Size:20mm




MONTE ROSA | GW-MROMOS
327 x 327 x 4mm
Tile Size:20mm




EIGER | GW-EIGMOS
327 x 327 x 4mm
Tile Size:20mm




MONT BLANC | GW-MBLMOS
327 x 327 x 4mm
Tile Size:20mm



WEISSHORN | GW-WEIMOS
327 x 327 x 4mm
Tile Size:20mm



JUNGFRAU | GW-JUNMOS
327 x 327 x 4mm
Tile Size:20mm



ELBRUS | GW-EBRMOS
327 x 327 x 4mm
Tile Size:20mm



Paper faced versions of these mosaics are available on a special order basis.
Please contact us for fixing instructions.

iridescent

Weishorn


Recycled glass 20mm

Here is a range made from a blend of recycled glass, with soft gleaming shades and subtle textures


WHITNEY | GW-WHIMOS
327 x 327 x 4mm




MCKINLEY | GW-MCKMOS
327 x 327 x 4mm



ST ELIAS | GW-STEMOS
327 x 327 x 4mm



LUCANIA | GW-LUCMOS
327 x 327 x 4mm



LOGAN | GW-LOGMOS
327 x 327 x 4mm




gold fleck

◀ Saratoga, with Niebla Antislip White and Niebla Antislip Blue





Harmony



Emperor



Glass 20mm

SEQUOIA | GW-SEQMOS
327 x 327 x 4mm




MONTE CRISTO | GW-MOCMOS
327 x 327 x 4mm

DISCOVERY | GW-DSCMOS
327 x 327 x 4mm



SARATOGA | GW-SARMOS
327 x 327 x 4mm

RUBY FALLS | GW-RBYMOS
327 x 327 x 4mm



VATUKOULA | GW-VGMMOS
327 x 327 x 4mm



Golden Spur, Emperor and Diamond Head

gold fleck

Glass 20mm


The ultimate in glamour and elegance, from sleek and sexy to dark and smouldering



SANTA ANA | GW-SNTMOS
327 x 327 x 4mm



HARMONY | GW-HARMOS
327 x 327 x 4mm




ALMOUTALA | GW-ALMMOS
327 x 327 x 4mm



SENECA | GW-SNCMOS
327 x 327 x 4mm



GOLDEN SPUR | GW-GDSMOS
327 x 327 x 4mm



EMPEROR | GW-EPRMOS
327 x 327 x 4mm




Paper faced versions of these mosaics are available on a special order basis.
Please contact us for fixing instructions.




Emperor

drop-ins

Add these beautiful little drop-in tiles in gold and silver for jewel-like sparkle and gleam. They are so easy to install within 20mm mosaic sheets – use sparingly for a subtle look or en masse for full-on glamour!




GOLD PLAIN DROP-IN
SM-GPSA200
20 x 20 x 4mm




GOLD RIPPLED DROP-IN
SM-GRSA201
20 x 20 x 4mm



Gold Rippled Drop-in
with Monte Cristo Gold Fleck




KLONDIKE | GW-KLOMOS
327 x 327 x 4mm



MAGALIA | GW-MAGMOS
327 x 327 x 4mm



SILVER PLAIN DROP-IN
SM-SPSE103
20 x 20 x 4mm



SILVER RIPPLED DROP-IN
SM-SRSE104
20 x 20 x 4mm




Silver Plain Drop-in with
St Kitts Iridescent

Plain glass 20mm


Tiles made from pure glass, in the colours of clear blue pools in exotic holiday locations



ARUBA | SM-ARUMOS
327 x 327 x 4mm



CAICOS | SM-CAIMOS
327 x 327 x 4mm



CURACAO | SM-CURMOS
327 x 327 x 4mm



Curacao

Recycled glass 20mm



KAMET | GW-KAMMOS
327 x 327 x 4mm




Paper faced versions of these mosaics are available from stock.
Please contact us for fixing instructions.

Graduated 8 tile sets


Versatile panels with artfully graduated tones from dark to light



Marsabit 8 tile panel



MENEGAI | GW-MENPAN
327 x 327 x 4mm
x 8 sheets of 20mm mosaics



MARSABIT Recycled Matt | GW-MRBPAN
327 x 327 x 4mm
x 8 sheets of 20mm mosaics

These products are available as paper faced from stock.






Bijou

Film faced 15mm*

Some are translucent, some are iridescent, but all the mosaics in this range are spectacular


BIJOU | GW-BIJMOS
300 x 300 x 4mm



JALAPA | GW-JALMOS
300 x 300 x 4mm



JUVELA | GW-JUVMOS
300 x 300 x 4mm




KOHAR | GW-KOHMOS
300 x 300 x 4mm



HELMI | GW-HELMOS
300 x 300 x 4mm



PHOENICIA | GW-PHOMOS
300 x 300 x 4mm



SAFIRA | GW-SAFMOS
300 x 300 x 4mm




* Film faced and paper faced mosaics should be adhered using the same method as for mesh-backed mosaics, but with the film facing outwards. Leave for 24 hours before peeling off the film. Please contact us for full fixing instructions.



Fantasy

Film faced 25mm*

SERENE | GW-SERMOS
320 x 320 x 6mm



DREAM | GW-DREMOS
320 x 320 x 6mm



SPECTRE | GW-SPEMOS
320 x 320 x 6mm



SPIRIT | GW-SPIMOS
320 x 320 x 6mm



FANTASY | GW-FANMOS
320 x 320 x 6mm

* Film faced and paper faced mosaics should be adhered using the same method as for mesh-backed mosaics, but with the film facing outwards. Leave for 24 hours before peeling off the film. Please contact us for full fixing instructions.





pool side
& spa



Style, substance & safety

The pool and spa surroundings have to work hard. In particular, tiles used for flooring around wet areas have to complement the colours and textures within the pool itself, look good in their own right, withstand wear and tear, and most importantly they have to have slip resistant qualities. All products are clearly marked to show their suitability

This section includes a wide range of tiles, mosaics and finishing pieces for pool side surrounds and products for dry areas too. And for inspiring images of feature walls, turn to page 79

bricks

These brick slips feel and look exactly like traditional bricks, and can be used on both walls and floors



ANTICO CASALE ROSATO

CS1146-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



ANTICO CASALE MATTONE

CS1145-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



ANTICO CASALE FUMO

CS1147-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



MATTONCINO BIANCO

CS1148-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



MATTONCINO NERO

CS1149-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51

Please note: brick tiles are individual pieces. Tiles are shown here in repeat to demonstrate the colour and detail variations which make these brick effect tiles so convincing.


For a completely authentic look we recommend a 10mm grout gap as shown.

Antico Casale Mattone ►



The products on this page are all available from stock.

Antico Casale Fumo ►
Mattoncino Nero & Bianco ►►




gallery

With their colour names reminiscent of sea, sand, shore and sky these wall and floor tiles are just the thing for giving your pool area a natural vibe

Sizes in this range:



600 x 300



600 x 600



CLOUD STONE (TEXTURED)

CB23-11S-6060 600 x 600 x 11mm

CB23-11S-6030 600 x 300 x 11mm


Barefoot Wet (TRRL55 Wet) = 53



CLOUD MATT

CB23-11M-6060 600 x 600 x 11mm

CB23-11M-6030 600 x 300 x 11mm



FOG STONE (TEXTURED)

CB23-13S-6060 600 x 600 x 11mm

CB23-13S-6030 600 x 300 x 11mm


Barefoot Wet (TRRL55 Wet) = 51



FOG MATT

CB23-13M-6060 600 x 600 x 11mm

CB23-13M-6030 600 x 300 x 11mm



SHORE STONE (TEXTURED)

CB23-14S-6060 600 x 600 x 11mm

CB23-14S-6030 600 x 300 x 11mm

Barefoot Wet (TRRL55 Wet) = 58



SHORE MATT

CB23-14M-6060 600 x 600 x 11mm

CB23-14M-6030 600 x 300 x 11mm



DENIM STONE (TEXTURED)

CB23-17S-6060 600 x 600 x 11mm

CB23-17S-6030 600 x 300 x 11mm

Barefoot Wet (TRRL55 Wet) = 55



DENIM MATT

CB23-17M-6060 600 x 600 x 11mm

CB23-17M-6030 600 x 300 x 11mm



ASH STONE (TEXTURED)

CB23-07S-6060 600 x 600 x 11mm

CB23-07S-6030 600 x 300 x 11mm

Barefoot Wet (TRRL55 Wet) = 58



ASH MATT

CB23-07M-6060 600 x 600 x 11mm

CB23-07M-6030 600 x 300 x 11mm



SURF STONE (TEXTURED)

CB23-10S-6060 600 x 600 x 11mm

CB23-10S-6030 600 x 300 x 11mm

Barefoot Wet (TRRL55 Wet) = 59



SURF MATT

CB23-10M-6060 600 x 600 x 11mm

CB23-10M-6030 600 x 300 x 11mm





Wall: Pewter Matt Floor: Iron Matt



PEWTER STONE (TEXTURED)
CB23-04S-6060 600 x 600 x 11mm
CB23-04S-6030 600 x 300 x 11mm
 Barefoot Wet (TRRL55 Wet) = 61



PEWTER MATT
CB23-04M-6060 600 x 600 x 11mm
CB23-04M-6030 600 x 300 x 11mm



IRON STONE (TEXTURED)
CB23-01S-6060 600 x 600 x 11mm
CB23-01S-6030 600 x 300 x 11mm
 Barefoot Wet (TRRL55 Wet) = 51



IRON MATT
CB23-01M-6060 600 x 600 x 11mm
CB23-01M-6030 600 x 300 x 11mm





These products are available on a special order basis.

highgate

Stone-effect tiles in three muted tones with matching mosaic options for feature walls

Sizes in this range:




BEIGE OUTSIDE
CB05-049-6030 600 x 300 x 10mm
 Barefoot Wet (TRRL55 Wet) = 50



BEIGE
CB05-046-6060 600 x 600 x 10mm
CB05-046-6030 600 x 300 x 10mm
CB05-047-6060 595 x 595 x 10mm (Rectified)



BEIGE LINEAR MOSAIC
CB05-052-LINMOS 600 x 300 x 10mm




TAUPE OUTSIDE
CB05-056-6060 600 x 600 x 10mm
CB05-056-6030 600 x 300 x 10mm
 Barefoot Wet (TRRL55 Wet) = 50



TAUPE
CB05-053-6060 600 x 600 x 10mm
CB05-053-6030 600 x 300 x 10mm
CB05-054-6060 595 x 595 x 10mm (Rectified)




TAUPE LINEAR MOSAIC
CB05-059-LINMOS 600 x 300 x 10mm



STEEL OUTSIDE
CB05-063-6060 600 x 600 x 10mm
CB05-063-6030 600 x 300 x 10mm
 Barefoot Wet (TRRL55 Wet) = 50



STEEL
CB05-060-6060 600 x 600 x 10mm
CB05-060-6030 600 x 300 x 10mm
CB05-061-6060 595 x 595 x 10mm (Rectified)



STEEL LINEAR MOSAIC
CB05-066-LINMOS 600 x 300 x 10mm



These products are available on a special order basis.



Taupe Outside



BEIGE MOSAIC
CB05-050-MOS 300 x 300 x 10mm

BEIGE LAPPATO MOSAIC
CB05-051-MOS 296 x 296 x 10mm (Rectified)



TAUPE MOSAIC
CB05-057-MOS 300 x 300 x 10mm

TAUPE LAPPATO MOSAIC
CB05-058-MOS 296 x 296 x 10mm (Rectified)



STEEL MOSAIC
CB05-064-MOS 300 x 300 x 10mm



STEEL LAPPATO MOSAIC
CB05-065-MOS 296 x 296 x 10mm (Rectified)



Steel

inside out

Sizes in this range:



OUTSIDE (SLIP RESISTANT) WHITE

CB05-001-6060 600 x 600 x 10mm
CB05-001-6030 600 x 300 x 10mm
CB05-001-3030 300 x 300 x 10mm
CB05-001-3015 300 x 150 x 10mm
CB05-001-1515 150 x 150 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE WHITE

CB05-002-6030 600 x 300 x 10mm
CB05-002-3030 300 x 300 x 10mm
CB05-002-3015 300 x 150 x 10mm
CB05-002-1515 150 x 150 x 10mm

Shod Dry (4S96 Dry) = 56 / R9



OUTSIDE (SLIP RESISTANT) BEIGE

CB05-007-6060 600 x 600 x 10mm
CB05-007-6030 600 x 300 x 10mm
CB05-007-3030 300 x 300 x 10mm
CB05-007-3015 300 x 150 x 10mm
CB05-007-1515 150 x 150 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE BEIGE

CB05-008-6030 600 x 300 x 10mm
CB05-008-3030 300 x 300 x 10mm
CB05-008-3015 300 x 150 x 10mm
CB05-008-1515 150 x 150 x 10mm

Shod Dry (4S96 Dry) = 56 / R9



OUTSIDE (SLIP RESISTANT) RUST

CB05-009-6060 600 x 600 x 10mm
CB05-009-6030 600 x 300 x 10mm
CB05-009-3030 300 x 300 x 10mm
CB05-009-3015 300 x 150 x 10mm
CB05-009-1515 150 x 150 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE RUST

CB05-010-6030 600 x 300 x 10mm
CB05-010-3030 300 x 300 x 10mm
CB05-010-3015 300 x 150 x 10mm
CB05-010-1515 150 x 150 x 10mm

Shod Dry (4S96 Dry) = 56 / R9



Achieve a seamless transition from inside to out.

This range of non-rectified tiles and mosaic offers a wide choice of options. 'Inside' is for walls and internal dry floors, with its softly riven finish.


'Outside's' more pronounced riven texture and low slip potential makes it perfect for pool surrounds, wet areas and outdoors



OUTSIDE (SLIP RESISTANT) WHITE MOSAIC

CB05-011-MOS 300 x 300 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE WHITE MOSAIC

CB05-012-MOS 300 x 300 x 10mm


Shod Dry (4S96 Dry) = 56 / R9



OUTSIDE (SLIP RESISTANT) BEIGE MOSAIC

CB05-017-MOS 300 x 300 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE BEIGE MOSAIC

CB05-018-MOS 300 x 300 x 10mm


Shod Dry (4S96 Dry) = 56 / R9



OUTSIDE (SLIP RESISTANT) RUST MOSAIC

CB05-019-MOS 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C



INSIDE RUST MOSAIC

CB05-020-MOS 300 x 300 x 10mm

Shod Dry (4S96 Dry) = 56 / R9






Outside White

OUTSIDE POOL EDGE

Only available in White and Beige

**CB05-021-EDGE** white 300 x 110 x 10mm**CB05-023-EDGE** beige 300 x 110 x 10mm


Non-rectified matt

**INSIDE BULLNOSE****CB05-002-3008** white 300 x 80 x 10mm**CB05-006-3008** grey 300 x 80 x 10mm**CB05-004-3008** black 300 x 80 x 10mm**CB05-008-3008** beige 300 x 80 x 10mm**CB05-010-3008** rust 300 x 80 x 10mm

Non-rectified matt




These products are available on a special order basis.
Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others.
Please use the stated dimensions for an accurate guide to sizes

**OUTSIDE (SLIP RESISTANT) GREY****CB05-005-6060** 600 x 600 x 10mm**CB05-005-6030** 600 x 300 x 10mm**CB05-005-3030** 300 x 300 x 10mm**CB05-005-3015** 300 x 150 x 10mm**CB05-005-1515** 150 x 150 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C

**INSIDE GREY****CB05-006-6030** 600 x 300 x 10mm**CB05-006-3030** 300 x 300 x 10mm**CB05-006-3015** 300 x 150 x 10mm**CB05-006-1515** 150 x 150 x 10mm


Shod Dry (4S96 Dry) = 56 / R9

**OUTSIDE (SLIP RESISTANT) GREY MOSAIC****CB05-015-MOS** 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C

**INSIDE GREY MOSAIC****CB05-016-MOS** 300 x 300 x 10mm


Shod Dry (4S96 Dry) = 56 / R9

**OUTSIDE (SLIP RESISTANT) BLACK****CB05-003-6060** 600 x 600 x 10mm**CB05-003-6030** 600 x 300 x 10mm**CB05-003-3030** 300 x 300 x 10mm**CB05-003-3015** 300 x 150 x 10mm**CB05-003-1515** 150 x 150 x 10mm


Barefoot Wet (TRRL55 Wet) = 50 / R11C

**INSIDE BLACK****CB05-004-6030** 600 x 300 x 10mm**CB05-004-3030** 300 x 300 x 10mm**CB05-004-3015** 300 x 150 x 10mm**CB05-004-1515** 150 x 150 x 10mm

Shod Dry (4S96 Dry) = 56 / R9

**OUTSIDE (SLIP RESISTANT) BLACK MOSAIC****CB05-013-MOS** 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C

**INSIDE BLACK MOSAIC****CB05-014-MOS** 300 x 300 x 10mm

Shod Dry (4S96 Dry) = 56 / R9



These products are available on a special order basis.




Beige

roma

Rectified tiles in three formats and a useful palette of five soft shades


Sizes in this range:



600 x 300

600 x 600

900 x 450



SAND SLIP RESISTANT

CB04-001-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



SAND NATURAL

CB04-002-6060 600 x 600 x 10mm

CB04-002-4590 900 x 450 x 10mm

CB04-002-6030 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9



BEIGE SLIP RESISTANT

CB04-005-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



BEIGE NATURAL

CB04-006-6060 600 x 600 x 10mm

CB04-006-4590 900 x 450 x 10mm

CB04-006-6030 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9





Anthracite

**GREY SLIP RESISTANT****CB04-008-6030** 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C

**GREY NATURAL****CB04-009-6060** 600 x 600 x 10mm**CB04-009-4590** 900 x 450 x 10mm**CB04-009-6030** 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9

**ANTHRACITE SLIP RESISTANT****CB04-015-6030** 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C

**ANTHRACITE NATURAL****CB04-016-6060** 600 x 600 x 10mm**CB04-016-4590** 900 x 450 x 10mm**CB04-016-6030** 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9

**GRAPHITE SLIP RESISTANT****CB04-012-6030** 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C

**GRAPHITE NATURAL****CB04-013-6060** 600 x 600 x 10mm**CB04-013-4590** 900 x 450 x 10mm**CB04-013-6030** 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9






Beige



White Offset Mosaic

natural elements

A collection of co-ordinating colour bodied porcelain tiles, all with a matt finish. Four natural-effect colours and a choice of formats are available including a 20mm thick option in selected colours

**WHITE SLIP RESISTANT****CB01-031-6030** 600 x 300 x 9mm**CB01-031-4545** 450 x 450 x 9mm**CB01-031-3030** 300 x 300 x 9mm**CB01-031-1515** 150 x 150 x 9mm**CB01-043-6060** 600 x 600 x 20mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C

**WHITE****CB01-030-6060** 600 x 600 x 9mm**CB01-030-6040** 600 x 400 x 9mm**CB01-030-6030** 600 x 300 x 9mm**CB01-030-6020** 600 x 200 x 9mmShod Dry (4S96 Dry) = 56 / R10A
Rectified**WHITE OFFSET MOSAIC****CB01-032-MOSOFF** 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C

**WHITE BRICKBOND MOSAIC****CB01-033-MOSBB** 300 x 300 x 9mmShod Dry (4S96 Dry) = 56 / R10A
Rectified**BEIGE SLIP RESISTANT****CB01-035-6030** 600 x 300 x 9mm**CB01-035-4545** 450 x 450 x 9mm**CB01-035-3030** 300 x 300 x 9mm**CB01-035-1515** 150 x 150 x 9mm**CB01-044-6060** 600 x 600 x 20mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C


**BEIGE****CB01-034-6060** 600 x 600 x 9mm**CB01-034-6040** 600 x 400 x 9mm**CB01-034-6030** 600 x 300 x 9mm**CB01-034-6020** 600 x 200 x 9mmShod Dry (4S96 Dry) = 56 / R10A
Rectified**BEIGE OFFSET MOSAIC****CB01-036-MOSOFF** 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C

**BEIGE BRICKBOND MOSAIC****CB01-037-MOSBB** 300 x 300 x 9mmShod Dry (4S96 Dry) = 56 / R10A
Rectified

These products are available on a special order basis.
Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes


Sizes in this range:



STEP TREAD




CB01-031-STEP white 330 x 300 x 9mm
CB01-035-STEP beige 330 x 300 x 9mm
CB01-023-STEP grey 330 x 300 x 9mm
CB01-027-STEP anthracite 330 x 300 x 9mm
 Matt finishing piece



ROUNDED COVING




CB01-031-COVE white 300 x 170 x 9mm
CB01-035-COVE beige 300 x 170 x 9mm
CB01-023-COVE grey 300 x 170 x 9mm
CB01-027-COVE anthracite 300 x 170 x 9mm
 Matt finishing piece



WHITE/BEIGE BLEND BRICKBOND EFFECT
CB01-038-WALL 450 x 105 x 10-14mm
 (co-ordinates with white and/or beige schemes)



WHITE/GREY BLEND BRICKBOND EFFECT
CB01-039-WALL 450 x 105 x 10-14mm
 (co-ordinates with white and/or grey schemes)



ANTHRACITE/GRANITE BLEND BRICKBOND EFFECT
CB01-040-WALL 450 x 105 x 10-14mm
 (co-ordinates with anthracite schemes)



GREY SLIP RESISTANT
CB01-023-6030 600 x 300 x 9mm
CB01-023-4545 450 x 450 x 9mm
CB01-023-3030 300 x 300 x 9mm
CB01-023-1515 150 x 150 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



GREY
CB01-022-6060 600 x 600 x 9mm
CB01-022-6040 600 x 400 x 9mm
CB01-022-6030 600 x 300 x 9mm
CB01-022-6020 600 x 200 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A
 Rectified




GREY OFFSET MOSAIC
CB01-024-MOSOFF 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



GREY BRICKBOND MOSAIC
CB01-025-MOSBB 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A
 Rectified



ANTHRACITE SLIP RESISTANT
CB01-027-6030 600 x 300 x 9mm
CB01-027-4545 450 x 450 x 9mm
CB01-027-3030 300 x 300 x 9mm
CB01-027-1515 150 x 150 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



ANTHRACITE
CB01-026-6060 600 x 600 x 9mm
CB01-026-6040 600 x 400 x 9mm
CB01-026-6030 600 x 300 x 9mm
CB01-026-6020 600 x 200 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A
 Rectified



ANTHRACITE OFFSET MOSAIC
CB01-028-MOSOFF 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



ANTHRACITE BRICKBOND MOSAIC
CB01-029-MOSBB 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A
 Rectified





Off White Structured




Concreto Natural and Fendi Structured

mineral

The subtle colours of these beautiful tiles look fabulous on their own or when combined together. Natural and Polished finishes are also available (for internal use) in addition to the structured slip resistant option shown here


Sizes in this range:



600 x 600



600 x 300



OFF WHITE STRUCTURED
CS751-6060 600 x 600 x 10mm
CS751-6030 300 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain




alternative finishes (not shown):
OFF WHITE NATURAL
CS750-6030 600 x 300 x 10mm
CS750-6060 600 x 600 x 10mm
OFF WHITE POLISHED
CS752-6030 600 x 300 x 9mm
CS752-6060 600 x 600 x 9mm



(Technical details available on request)

The products on this page are all available from stock.

**NUDE STRUCTURED**

CS745-6060 600 x 600 x 10mm
CS745-6030 300 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

NUDE NATURAL


CS744-6030 600 x 300 x 10mm
CS744-6060 600 x 600 x 10mm

NUDE POLISHED

CS746-6030 600 x 300 x 9mm
CS746-6060 600 x 600 x 9mm



(Technical details available on request)

**PORTLAND STRUCTURED**

CS748-6060 600 x 600 x 10mm
CS748-6030 300 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

PORTLAND NATURAL


CS747-6030 600 x 300 x 10mm
CS747-6060 600 x 600 x 10mm

PORTLAND POLISHED

CS749-6030 600 x 300 x 9mm
CS749-6060 600 x 600 x 9mm



(Technical details available on request)

**CONCRETO STRUCTURED**

CS736-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

CONCRETO NATURAL


CS735-6060 600 x 600 x 10mm

CONCRETO POLISHED

CS737-6060 600 x 600 x 9mm



(Technical details available on request)

**FENDI STRUCTURED**

CS739-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

FENDI NATURAL


CS738-6060 600 x 600 x 10mm

FENDI POLISHED

CS740-6060 600 x 600 x 9mm



(Technical details available on request)

**ARGENTO STRUCTURED**

CS733-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

ARGENTO NATURAL


CS732-6060 600 x 600 x 10mm

ARGENTO POLISHED

CS734-6060 600 x 600 x 9mm



(Technical details available on request)

**GRAFITE STRUCTURED**

CS742-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44
 Rectified full bodied porcelain



alternative finishes (not shown):

GRAFITE NATURAL

CS741-6060 600 x 600 x 10mm

GRAFITE POLISHED

CS743-6060 600 x 600 x 9mm



(Technical details available on request)

granite

A stone effect glazed, matt finish porcelain that looks remarkably like granite. Available in three colours and as tiles, edges and mosaics




Calabria

**GROSSETO****CS998-4530** 300 x 450 x 10mm**CS998-3030** 300 x 300 x 10mm**CS998-4522** 225 x 450 x 10mm**CS998-2222** 225 x 225 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

**CARRARA****CS996-4530** 300 x 450 x 10mm**CS996-3030** 300 x 300 x 10mm**CS996-4522** 225 x 450 x 10mm**CS996-2222** 225 x 225 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

**CALABRIA****CS997-4530** 300 x 450 x 10mm**CS997-3030** 300 x 300 x 10mm**CS997-4522** 225 x 450 x 10mm**CS997-2222** 225 x 225 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

**GROSSETO MOSAIC****CB16-002-MOS** 300 x 300 x 10mm


Barefoot Wet (TRRL55 Wet) = 60 / R12

**CARRARA MOSAIC****CB16-004-MOS** 300 x 300 x 10mm


Barefoot Wet (TRRL55 Wet) = 60 / R12

**CALABRIA MOSAIC****CB16-006-MOS** 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

**EDGE PIECE 1 (ROUNDED)**


300 x 330 x 10mm

**CB16-001-EDGE1** Carrara**CB16-003-EDGE1** Calabria**CB16-005-EDGE1** Grosseto

Barefoot Wet (TRRL55 Wet) = 60 / R12

**EDGE PIECE 2**


150 x 300 x 10mm

**CB16-001-EDGE2** Carrara**CB16-003-EDGE2** Calabria**CB16-005-EDGE2** Grosseto

Barefoot Wet (TRRL55 Wet) = 60 / R12

**EDGE PIECE 3**

150 x 225 x 10mm

**CB16-001-EDGE3****CB16-003-EDGE3****CB16-005-EDGE3**

Barefoot Wet (TRRL55 Wet) = 60 / R12



These products are available on a special order basis.

Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes


BROADWAY LIME STRUCTURED (SLIP RESISTANT)

CS1132-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 59


BROADWAY LIME SATIN

CS753-6060 600 x 600 x 10mm



broadway lime

A versatile large concrete-effect tile format tile in two finishes

slate chiara

These products are available on a special order basis. Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

Glazed porcelain with a convincing natural stone appearance


SLATE CHIARA BIANCO GLAZED PORCELAIN

CS765-6060 605 x 605 x 10mm

Barefoot Wet (TRRL55 Wet) = 48




dorset

Coordinating tiles
with a choice of slip
resistant finishes and a
comprehensive range
of fittings (see page 72)



TEXTURED STEEL GREY
DW-TXSGR3030 300 x 300 x 9mm
Barefoot Wet (TRRL55 Wet) = 47 / R11B




TEXTURED DARK GREY
DW-TXDGR3030 300 x 300 x 9mm
Barefoot Wet (TRRL55 Wet) = 47 / R11B




TEXTURED QUARTZ
DW-TXQUZ3030 300 x 300 x 9mm
Barefoot Wet (TRRL55 Wet) = 47 / R11B

Textured 300mm

300mm tiles with
a gentle stone effect texture



Textured Quartz




LUNA WHITE
DW-LUWHT3030 300 x 300 x 9mm
DW-LUWHT1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R12C



LUNA STEEL GREY
DW-LUSGR3030 300 x 300 x 9mm
DW-LUSGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R12C




LUNA QUARTZ
DW-LUQUZ3030 300 x 300 x 9mm
DW-LUQUZ1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R12C



LUNA DARK GREY
DW-LUDGR3030 300 x 300 x 9mm
DW-LUDGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R12C

Luna 148mm & 300mm

Slip resistant tiles with a pronounced
textured finish



Luna White 300mm with Black Step Tread



Multidisc 148mm

Great performance in changing areas



Multidisc Quartz



MULTIDISC WHITE
DW-MDWH1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC QUARTZ
DW-MDQUZ1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC STEEL GREY
DW-MDSGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC DARK GREY
DW-MDDGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C

Pinhead 148mm

Outstanding for wet room floors



Pinhead White



PINHEAD WHITE
DW-PHWH1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD STEEL GREY
DW-PHSGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD STONE
DW-PHSTO1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD DARK GREY
DW-PHDGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD QUARTZ
DW-PHQUZ1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD BLACK
DW-PHBLK1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD RED
DW-PHRED1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C




dorset fittings

A range of high performance co-ordinating fittings



STEP TREAD ANGLE
100 x 100 x 12mm
Available in White, Quartz,
Dark Grey & Black



STEP TREAD
148 x 100 x 12mm
Available in White, Quartz,
Dark Grey & Black



POOL GRIP
148 x 100 x 12mm
Available in White & Black



COVING
148 x 109 x 9mm
Available in all colours



EXT & INT ANGLES
109 x 30 x 9mm each
Available in all colours



CHANNEL OUTLET
148 x 148 x 12mm
Available in White, Quartz & Dark Grey



CHANNEL STRAIGHT
148 x 148 x 12mm
Available in White, Quartz & Dark Grey




CHANNEL CORNER
148 x 148 x 12mm
Available in White, Quartz & Dark Grey



CHANNEL STOP END
148 x 148 x 12mm
Available in White, Quartz & Dark Grey



WHITE




QUARTZ



STONE



STEEL GREY



DARK GREY



BLACK




RED



White gloss

pool bricks


Form and function. The classic 'swimming pool tile' - ideal for community spaces. Includes moulding pieces that can be used as pool edges/grips or skirtings

**COBALT FLAT GRIP**

CS1187-2512

245 x 120 x 6mm

Partially glazed and rounded at the edge. Ideal for step or pool edging.

**COBALT CONTOURED GRIP**


CS817-2513

245 x 120 x 20mm

The deep unglazed channel and large glazed edge ensure comfortable and effective grip.




Alternative use as skirting

**WHITE GLOSS** | CS813-2512


250 x 125 x 6mm

**COBALT BLUE GLOSS** | CS815-2512

250 x 125 x 6mm

**WHITE SLIP RESISTANT** | CS813-2512-AS

245 x 120 x 6mm

**STRUCTURED UNGLAZED** | CS818-2512

245 x 120 x 6mm


**LIGHT BLUE GLOSS** | CS814-2512

250 x 125 x 6mm






Floor: Light Grey Structured 6030, Wall: Dark Grey Natural



1200 x 600




600 x 600



600 x 300

absolute

Mix and match with a palette of muted shades from light to dark, with a structured slip resistant option suitable for wet floor areas




WHITE SLATE (STRUCTURED)

CB17-028-6030 600 x 300 x 10mm

CB17-028-6060 600 x 600 x 10mm

CB17-028-12060 1200 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 52 / R11C




LIGHT GREY SLATE (STRUCTURED)

CB17-024-6030 600 x 300 x 10mm

CB17-024-6060 600 x 600 x 10mm

CB17-024-12060 1200 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 68 / R11C




WHITE NATURAL

CB17-026-6030 600 x 300 x 10mm

CB17-026-6060 600 x 600 x 10mm

CB17-026-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 58 / R10A



LIGHT GREY NATURAL


CB17-022-6030 600 x 300 x 10mm

CB17-022-6060 600 x 600 x 10mm

CB17-022-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 61 / R10A






STEP TREAD SLATE (STRUCTURED)
600 x 300 x 10mm

CB17-028-GRAD2 White
CB17-024-GRAD2 Light Grey
CB17-020-GRAD2 Mid Grey
CB17-016-GRAD2 Grey
CB17-012-GRAD2 Dark Grey
CB17-008-GRAD2 Black



STEP TREAD NATURAL
600 x 300 x 10mm

CB17-026-GRAD2 White
CB17-022-GRAD2 Light Grey
CB17-018-GRAD2 Mid Grey
CB17-014-GRAD2 Grey
CB17-010-GRAD2 Dark Grey
CB17-006-GRAD2 Black




STEP EDGE (STRUCTURED)
600 x 325 x 10mm

CB17-028-EDGE2 White
CB17-024-EDGE2 Light Grey
CB17-020-EDGE2 Mid Grey
CB17-016-EDGE2 Grey
CB17-012-EDGE2 Dark Grey
CB17-008-EDGE2 Black



STEP EDGE
600 x 325 x 10mm


CB17-026-EDGE2 White
CB17-022-EDGE2 Light Grey
CB17-018-EDGE2 Mid Grey
CB17-014-EDGE2 Grey
CB17-010-EDGE2 Dark Grey
CB17-006-EDGE2 Black



MID GREY SLATE (STRUCTURED)

CB17-020-6030 600 x 300 x 10mm
CB17-020-6060 600 x 600 x 10mm
CB17-020-12060 1200 x 600 x 10mm


Barefoot Wet (TRRL55 Wet) = 46 / R11C



MID GREY NATURAL

CB17-018-6030 600 x 300 x 10mm
CB17-018-6060 600 x 600 x 10mm
CB17-018-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 59 / R10A



GREY SLATE (STRUCTURED)

CB17-016-6030 600 x 300 x 10mm
CB17-016-6060 600 x 600 x 10mm
CB17-016-12060 1200 x 600 x 10mm


Barefoot Wet (TRRL55 Wet) = 59 / R11C



GREY NATURAL

CB17-014-6030 600 x 300 x 10mm
CB17-014-6060 600 x 600 x 10mm
CB17-014-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 59 / R10A



DARK GREY SLATE (STRUCTURED)

CB17-012-6030 600 x 300 x 10mm
CB17-012-6060 600 x 600 x 10mm
CB17-012-12060 1200 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 54 / R11C



DARK GREY NATURAL

CB17-010-6030 600 x 300 x 10mm
CB17-010-6060 600 x 600 x 10mm
CB17-010-12060 1200 x 600 x 10mm


Shod Dry (4S96 Dry) = 60 / R10A



BLACK SLATE (STRUCTURED)

CB17-008-6030 600 x 300 x 10mm
CB17-008-6060 600 x 600 x 10mm
CB17-028-12060 1200 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R11C




BLACK NATURAL

CB17-006-6030 600 x 300 x 10mm
CB17-006-6060 600 x 600 x 10mm
CB17-026-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 60 / R10A






Grey Slip Resistant

lignum

High performance wood-effect slip resistant tiles



WHITE SLIP RESISTANT

CB05-026-10016 1000 x 165 x 10.5mm

Barefoot Wet (TRRL55 Wet) = 72 / R11C



WHITE MATT

CB05-025-10016 1000 x 165 x 10.5mm

Shod Dry (4S96 Dry) = 63 / R10B



CREAM SLIP RESISTANT

CB05-029-10016 1000 x 165 x 10.5mm


Barefoot Wet (TRRL55 Wet) = 72 / R11C



CREAM MATT

CB05-028-10016 1000 x 165 x 10.5mm

Shod Dry (4S96 Dry) = 63 / R10B



BEIGE SLIP RESISTANT

CB05-032-10016 1000 x 165 x 10.5mm

Barefoot Wet (TRRL55 Wet) = 72 / R11C




BEIGE MATT

CB05-031-10016 1000 x 165 x 10.5mm

Shod Dry (4S96 Dry) = 63 / R10B




STEP EDGE (WITH NOSE)
 1000 x 165mm


CB05-026-STEP white slip resistant
CB05-029-STEP cream slip resistant
CB20-032-STEP beige slip resistant
CB20-035-STEP grey slip resistant
CB20-041-STEP taupe slip resistant
CB20-044-STEP nut slip resistant
CB20-038-STEP brown slip resistant




CB05-025-STEP white
CB05-028-STEP cream
CB20-031-STEP beige
CB20-034-STEP grey
CB20-040-STEP taupe
CB20-043-STEP nut
CB20-037-STEP brown


STEP EDGE
 1000 x 165mm


CB05-026-LSTEP white slip resistant
CB05-029-LSTEP cream slip resistant
CB20-032-LSTEP beige slip resistant
CB20-035-LSTEP grey slip resistant
CB20-041-LSTEP taupe slip resistant
CB20-044-LSTEP nut slip resistant
CB20-038-LSTEP brown slip resistant




CB05-025-LSTEP white
CB05-028-LSTEP cream
CB20-031-LSTEP beige
CB20-034-LSTEP grey
CB20-040-LSTEP taupe
CB20-043-LSTEP nut
CB20-037-LSTEP brown


GREY SLIP RESISTANT

CB05-035-10016 1000 x 165 x 10.5mm
 Barefoot Wet (TRRL55 Wet) = 72 / R11C


GREY MATT

CB05-034-10016 1000 x 165 x 10.5mm
 Shod Dry (4S96 Dry) = 63 / R10B


TAUPE SLIP RESISTANT

CB05-041-10016 1000 x 165 x 10.5mm
 Barefoot Wet (TRRL55 Wet) = 72 / R11C


TAUPE MATT


CB05-040-10016 1000 x 165 x 10.5mm
 Shod Dry (4S96 Dry) = 63 / R10B


NUT SLIP RESISTANT

CB05-044-10016 1000 x 165 x 10.5mm
 Barefoot Wet (TRRL55 Wet) = 72 / R11C


NUT MATT

CB05-043-10016 1000 x 165 x 10.5mm
 Shod Dry (4S96 Dry) = 63 / R10B


BROWN SLIP RESISTANT

CB05-038-10016 1000 x 165 x 10.5mm
 Barefoot Wet (TRRL55 Wet) = 72 / R11C



BROWN MATT

CB05-037-10016 1000 x 165 x 10.5mm
 Shod Dry (4S96 Dry) = 37 / R10B




deck


Slip resistant decking tiles



DECK PEROBA
CS971-6060 600 x 600 x 10mm
 Barefoot Wet (TRRL Wet) = 79



DECK TECA SUAVE
CS969-6060 600 x 600 x 10mm
 Barefoot Wet (TRRL Wet) = 79



DECK TECA INTENSA
CS970-6060 600 x 600 x 10mm
 Barefoot Wet (TRRL Wet) = 79



Peroba

arbo

Richly coloured
 wood-effect planks



CARVALO TEXTURED SLIP RESISTANT
CS1052-12020 1169 x 190 x 11mm
 Barefoot Wet (TRRL55 Wet) = 45



CARVALO NATURAL
CS1051-12020 1169 x 190 x 11mm



Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

Floor: Carvalo Slip Resistant ►
 Wall: Carvalo Natural & Carvalo Décor (see p81)



feature walls

Add drama with a feature wall. Choose from large format tiles that look like stone, smooth pebbles, industrial style metallic effects, or the warm tones of wood effect planking




Ashtree Clapboard

canela and ash tree

Realistic wooden clapboard-effect tiles in two colours, each with a coordinating wood-effect plank option



ASH TREE CLAPBOARD TEXTURED MATT
CS1142-9030 900 x 300 x 12mm



ASH TREE MATT
CS1141-12020 1200 x 200 x 11mm



CANELA CLAPBOARD TEXTURED MATT
CS1140-9030 900 x 300 x 12mm



CANELA MATT
CS1139-12020 1200 x 200 x 11mm



Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes


painted

Wood-effect planks with a clever reclaimed, stripped-paint style



BEIGE

CS1049-12020 1169 x 190 x 11mm



GREY

CS1050-12020 1169 x 190 x 11mm



Arbo Carvalho Décor



Painted

arbo carvalho



CARVALHO DÉCOR

CS1053-12020 1169 x 190 x 11mm




sisal

Porcelain wall tiles with all the detail and texture of woven sisal



Sisal Glazed Porcelain
CS787-9015 • 900 x 150 x 10mm



ATENAS
CS1044-9015 900 x 150 x 10mm



atenas

The appearance of split-face stone recreated on tiles



Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

stone pebbles

Softly rounded natural stones
with no hard edges



Beige Hawaii



IVORY SAMOA BORDER | EW-SAMOA2
250 x 100 x 10 -14mm



QUAIL MAUI BORDER | EW-MAUIB2
250 x 100 x 10 -14mm



BORA BORA BORDER | EW-BORAB2
250 x 100 x 10 -14mm



IVORY SAMOA PEBBLE | EW-SAMOA2
290 x 290 x 10 -14mm



QUAIL MAUI PEBBLE | EW-MAUI2
290 x 290 x 10 -14mm



BORA BORA PEBBLE | EW-BORA2
290 x 290 x 10 -14mm



BEIGE HAWAII BORDER | EW-HAWAII3
270 x 100 x 10 -14mm



GREEN BALI HAI BORDER ▲ | EW-BALIHAIB2
250 x 100 x 10 -14mm



BEIGE HAWAII PEBBLE | EW-HAWAII3
300 x 300 x 10 -14mm




GREEN BALI HAI PEBBLE ▲ | EW-BALIHA2
290 x 290 x 10 -14mm



Pebbles may vary in size, tone and placement from those shown here, this is an inherent characteristic of these mosaics.

** All stone mosaics must be sealed prior to installation.
Sealed mosaics may appear a shade darker.

▲ Please note that the pebbles in Green Bali Hai mosaic and border are flatter than the other pebbles on this page.
The products on this page are all available from stock.



Rusty Quartz



White Quartz

splitface stone

Natural stone interlocking mosaics for a dramatic feature wall.

The quartz colours have an extra sparkling quality too



WHITE QUARTZ

EW-WHQZPAN6015 600 x 150 x 15-20mm


Weight: 48kg per m²



RUSTY QUARTZ

EW-RSQZPAN6015 600 x 150 x 15-20mm

Weight: 48kg per m²



BLACK QUARTZ

EW-BLQZPAN6015 600 x 150 x 15-20mm

Weight: 48kg per m²



BLACK SLATE

EW-BLSLPAN6015 600 x 150 x 8-13mm

Weight: 48kg per m²




Please note that these tiles cannot be grouted.
The products on this page are available from stock.
Please see Important Information regarding installation.




Floor: Earth Wall: Tredi Pebble

shoreditch


Glazed porcelain tiles with a highly textured matt finish and three earthy colours for walls



PEBBLE MOSAIC
CB07-006-MOS 300 x 300 x 11mm




PEBBLE MIX
CB07-007-MIX 300 x 600 x 11mm




PEBBLE TREDI
CB07-008-TREDI 300 x 600 x 11mm




FOSSIL MOSAIC
CB07-010-MOS 300 x 300 x 11mm



FOSSIL MIX
CB07-011-MIX 300 x 600 x 11mm




FOSSIL TREDI
CB07-012-TREDI 300 x 600 x 11mm



EARTH MOSAIC
CB07-002-MOS 300 x 300 x 11mm



EARTH MIX
CB07-003-MIX 300 x 600 x 11mm



EARTH TREDI
CB07-004-TREDI 300 x 600 x 11mm

These products are available on a special order basis.
Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes





White



WHITE

CS1061-9015 900 x 145 x 10mm

CS1061-9022 900 x 220 x 10mm

CS1061-9045 900 x 450 x 10mm

amelia

Stunning large format tiles with varied and subtle stone effect details




GREY

CS1062-9015 900 x 145 x 10mm

CS1062-9022 900 x 220 x 10mm

CS1062-9045 900 x 450 x 10mm



CARBON

CS1063-9015 900 x 145 x 10mm

CS1063-9022 900 x 220 x 10mm

CS1063-9045 900 x 450 x 10mm

In this range:

900 x 145

900 x 220

900 x 450




Please note: these tiles replicate the natural variations of stone, therefore tiles will vary in appearance from those shown




White Lappato

oxide

Lappato - a semi-polished finish on these aged effect plank tiles



WHITE LAPPATO
CS1120-12020 1200 x 200 x 11mm



BLACK LAPPATO
CS1121-12020 1200 x 200 x 11mm

Please note: the ageing effect on these tiles is random and varies in intensity as illustrated in the room set shown. Individual tiles may differ from the swatches shown above.






Cimento

studio


Co-ordinating plain and textured waves, all with a matt finish



BEIGE LIMESTONE PLAIN MATT
CS1126-9030 877 x 291 x 11mm



BEIGE LIMESTONE WAVE TEXTURED
CS1127-9030 877 x 291 x 11mm



GREY LIMESTONE PLAIN MATT
CS1124-9030 877 x 291 x 11mm



GREY LIMESTONE WAVE TEXTURED
CS1125-9030 877 x 291 x 11mm



CIMENTO PLAIN MATT
CS1122-9030 877 x 291 x 11mm



CIMENTO WAVE TEXTURED
CS1123-9030 877 x 291 x 11mm



Copper

metal effect

Elegant linear mosaic-effect tiles
with a timeless metallic finish



METALLIC COPPER LINEAR MOSAIC
CS975-LINMOS 300 x 300 x 10mm



METALLIC STEEL LINEAR MOSAIC
CS974-LINMOS 300 x 300 x 10mm



Please note, the drop-ins are shown actual size, and so are not in proportion with other reference image throughout the brochure.
The products on this page are all available from stock.


stone mosaics

Mosaics of all sizes, crafted from stone, are a perfect material for use in wet rooms and spas. Just like in ancient Rome, in fact, where the ritual of bathing was taken very seriously



Brickbond Noce

CREMA 1.0 | EW-VMCREMA1
305 x 305 x 10mm



NOCE 2.3 | EW-VMNOCE
305 x 305 x 10mm



BRICKBOND ANDORA | EW-VMANDBBS
305 x 305 x 10mm



**BRICKBOND NOCE TRAVERTINE
TUMBLER** | EW-VMBBNOCEM
305 x 305 x 10mm



AUSTURIAN 2.5 | EW-VMAUS25
300 x 300 x 10mm



MIXED TRAVERTINE 4.8 | EW-VMTM48
305 x 305 x 10mm



*** All stone mosaics must be sealed prior to installation.

The products on this page are all available from stock.



fit & finish


Some elements should not be ignored, even with the grandest design.
The right fixtures and fittings can make a project perfect.
It's all in the detail



Dorset Pool Grip in White, Luna White, Dorset Step Tread in Black with Niebla SM-2562MOS

get a grip


Porcelain pool grips and edging pieces for the perfect finish



WHITE EDGE PIECE
CB05-021-EDGE
300 x 50 x 145mm


Barefoot Wet (TRRL55 Wet) = 50

Also in Beige CB05-023-EDGE



COBALT FLAT GRIP
CS1187-2512
245 x 120 x 6mm


Partially glazed and rounded at the edge. Ideal for step or pool edging.
See page 71 for coordinating products



COBALT CONTOURED GRIP
CS817-2513
245 x 120 x 20mm


The deep unglazed channel and large glazed edge ensure comfortable and effective grip.
See page 73 for coordinating products

See page 72 for the complete range of Dorset channels and fittings



DORSET POOL GRIP
148 x 100 x 12mm (nominal)
Barefoot Wet (TRRL55 Wet) = >40

Also available in Black DW-PGBLK1510



Drainage channels cut to order


go with the flow

Have you ever felt that your beautiful dream pool and its surroundings has been let down a little by rather unsightly channel drainage grills or covers?

Recently the only option has been metal, plastic or composite: all very useful materials that do the job, just not very pretty. Here's the perfect solution. A drainage grill made from the same material and shade as your surrounding tiles, ie hard wearing porcelain tiling with slip resistant properties. So as well as providing your choice of pool surround tile we can engineer more of the same tiles to fit the channels, providing a near seamless finish.



An example of an engineered grill made from Roma Sand



300 x 300mm tiles being bullnosed

home ground to perfection

Skirting, bullnosing and gradino profiles can all be shaped in-house, offering you a fully integrated look

There's no need to compromise on finishing pieces such as bullnose edging, gradino profiles and skirtings, as you can choose these at the same time and from the same tiles as your pool surrounds. We engineer these pieces at our in-house facilities from our extensive stock to your specific installation requirements.



tried & tested

Safety is paramount around water.
You need to be confident that materials used for your project
meet the Health and Safety Executive's guidelines for slip resistance.
All of our surround tiles are tested in-house.



Pendulum Testing

safety first

All tiling products used for flooring need to meet specific criteria. Our products have passed the test

There is a duty of care upon all flooring designers, manufacturers, distributors, installers, contractors and on the architects who specify flooring to ensure that flooring surfaces are fit for purpose and meet the Health and Safety Executive's guidelines for slip resistance

Our products are tested for slip resistance and other properties using a range of methods and the results are included next to each product in the pages of this brochure. The pendulum test is carried out on our premises by our technical advisor, to determine the barefoot wet co-efficient of friction using a TRRL55 rubber slider (see equipment above).

Turn to page 100 for Important Information.



been inspired?


If you haven't seen the pool of your dreams yet, it can still be yours. Our Bespoke Design Service is on hand to listen to your ideas and help them become real

have it your way

We will provide you with a bespoke design service to guide you through the huge choice of tiles for your pool and spa, and visualise the finished project by using 3D image plans



Original concept



Perla, Azur, Ocean & Zafiro from the Niebla Collection

We can help you with everything from a simple motif design cut exactly to your requirements, to the possibility of transferring a precious or special image or logo onto a large mosaic panel. The possibilities are endless...

The list of our satisfied clients includes celebrities and famous sports people, leisure centres and hotel spas, as well as individuals looking for a pool design to be a unique reflection of their personality.

Bespoke Patterns



CGI concept rendering of the pool area



Final result - design created entirely in mosaics


Digital Imaging

Using the latest print technology, high resolution images can be transferred directly to 25mm mosaics.



join the jet-set

Bespoke waterjet cutting facility



When you need tiles cut precisely and accurately, for example to create complex designs, intricate patterns and curves, we can provide a quick turnaround waterjet cutting service. State of the art technology and skilled operators ensure an accurate and speedy delivery. We can help you with the creative process or carry out your instructions.

The waterjet can be used for surface etching as well as cutting and shaping tiles. Call us to discuss your particular requirements.



Dare to dream

The pages in this brochure are just a taste of what is on offer. If you would like more information or would like to talk to us about what we can do for you please call us on +44 (0)1392 473037 to discuss your specific requirements.

important information

Sample Service

Samples of mosaics can be sent on request. Full size mosaic sheet samples are usually chargeable at a reduced rate.

Dimensions

Nominal sizes and thicknesses are shown throughout the brochure. Owing to the high degree of hand finishing of some of the mosaics featured, actual dimensions for individual mosaic sheets may vary from these figures. All dimensions are subject to a tolerance of $\pm 2.5\text{mm}$. When calculating the number of mosaic sheets you will require, please do not forget to make 5% allowance for cutting and wastage.

Colour Variations

There may be distinctive yet subtle variations in shade in many of the mosaics and tiles included in this brochure. A single sample tile should not be taken as a completely accurate indication of colour.

Use of Mosaics in Swimming Pools

We recommend JointPoint® backed mosaics (offering 92% contact with the adhesive) and pool suitable paper/film faced mosaics (offering 100% contact with the adhesive) for swimming pool installations. It is however, a preference of some pool installers to use mesh backed mosaics. Providing the mesh backed mosaics are correctly installed, the correct grouts and adhesives are used and the pH balance in the pool is correct (see below) the chances of the adhesion failing are minimised. If they are installed incorrectly or the wrong adhesive and grouts are used, the mesh backed mosaics can fail, due to the pH imbalance of the chemicals in the water attacking the grout and then subsequently the adhesion. Original Style cannot be held responsible if mesh backed mosaics are used in a swimming pool and the adhesion subsequently fails. Some of the glass mosaics suitable for swimming pools included in this brochure are available as paper faced, on an extended lead-time. Please discuss this option when placing your order.

Adhesives and Grouts

The water in your pool must have a pH balance of between 7.2 and 8 to eliminate acid and high alkali attacking the grout, which can cause the tiles to debond. Please be aware that all grouts have different water absorption properties. We recommend that your grout should be between 0.05% and 0.1% water absorption. Some grouts can have up to 7% water absorption, which is likely to affect the adhesion and cause the tiles to debond.

Caution

Coloured grouts may be used on our mosaics, however, they may alter the overall appearance of the mosaic colour. If they are used, we strongly recommend that a small area is tested before installation. Please be aware that certain grouts are not UV resistant and will fade when placed in direct sunlight. Please contact the grout manufacturer for further advice. When installing mosaics alongside thicker tiles that are not in pools, e.g. as a border, we recommend a packing material such as P.C.I Pecidur boards.

Pools and Power Showers

If using our tiles within a pool that has water movement e.g. flumes and slides, or if using in a shower area which has a power shower, it is important to use adhesive and grout products specified for the purpose. For further advice please contact the adhesive manufacturer.

NB Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

Maintenance and Cleaning

Please note, the use of certain acid based cleaning products may cause some mosaics to react and change in character. Do not use hydrofluoric acid pool cleaners as these will have an adverse effect on the mosaics. We recommend the use of pH neutral cleaning products on our tiles unless stated otherwise. Regular cleaning of mosaics is recommended as a build up of certain deposits (such as magnesium and calcium) can be detrimental, even causing acid etching on the surface. These are difficult or, in some cases, impossible to remove if left.

Scratching

As with all glass products, glass mosaics can be scratched. Care should be taken in installation and that glass mosaics are not put in high-risk areas for scratching. It is important to use a fine grade or non-sanded grout to avoid scratching the surface of glass mosaics. Glass mosaics should not be used on counter tops because of the likelihood of scratching.

Use of Glass Mosaics Near Heat

Original Style recommends mosaics are installed a minimum of 3cm from any direct heat source. As glass is a very good conductor of heat caution must be taken when considering installation in areas of extreme heat.

Storage

It is important to keep all Original Style tiles and also any fixing materials such as grouts and adhesives in a cool and dry area before installation.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask for samples.

Product Specific Information

Mixed Blend and Gold Fleck Mosaics

Some of the mixed blends and gold fleck mosaic sheets contain transparent pieces. We advise that the mesh backing behind any transparent pieces should be carefully removed before fixing so the mesh is not visible after installation. Always use a suitable white glass adhesive with these mosaics. Solid bed method of installation is recommended.

Gold Fleck and Iridescent Mosaics

The surfaces of some of the gold fleck and iridescent mosaics are very slightly pitted, which is one of their inherent features. Unless they are sealed first, any pitted surface may become unavoidably filled during the grouting process, resulting in a speckled appearance. We recommend that these tiles are sealed with a removable protective sealer prior to installation.

Some mosaics are inherently pitted and some have slight edge chipping, this is a natural aspect of certain mosaics. Please check that the mosaics you have chosen to install are to your satisfaction as installation is taken as acceptance.

Please test a small inconspicuous area before installation, following all manufacturers' instructions.

Plastic Film Faced and Paper Faced Mosaics

Film faced mosaics are faced with a plastic film and should be adhered in the same way as other mosaics, but with the film facing outwards. Always use a suitable white rapid setting flexible mosaic adhesive. The adhesive should be left for at least 24 hours to allow it to completely set and dry. If necessary make slight adjustments to straighten the mosaics. Do this before the adhesive has set by carefully cutting the film with a sharp knife. Paper faced mosaics should be adhered in the same way as other mosaics, but with the paper facing outwards. Wet the paper and peel off before the setting material hardens to allow time to straighten the mosaics and to check that the colour and shade are correct on each sheet as you work.

Pebble Mosaics

To avoid visible grout lines, some pebbles may require adjusting slightly so that they interlock with adjoining pebble sheets.

Splitface Stone

Care must be taken to ensure that the substrate is suitable (eg backerboard) due to the substantial weight of these products (48kg per m²).

For more detailed instructions for fixing mosaics and tiles to walls and floors please see refer to the Original Style Fixing Guide at www.originalstyle.com/en/fixing, and also BS 5385-4:2009 Part 4 Design and Installation of Ceramic and Mosaic Tiling in Special Conditions Code of Practice. For all pool installations please consult with your pool contractor and refer to the manufacturers of grouts, adhesives and other materials.

Limits of Liability

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Claims must be reported within seven working days from receipt of the tiles. Tile sizes may vary slightly from the stated nominal dimensions within internationally accepted standards. Please be advised that installation constitutes acceptance of the quality, colour, texture, size and shade of the tiles. Please note the use of certain acid-based cleaning products may cause some of the tiles to react and change in character. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Slip Resistance testing methods

Pendulum Barefoot Wet (BS7976-2 TRRL 55)

This is a swinging arm test apparatus to determine the wet coefficient of friction using a rubber slider that simulates a bare foot in wet conditions.

Accepted limits for flooring using this technique are as follows:

Slip Potential	Range
High	19 and below
Moderate	20 to 39
Low	40 to 74
Very Low	75 and above

Ramp Barefoot Wet (DIN 51097)

The tiles are fixed on a ramp which is then wetted. A person with bare feet walks on the wetted surface as the ramp angle is increased until the person slips. The angle at which slipping occurs is recorded. There are three categories A B and C. A has the highest slip potential and C the lowest.

The following is a classification with wet area usage recommendations:

Cat.	Angle	Area of use
A	12° - 17°	Individual and group changing rooms with lockers Pool floor in the non-swimmer areas where water level exceeds 80cm
B	18° - 23°	Showers Area surrounding the disinfectant sprayers Pool floor in the non-swimmer areas where the water level is less than 80cm in parts Pool floor in the non-swimmer areas in the tide effect pool Steps leading into the water Steps of maximum 1m width with hand rails leading into the water Steps outside the pool area
C	>23°	Pool surrounds Paddling pools Steps leading into the water if not classified in B

Key for symbols



Pools & hot tubs
(suitable for submersion)



Wet & dry walls
(inc showers & wet rooms)



Wet & dry floors
(inc showers & wet rooms)



Dry walls only



Dry floors only



Internal use only



Internal & external use

pool & spa specialists

To make sure of a quality installation, you'll need specific adhesives, grouts and waterproofing from the specialists. Here is a selection of products that can be used for pools and spas.

System Ardex - Premium Performance



Screeds, renders, waterproofing, adhesives and grouts







Mapei - Technology you can build on

Waterproofing, adhesives and grouts







Trade Sales

Tel: +44 (0) 1392 473037

Fax : +44 (0) 1392 473035

Email: info@designworkstiles.com

Website: www.designworkstiles.com

The 'Designworks' logo is a registered trade mark of Original Style Ltd.

Original Style Limited is registered in England number 3018117.

Registered Office: Falcon Road, Sowton Industrial Estate,
Exeter, Devon, England EX2 7LF

SWIM6/10/16

© Copyright Designworks Tiles 2016



DESIGNWORKS TILES

PORCELAIN / CERAMIC / MOSAIC / GLASS